

*U-96-01*  
*II-A-147*

APPENDIX A  
HIGHWAY CONSTRUCTION NOISE FIELD MEASUREMENTS,  
SITE 1: I-201 (CALIFORNIA)

October 1981

Office of Noise Abatement & Control  
U. S. Environmental Protection Agency  
Washington, D. C. 20460

N-96-01  
II-A-142

TECHNICAL REPORT DATA <i>(Please read instructions on the reverse before completing)</i>		
1. REPORT NO. EPA 550/9-81-314-D	2.	3. RECIPIENT'S ACCESSION NO.
4. TITLE AND SUBTITLE Appendix A, Highway Construction Noise Field Measurements, Site 4: I-75 (Florida)	5. REPORT DATE June 1981	6. PERFORMING ORGANIZATION CODE
	7. AUTHOR(S) William R. Fuller, Ron Brown	8. PERFORMING ORGANIZATION REPORT NO. WR 81-19
9. PERFORMING ORGANIZATION NAME AND ADDRESS Wyle Laboratories/Wyle Research 2361 Jefferson Davis Highway, #404 Arlington, Virginia 22202	10. PROGRAM ELEMENT NO.	11. CONTRACT/GRANT NO. DOT-FH-11-9455
	12. SPONSORING AGENCY NAME AND ADDRESS U.S. Environmental Protection Agency, Office of Noise Abatement & Control (ANR-471) Washington, D.C. 20460, and U.S. Department of Transportation, Federal Highway Administration, Washington, D.C. 20590	13. TYPE OF REPORT AND PERIOD COVERED Final
15. SUPPLEMENTARY NOTES Completed under an Interagency Agreement jointly sponsored by both EPA (Office of Noise Abatement and Control) and FHWA.		
16. ABSTRACT <p>This study investigated the noise associated with highway construction activities. It involved the identification and examination of: highway construction activities, noise characteristics associated with highway construction activities, availability of highway construction noise abatement measures, demonstration of construction site noise abatement measures, and development of a computer-based model for use as a tool to predict the noise impact of construction activities and to plan mitigation measures. The model was developed for use on the FHWA computer (IBM 360).</p> <p>A total of seven reports were prepared in this study and have been released for public distribution.</p> <p>Reports (Part D through Part G) contain field data gathered at the field demonstrations at highway construction sites in: Route I-201, California; I-205, Oregon; I-95/I-395, Maryland; and I-75, Florida. They contain noise data on single and multiple pieces of equipment, provide general description of highway site activities, and activity analyses of equipment.</p>		
17. KEY WORDS AND DOCUMENT ANALYSIS		
a. DESCRIPTORS Highway Noise Construction Equipment Noise Measurements Construction Noise Noise Abatement	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
18. DISTRIBUTION STATEMENT Unlimited	19. SECURITY CLASS (This Report) Unclassified	21. NO. OF PAGES
	20. SECURITY CLASS (This page) Unclassified	22. PRICE

APPENDIX A  
HIGHWAY CONSTRUCTION NOISE FIELD MEASUREMENTS,  
SITE 1: I-201 (CALIFORNIA)

October 1981

Office of Noise Abatement & Control  
U. S. Environmental Protection Agency  
Washington, D. C. 20460

This report has been approved by EPA for general availability. The contents of this report reflect the views of the contractor, who is responsible for the facts and the accuracy of the data presented herein, and do not necessarily reflect the official views or policy of EPA or DOT. This report does not constitute a standard, specification, or regulation,

PERMISSION IS GRANTED TO REPRODUCE THIS MATERIAL WITHOUT FURTHER CLEARANCE.

## FORWARD

This study was jointly sponsored, through an Interagency Agreement (IAG), by the Office of Noise Abatement and Control (ONAC), U.S. Environmental Protection Agency (EPA), and the Federal Highway Administration (FHWA), U.S. Department of Transportation (DOT). The study was conducted by Wyle Laboratories under contract to FHWA Contract No. DOT-FH-11-9455. Wyle Research of El Segundo, California, and Wyle Research of Arlington, Virginia, performed the study.

The object of the study was to investigate and study the noise associated with highway construction activities. The study involved the identification and examination of: highway construction activities, noise characteristics associated with highway construction activities, availability of highway construction noise abatement measures, demonstration of construction site noise abatement measures, and development of a computer-based model for use as a tool to predict the noise impact of construction activities and to plan mitigation measures. The model was developed for use on the FHWA computer (IBM 360).

The principal project officers for Wyle Laboratories on this project were Mr. William Fuller of Wyle Research in El Segundo and Dr. Kenneth Plotkin of Wyle Research of Arlington, Virginia.

The government project managers for the study were Mr. Fred Romano of FHWA, and Mr. Roger Heymann of EPA/ONAC.

The various technical reports completed by Wyle under this contract and submitted to FHWA have been released for public distribution by EPA.

## PREFACE

This study involved a comprehensive review of the environmental noise associated with highway construction activities. A total of seven reports have been released for public distribution. These reports are:

1. Analysis and Abatement of Highway Construction Noise, EPA 550/9-81-314-A, September 1981.
2. A Model for the Prediction of Highway Construction Noise, EPA 550/9-81-314-B, September 1981.
3. IBM 360/System Batch Version of Highway Construction Noise Model, EPA 550/9-81-314-C, September 1981.
4. Appendix A, Highway Construction Noise Field Measurements, Site 1: I-201 (California), EPA 550/9-81-314-D, September 1981.
5. Appendix B, Highway Construction Noise Field Measurements, Site 2: I-205 (Oregon), EPA 550/9-81-314-E, September 1981.
6. Appendix C, Highway Construction Noise Field Measurements, Site 3: I-95/I-395 (Maryland), EPA 550/9-81-314-F, September 1981.
7. Appendix D, Highway Construction Noise Field Measurements, Site 4: I-75 (Florida), EPA 550/9-81-314-G, September 1981.

The first two reports (Part A and Part B) might be considered the principal reports since they are relatively self-contained units on this study's efforts, the engineering studies and the computer model, respectively. In this regard, if there is to be a limited purchase of the reports, one might consider obtaining either or both of Part A and Part B, and obtaining the other reports as additional informational needs arise.

- The first report (Part A) contains all of the information from the engineering study phase of the project. It gives information on highway construction procedures, highway construction site noise characteristics, available abatement measures, and results from field demonstrations on noise abatement.

- The second report (Part B) presents a complete description of the highway noise prediction model. The report contains a description of the model's formulation and construction, a description of the program, and a user's manual.
- The third report (Part C) provides additional information to the Part B report on the highway construction noise model installed at DOT's Transportation Computer Center on an IBM 360 computer. It delineates the differences between the version of the model as installed on the IBM 360 and the two models (HINPUT and HICNOM) operating on the Wyle Computer (PDP-11). The report has additional user's manual information for use on the IBM 360, a programmer's manual describing changes in going from the PDP-11 to the IBM 360, and a maintenance manual.
- Reports 4, 5, 6, and 7 (Part D through Part G) contain field data gathered at the field demonstrations at highway construction sites in: Route I-201, California; I-205, Oregon; I-95/I-395, Maryland; and I-75, Florida. They contain noise data on single and multiple pieces of equipment, provide general description of highway site activities, and activity analyses of equipment.

## APPENDIX A

This appendix summarizes field measurements performed at the I-210 (California) construction site during July and August 1979. The project encompassed 6 miles of 8-lane divided interstate highway which will complete construction on I-210. The highway at this location ran through a suburban area characterized by low-density housing and small farms. Approximately two-thirds of the highway alignment was flat. However, at the southern end of the site, major earthwork activities were in progress through hilly terrain. Common soil was typical at this site, with little or no rock excavation anticipated. The soil in this area was dry. Further description of the site is presented in Section 3.5 of the main report.

The following data and information are presented in this appendix:

1. General highway site description.
2. Noise measurements of activities involving single or multiple pieces of equipment; diagrams describing each activity site are included.
3. Controlled single equipment noise measurements of selected equipment.
4. Equipment activity analysis of selected equipment.

A summary of key construction noise data derived from this site is presented in Section 3.5.3 of the main report.



INDEX OF SHEETS

Sheet No.	Title	Sheet No.	Sheet Diagram
1	Site Map	1-17	Cross Section
2-5	Typical Cross Sections		
6	Standard Plans List		
7-12	Plan, Profile & Elevation Details		
13-18	Shop Construction		
19	City Street Plans		
20-25	Center Grading, Sidewalk, Markers, Fences, Guard Rails, etc.		
26-30	Signaling, Traffic Control, Traffic Control System		
31-35	Sign Details, Plans & Profiles		
36-40	Clearance		
41-45	Drainage		
46-50	Structures		
51-55	Quantity		
56-60	Special Details		
61-65	Utility		
66-70	Sign Plans		
71-75	Structural Plans		
76-80	Special Work		
81-85	Structures - See List Below		

△ SHEETS ADDED FOR ADDENDUM NO. 1

SHEET NO.	DESCRIPTION
133A	
133B	
133C	


STATE OF CALIFORNIA  
BUSINESS AND TRANSPORTATION AGENCY  
DEPARTMENT OF TRANSPORTATION

1-210-1126917


PROJECT PLANS FOR CONSTRUCTION ON  
STATE HIGHWAY

IN LOS ANGELES COUNTY IN LOS ANGELES FROM VAN NUYS BOULEVARD  
TO 0.9 MILE EAST OF SUNLAND BOULEVARD

REDUCED PLAN  
USE SCALE BELOW



To be supplemented by Standard Plans dated March 1977



**STRUCTURE LIST**

QTY	NO.	DESCRIPTION	STATION
227	1	PIERCE ST. PUE	53+21.00
200	2	15' WIDE CEMENT CONCRETE CURB/SEWER	40+00.00
200	3	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	4	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	5	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	6	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	7	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	8	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	9	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	10	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	11	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	12	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	13	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	14	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	15	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	16	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	17	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	18	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	19	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	20	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	21	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	22	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	23	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	24	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	25	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	26	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	27	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	28	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	29	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	30	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	31	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	32	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	33	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	34	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	35	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	36	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	37	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	38	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	39	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	40	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	41	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	42	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	43	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	44	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	45	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	46	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	47	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	48	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	49	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	50	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	51	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	52	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	53	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	54	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	55	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	56	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	57	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	58	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	59	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	60	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	61	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	62	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	63	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	64	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	65	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	66	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	67	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	68	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	69	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	70	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	71	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	72	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	73	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	74	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	75	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	76	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	77	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	78	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	79	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	80	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	81	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	82	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	83	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	84	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	85	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	86	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	87	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	88	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	89	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	90	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	91	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	92	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	93	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	94	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	95	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	96	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	97	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	98	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	99	15' WIDE CEMENT CONCRETE CURB	53+21.00
200	100	15' WIDE CEMENT CONCRETE CURB	53+21.00

SCALE IN FEET  
Length of Major Construction 5.4 Miles  
Length of Work 7.7 Miles

LEGEND  
△ Revised for Addendum No. 1 dated May 10, 1978  
Contract No. 07-063754

The standard plans are a portion of the plans for the State Highway, adopted by the California Highway Commission in March 1977 and September 1, 1977 and amended as indicated by portions of the California Highway Commission in March 1978 and December 1, 1977.

198-77

CITY OF LOS ANGELES


No. 27  
 March 2, 1916

CITY OF LOS ANGELES  
 BUREAU OF ENGINEERING  
 March 2, 1916  
 W. H. ...

REDUCED PLAN  
 USE SCALE BELOW


VICINITY KEY MAP  
 1" = 600'

FOOTHILL FREEWAY  
 Van Nuys Boulevard to Sunland Boulevard



Fill Area

**NOTES**  
 1 City of Los Angeles Standard Plans required for this project:  
 Type of curb & gutter - S-40-C, gal 150  
 Access ramps - S-40P-0  
 Standard Plans are available in Room 424, City Engineer's City Hall, 500 N. Spring St., Los Angeles, California 90012.  
 All L.A. Type B curb & gutter shall be Type C integral curb & gutter.  
 Exact location of drainage to be determined by Engineer.



CSP

Sheet No.	27
Date	March 2, 1916
Project No.	...

STREET PLANS: Sheet 1 of 24 Sheets

Measurement Site Data

Highway: I-210

Date: July/August 1979

Site Location: Cut Area; north end of project

Type of Measurements:

Community

Activity

Propagation

Site Boundary

Single Equipment

Movies

Soil/Terrain Conditions: Area where haul trucks operate; hard, slick earth

Area around C1, C5, C6: hard bank earth

C4 located on top of pile of boulders

Area around C2, C3: loose soil, uneven terrain

Machinery Description:

Fiat-Atto 31 track dozer (#2500)

Fiat-Atto 41 track dozer (#2500)

Cat 1046 track dozer (#2246)

Cat 2910 track dozer (#2210)

2 Cat. 992 wheel loader and loader; 10 wheel dozer

Perkins 3 tractor w/dual exhaust; double dozer; 2 wheel  
excavators.


Miscellaneous Information:

Several sketches of area made; cut area terrain  
changed significantly from day to day.










SITE DIAGRAM 7-30A

SITE DIAGRAM 7-30A


I-210	30 JULY 79
CUT AREA	DRWG. A
SCALE: 1" = 200 FEET	REV 15/AUG 79
750	200



SITE DIAGRAM 7-30/31C

T-210	30,31 July 79
CUT AREA	DRWG C
SCALE: 1"=100'	REV. 23 Aug 79






I-210	30 JULY 79
CUT AREA	DRWG F
SCALE: 1" = 80'	REV. 22 AUG 79


SITE DIAGRAM 7-30F

RESIDENTIAL



I-210	31 JULY 79
CUT AREA	DRWG B
SCALE: 1"=80'	REV. 22 AUG 79

SITE DIAGRAM 7-31B



Measurement Site Data

Highway: I-210

Date: JULY/AUG. 1979

Site Location: FILL AREA; IN THE VICINITY OF TERRE BELLA AVE;  
2 SEPARATE LOCATIONS

Type of Measurements:

Community

Activity

Propagation

Site Boundary

Single Equipment

Movies

Soil/Terrain Conditions: Area where truck dump soil.  
loosely compacted earth; small windrows are  
separated by approximately 12' wide parallel  
dumping area

Machinery Description:

Cat. 834 wheeled tractor

Peterbilt tractor truck w/dual hydraulic double belly  
dump & dual trailers

Cat. wheel truck (occasional, used)


Cat. 16 grader

Miscellaneous Information:










SITE DIAGRAM S-1A





I-210  
 7 AUG 79  
 FILL AREA  
 DRWG A  
 east of Terra Bella revised 17 Aug 79  
 SCALE 1" = 80'  
 40' 80'

SITE DIAGRAM S-74

Measurement Site Data

Highway: I-210

Date: JULY/AUG 1979

Site Location: ① ADJACENT TO HIGH SPEED SECTION OF HAUL ROAD

② WHEATLAND AVE BRIDGE CONSTRUCTION SITE

Type of Measurements:

Community

Activity

Propagation

Site Boundary

Single Equipment

Movies

Soil/Terrain Conditions: ① HAUL ROAD IS HARD COMPACTED SOIL SURFACE

BETWEEN ROAD & MIC WAS GRADY SLOPING HARD BANK LATER

② SURFACE IN VICINITY OF MIC WAS HARD COMPACTED EARTH

SLOPE OF BRIDGE APPROACHES WERE COMPACTED EARTH

Machinery Description:

Peterbilt w/dual exhaust; double belly dump; generator  
Cement trucks

Miscellaneous Information:

TRUCK PASSES DURING H-1 SAMPLE:

Hour 1 = 115

Hour 2 = 55 (LUNCH)

Hour 3 = 119

LAST 30 MIN = 58

TOTAL = 347






CHRISTY AVE.

HAUL ROAD

FENCE





(HOMES)

SCALE: 1" = 60'

I-210 3 AUG 79  
HAUL ROAD DRWG A  
REVISED 17 AUG 79



DATE: 1/18/79



SCALE: 1" = 40'

20' 40'

I-210 3 AUG 79

HAUL ROAD DRWG B

BRIDGE CONSTR. REVISED 17/NOV 79

SITE DIAGRAM A-28

Measurement Site Data

Highway: I-210

Date: JULY/AUG 1979

Site Location: ① VICINITY OF EATCH PLANT; ② FILL AREA  
EAST OF TERKA ELLA AVE

Type of Measurements:

- |  |  |   |
|--|--|---|
| <input type="checkbox"/> Community     | <input type="checkbox"/> Activity                    | <input checked="" type="checkbox"/> Propagation |
| <input type="checkbox"/> Site Boundary | <input checked="" type="checkbox"/> Single Equipment | <input type="checkbox"/> Movies                 |

Soil/Terrain Conditions: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Machinery Description:

Cat 920 Front End Loader  
Laidner Diesel 155 CFM Compressor  
Generator (model unknown)  
Cat 834 Loader

Miscellaneous Information:









I-210  
BATCH PLANT  
SCALE 1"=50'

7 AUG 79  
DR26C  
Rev. 2044?


SITE DIAGRAM E-7E





SITE DIAGRAM 8-9B

I-210 9 AUG 79  
SINGLE EQUIP TESTS  
PORTABLE GENERATOR  
SCALE: 1/2" = 20' DIAG B



TERRA BELLA

SITE DIAGRAM 8-9C  
 I-210 SAUGATE  
 SINGLE EQUID TESTS  
 CAT 834 DAG. C  
 SCALE: 1"=50' REV. 23Aug79

RESIDENTIAL

HAUL ROAD



TERRA BELLA

SITE DIAGRAM B-91D

I-210	9 Aug 79
Single Equipment Measurement	
CAT 834	DIAG B D
Scale: 1"=50'	Rev. 23 Aug 79

Frame #	Location	Date	Time	View or Subject
18	Terra Bella + Pruger	8-1	1520	West at Fill Area
19	E. of TERRA BELLA	8-7	0900	Site F-G, AT BOUNDARY FENCE, <sup>#19</sup> N.E.
20	@ fill location	8-7	0900	From ROC, #20 N.W. of ROC.
21	BRIDGE CONST. SITE	8-7	1100	BEWRIGHT R.
22	CONCRETE BATCH PLANT	8-7	11:30	West of plant, directly behind 100' mic position
23	CONCRETE BATCH PLANT	8-7	11:45	South of plant; directly behind 100' mic position
24	Cut Area	8-7	1300	Loading operation
1-7	West to Batch Plant	8-9	1300	Cat 930 Loader; Single Equip. Measurement
8-10	" " " "	8-9	1400	G-D Compressor; " " "
11-14	Fill Area; Terra Bella	8-9	1730	Cat 834 Tractor; " " "
15-18	Fill Area; Terra Bella	8-14	1800	Subarea from point 100' from mic
19	Fill Area; Terra Bella	8-15	1250	Full sub. from mic.
20	Center of Cut Area	8-15	1300	Site C-1
21-23	Cut Area C-1	8-15	1330	Sub F-1; West, North, South

LL #3


35mm PHOTOS

I-210 ; 7/31/79 THRU 8/7/79

ROLL #1




#17



#18



#19



#20


BLACK COPY



<sup>3</sup>  
ROLL #2



#1 missing



RI ACK COPY


4




#4 missing

#5

BLACK COPY



#6




#7




#8

BLACK COPY



#9




#10

BLACK COPY

7




4/11



4/12

BLACK COPY



#13



#14

BLACK COPY



#16




#15

BLACK COPY




#17




#18

BLACK COPY






#19



#20

BLACK COPY




# 21



# 22

BLACK COPY



# 23



#24

5