



United States
Environmental Protection
Agency

Noise

Office of
Noise Abatement and Control
Washington, DC 20460

*1-96-01
II-A-117*
EPA REPORT NO. 550/9-82-103B
March 1982

ANALYSIS OF NOISE-RELATED AUDITORY
AND ASSOCIATED HEALTH PROBLEMS
IN THE U.S. ADULT POPULATION
(1971-1975)

VOLUME 2

N-96-01
II-A-177

ANALYSIS OF NOISE-RELATED AUDITORY
AND ASSOCIATED HEALTH PROBLEMS
IN THE U.S. ADULT POPULATION
(1971-1975)

EPA REPORT NO. 550/9-82-103B
March 1982

VOLUME 2

This report has been approved for general availability. The contents of this report reflect the views of the contractor, who is responsible for the facts and the accuracy of the data presented herein. This report does not necessarily reflect the official views or policy of EPA. This report does not constitute a standard, specification, or regulation.

PERMISSION IS GRANTED TO REPRODUCE THIS MATERIAL WITHOUT FURTHER CLEARANCE

TECHNICAL REPORT DATA <i>(Please read instructions on the reverse before completing)</i>		
1. REPORT NO. 550/9-82-103B	2.	3. RECIPIENT'S ACCESSION NO.
4. TITLE AND SUBTITLE ANALYSIS OF NOISE-RELATED AUDITORY AND ASSOCIATED HEALTH PROBLEMS IN THE U.S. POPULATION (1971-1975)		5. REPORT DATE MARCH 1982
		6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S) JUDITH D. SINGER with T. J. Tomberlin, J. M. Smith, A. J. Schrier		8. PERFORMING ORGANIZATION REPORT NO. 550/9-82-103B
9. PERFORMING ORGANIZATION NAME AND ADDRESS ABT ASSOCIATES, INC. 55 Wheeler Street CAMBRIDGE, MA 02138		10. PROGRAM ELEMENT NO. 5
		11. CONTRACT/GRANT NO. 68-01-6264
12. SPONSORING AGENCY NAME AND ADDRESS ENVIRONMENTAL PROTECTION AGENCY 401 M. STREET SW WASHINGTON, DC 20460		13. TYPE OF REPORT AND PERIOD COVERED
		14. SPONSORING AGENCY CODE EPA ONAC
15. SUPPLEMENTARY NOTES SEND OUT BOTH VOLUMES WITH ANY REQUESTS. (SEND 550/9-82-103A & 550/9-82-103B)		
16. ABSTRACT The First National Health and Nutrition Examination Survey (NHANES I) was designed to characterize the overall health and nutritional status of the U.S. civilian noninstitutionalized population aged 1-74 years and to permit examination of the prevalence of specific health conditions on a subsample of adults aged 25-74 years. Analyses presented in this report are based on the national probability subsample of 6913 adults aged 25-74 years who were administered an audiometric test as well as detailed questionnaires and physical examinations dealing with hypertension and a variety of other health conditions. Detailed occupational descriptions were used in the present study to estimate approximate eight-hour noise levels for the sample of 3842 adults aged 25-74 years in the workforce. Among the major findings: 1. Hearing impairment is a widespread health problem in the United States; 2. Occupational noise exposure was identified as a major risk factor associated with the prevalence of hearing impairment among men; 3. Occupational noise exposure was not significantly related to hearing sensitivity among working women; 4. Occupational noise exposure was found to have a weak, but nevertheless significant association with hypertension for both men and women; 5. Among men, occupational noise exposure was associated with overall physical health, whereas among women, it was associated with only overall psychological health; and 6. No conclusive relationships were found between occupational noise exposure and the remaining indicators of specific health conditions.		
17. KEY WORDS AND DOCUMENT ANALYSIS		
a. DESCRIPTORS U.S. HEARING DEMOGRAPHICS, NOISE, CORRELATES OF HEARING AND NOISE, NON-AUDITORY CORRELATES, HEARING TESTS, SPEECH DISCRIMINATION HYPERTENSION, NONAUDITORY EFFECT OF NOISE, OCCUPATIONAL NOISE	b. IDENTIFIERS/OPEN ENDED TERMS NOISE HEARING	c. COSATI Field/Group
18. DISTRIBUTION STATEMENT AVAILABLE THROUGH NTIS		19. SECURITY CLASS <i>(This Report)</i> UNCLASSIFIED
		20. SECURITY CLASS <i>(This page)</i> UNCLASSIFIED
		21. NO. OF PAGES VOL. 2, 174 pgs.
		22. PRICE

EPA Form 2220-1 (9-73)

ABT ASSOCIATES INC.
55 WHEELER STREET, CAMBRIDGE, MASSACHUSETTS 02138
TELEPHONE • AREA 617-492-7100

Authors:

Judith D. Singer
with
Thomas J. Tomberlin
Janet M. Smith
Alicia J. Schrier

APPENDIX III

Hearing Status in the United
States and the Auditory and
Non-Auditory Correlates of
Occupational Noise Exposure

12 March 1982

Project Director:

Judith D. Singer

Government Project Officer:

Jack Shampman

Prepared for:

Environmental Protection Agency
Office of Noise Abatement and Control
Washington, D.C. 20460

Contract Number: 68-01-6264

 Contract Manager	 Quality Control Reviewer	 Management Reviewer
---	---	--

List of Tables

<u>Table Number</u>	<u>Title</u>
3.1	Percent Distribution of Air Conduction Hearing Levels (in Decibels) for the Right, Left, Better and Worse Ears of Adults at 500, 1000, 2000 and 4000 Hertz: United States, 1971-1975
3.2	Correlation Coefficients Among Air Conduction Hearing Levels at 500, 1000, 2000 and 4000 Hz in the Right and Left Ears: United States, 1971-1975
3.3	Percent Distribution of the Difference Between the Air Conduction Hearing Levels in the Right and Left Ears at 500, 1000, 2000 and 4000 Hertz: United States, 1971-1975
3.4	Mean Air Conduction Hearing Levels (in Decibels) at 500 Hertz in the Right Ear by Age, Race and Sex: United States, 1971-1975
3.5	Standard Errors and Design Effects for Air Conduction Hearing Levels in the Right Ear at 500 Hertz by Age, Race and Sex: United States 1971-1975
3.6	Mean Air Conduction Hearing Levels (in Decibels) at 1000 Hertz in the Right Ear by Age, Race and Sex: United States, 1971-1975
3.7	Standard Errors and Design Effects for Air Conduction Hearing Levels in the Right Ear at 1000 Hertz by Age, Race and Sex: United States, 1971-1975
3.8	Mean Air Conduction Hearing Levels (in Decibels) at 2000 Hertz in the Right Ear by Age, Race and Sex: United States, 1971-1975
3.9	Standard Errors and Design Effects for Air Conduction Hearing Levels in the Right Ear at 2000 Hertz by Age, Race and Sex: United States, 1971-1975
3.10	Mean Air Conduction Hearing Levels (in Decibels) at 4000 Hertz in the Right Ear by Age, Race and Sex: United States, 1971-1975
3.11	Standard Errors and Design Effects for Air Conduction Hearing Levels in the Right Ear at 4000 Hertz by Age, Race and Sex: United States 1971-1975

Table
Number

Title

- 3.12 Mean Air Conduction Hearing Levels (in Decibels) at 500 Hertz in the Left Ear by Age, Race and Sex: United States, 1971-1975
- 3.13 Standard Errors and Design Effects for Air Conduction Hearing Levels in the Left Ear at 500 Hertz by Age, Race and Sex: United States, 1971-1975
- 3.14 Mean Air Conduction Hearing Levels (in Decibels) at 1000 Hertz in the Left Ear by Age, Race and Sex: United States, 1971-1975
- 3.15 Standard Errors and Design Effects for Air Conduction Hearing Levels in the Left Ear at 1000 Hertz by Age, Race and Sex: United States, 1971-1975
- 3.16 Mean Air Conduction Hearing Levels (in Decibels) at 2000 Hertz in the Left Ear by Age, Race and Sex: United States, 1971-1975
- 3.17 Standard Errors and Design Effects for Air Conduction Hearing Levels in the Left Ear at 2000 Hertz by Age, Race and Sex: United States, 1971-1975
- 3.18 Mean Air Conduction Hearing Levels (in Decibels) at 4000 Hertz in the Left Ear by Age, Race and Sex: United States, 1971-1975
- 3.19 Standard Errors and Design Effects for Air Conduction Hearing Levels in the Left Ear at 4000 Hertz by Age, Race and Sex: United States, 1971-1975
- 3.20 Mean Air Conduction Hearing Levels (in Decibels) at 500 Hertz in the Better Ear by Age, Race and Sex: United States, 1971-1975
- 3.21 Mean Air Conduction Hearing Levels (in Decibels) at 1000 Hertz in the Better Ear by Age, Race and Sex: United States, 1971-1975
- 3.22 Mean Air Conduction Hearing Levels (in Decibels) at 2000 Hertz in the Better Ear by Age, Race and Sex: United States, 1971-1975
- 3.23 Mean Air Conduction Hearing Levels (in Decibels) at 4000 Hertz in the Better Ear by Age, Race and Sex: United States, 1971-1975

Table
Number

Title

- 3.24 Mean Air Conduction Hearing Levels (in Decibels) at 500 Hertz in the Worse Ear by Age, Race and Sex: United States, 1971-1975
- 3.25 Mean Air Conduction Hearing Levels (in Decibels) at 1000 Hertz in the Worse Ear by Age, Race and Sex: United States, 1971-1975
- 3.26 Mean Air Conduction Hearing Levels (in Decibels) at 2000 Hertz in the Worse Ear by Age, Race and Sex: United States, 1971-1975
- 3.27 Mean Air Conduction Hearing Levels (in Decibels) at 4000 Hertz in the Worse Ear by Age, Race and Sex: United States, 1971-1975
- 3.28 Significance Tests of Age, Sex and Race Differences in Air Conduction Hearing Levels at 500, 1000, 2000 and 4000 Hz in the Right and Left Ears: United States, 1971-1974
- 3.29 Percent Distribution of Bone Conduction Hearing Levels (in Decibels) for the Right, Left, Better and Worse Ears of Adults at 500, 1000, 2000 and 4000 Hertz: United States, 1971-1975
- 3.30 Correlation Coefficients Among Bone Conduction Hearing Levels at 500, 1000, 2000 and 4000 Hz in the Right and Left Ears: United States, 1971-1974
- 3.31 Percent Distribution of the Difference Between the Bone Conduction Hearing Levels in the Right and Left Ears at 500, 1000, 2000 and 4000 Hertz: United States, 1971-1974
- 3.32 Mean Bone Conduction Hearing Levels (in Decibels) at 500 Hertz in the Right Ear by Age, Race and Sex: United States, 1971-1974
- 3.33 Standard Errors and Design Effects for Bone Conduction Hearing Levels in the Right Ear at 500 Hertz by Age, Race and Sex: United States, 1971-1974
- 3.34 Mean Bone Conduction Hearing Levels (in Decibels) at 1000 Hertz in the Right Ear by Age, Race and Sex: United States, 1971-1974

<u>Table Number</u>	<u>Title</u>
3.35	Standard Errors and Design Effects for Bone Conduction Hearing Levels in the Right Ear at 1000 Hertz by Age, Race and Sex: United States, 1971-1975
3.36	Mean Bone Conduction Hearing Levels (in Decibels) at 2000 Hertz in the Right Ear by Age, Race and Sex: United States, 1971-1974
3.37	Standard Errors and Design Effects for Bone Conduction Hearing Levels in the Right Ear at 2000 Hertz by Age, Race and Sex: United States, 1971-1974
3.38	Mean Bone Conduction Hearing Levels (in Decibels) at 4000 Hertz in the Right Ear by Age, Race and Sex: United States, 1971-1974
3.39	Standard Errors and Design Effects for Bone Conduction Hearing Levels in the Right Ear at 4000 Hertz by Age, Race and Sex: United States, 1971-1974
3.40	Mean Bone Conduction Hearing Levels (in Decibels) at 500 Hertz in the Left Ear by Age, Race and Sex: United States, 1971-1974
3.41	Standard Errors and Design Effects for Bone Conduction Hearing Levels in the Left Ear at 500 Hertz by Age, Race and Sex: United States, 1971-1974
3.42	Mean Bone Conduction Hearing Levels (in Decibels) at 1000 Hertz in the Left Ear by Age, Race and Sex: United States, 1971-1974
3.43	Standard Errors and Design Effects for Bone Conduction Hearing Levels in the Left Ear at 1000 Hertz by Age, Race and Sex: United States, 1971-1974
3.44	Mean Bone Conduction Hearing Levels (in Decibels) at 2000 Hertz in the Left Ear by Age, Race and Sex: United States, 1971-1974
3.45	Standard Errors and Design Effects for Bone Conduction Hearing Levels in the Left Ear at 2000 Hertz by Age, Race and Sex: United States, 1971-1974

Table
Number

Title

- | | |
|------|---|
| 3.46 | Mean Bone Conduction Hearing Levels (in Decibels) at 4000 Hertz in the Left Ear by Age, Race and Sex: United States, 1971-1974 |
| 3.47 | Standard Errors and Design Effects for Bone Conduction Hearing Levels in the Left Ear at 4000 Hertz by Age, Race and Sex: United States, 1971-1974 |
| 3.48 | Mean Bone Conduction Hearing Levels (in Decibels) at 500 Hertz in the Better Ear by Age, Race and Sex: United States, 1971-1974 |
| 3.49 | Mean Bone Conduction Hearing Levels (in Decibels) at 1000 Hertz in the Better Ear by Age, Race and Sex: United States, 1971-1974 |
| 3.50 | Mean Bone Conduction Hearing Levels (in Decibels) at 2000 Hertz in the Better Ear by Age, Race and Sex: United States, 1971-1974 |
| 3.51 | Mean Bone Conduction Hearing Levels (in Decibels) at 4000 Hertz in the Better Ear by Age, Race and Sex: United States, 1971-1974 |
| 3.52 | Mean Bone Conduction Hearing Levels (in Decibels) at 500 Hertz in the Worse Ear by Age, Race and Sex: United States, 1971-1974 |
| 3.53 | Mean Bone Conduction Hearing Levels (in Decibels) at 1000 Hertz in the Worse Ear by Age, Race and Sex: United States, 1971-1974 |
| 3.54 | Mean Bone Conduction Hearing Levels (in Decibels) at 2000 Hertz in the Worse Ear by Age, Race and Sex: United States, 1971-1974 |
| 3.55 | Mean Bone Conduction Hearing Levels (in Decibels) at 4000 Hertz in the Worse Ear by Age, Race and Sex: United States, 1971-1974 |
| 3.56 | Significance Tests of Age, Sex and Race Differences in Bone Conduction Hearing Levels at 500, 1000, 2000 and 4000 Hz in the Right and Left Ears: United States, 1971-1974 |
| 3.57 | Percent Distribution of Speech Discrimination Scores (at 20 dB Sensation Level) in the Right, Left, Better and Worse Ears: United States, 1974-1975 |

<u>Table Number</u>	<u>Title</u>
3.58	Joint Percent Distribution of Speech Discrimination Scores at 20 dB Sensation Level in the Right and Left Ears: United States, 1974-1975.
3.59	Mean Speech Discrimination Scores (at 20 dB Sensation Level) in the Right Ear by Age, Race and Sex: United States, 1974-1975
3.60	Standard Errors and Design Effects for Speech Discrimination Scores at 20 dB Sensation Level in the Right Ear by Age, Race and Sex: United States, 1974-1975
3.61	Mean Speech Discrimination Scores (at 20 dB Sensation Level) in the Left Ear by Age, Race and Sex: United States, 1974-1975
3.62	Standard Errors and Design Effects for Speech Discrimination Scores at 20 dB Sensation Level in the Left Ear by Age, Race and Sex: United States, 1974-1975
3.63	Mean Speech Discrimination Scores (at 20 dB Sensation Level) in the Better Ear by Age, Race and Sex: United States, 1974-1975
3.64	Mean Speech Discrimination Scores (at 20 dB Sensation Level) in the Worse Ear by Age, Race and Sex: United States, 1974-1975
3.65	Significance Tests of Age, Sex and Race Differences in Speech Discrimination Scores at 20 db SL in the Right and Left Ears: United States, 1974-1975
3.66	Prevalence of Poor Hearing in Both Ears, the Right Ear and the Left Ear by Age, Race and Sex: United States, 1971-1975
3.67	Prevalence of Deafness or Trouble Hearing in One or Both Ears by Age, Race and Sex: United States, 1971-1975
3.68	Prevalence of Selected Causes of Hearing Loss by Age, Race and Sex: United States, 1971-1975
3.69	Prevalence of Running and Ringing in the Ear by Age, Race and Sex: United States, 1971-1975

Table
Number

Title

- | | |
|------|--|
| 3.70 | Prevalence of Persons Who Cannot Understand a Whisper Across a Quiet Room by Age, Race and Sex: United States, 1974-1975 |
| 3.71 | Number of Persons (in Thousands) With Poor Hearing in Both Ears, the Right Ear and Left Ear by Age, Race and Sex: United States, 1971-1975 |
| 3.72 | Number of Persons (in Thousands) With Deafness or Trouble Hearing in One or Both Ears by Age, Race and Sex: United States, 1971-1975 |
| 3.73 | Number of Persons (in Thousands) With Selected Causes of Hearing Loss by Age, Race and Sex: United States, 1971-1975 |
| 3.74 | Number of Persons (in Thousands) With Ringing or Running in the Ear by Age, Race and Sex: United States, 1971-1975 |
| 3.75 | Number of Persons (in Thousands) Who Cannot Understand a Whisper Across a Quiet Room by Age, Race and Sex: United States, 1974-1975 |
| 3.76 | Significance Tests (Z Statistics) of Age, Sex and Race Differences in Self-Assessment of Hearing |
| 3.77 | Significance Tests (Z Statistics) of Age, Sex and Race Differences in Causes of Self-Reported Hearing Loss: United States, 1971-1975 |
| 3.78 | Significance Tests (Z Statistics) of Age, Sex and Race Differences in Prevalence of Ear Problems: United States, 1971-1975 |
| 3.79 | Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Right Ear by Age and Sex: United States, 1971-1975 |
| 3.80 | Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Right Ear by Age, Race and Sex: United States, 1971-1975 |
| 3.81 | Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Left Ear by Age and Sex: United States, 1971-1975 |
| 3.82 | Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Left Ear by Age, Race and Sex: United States, 1971-1975 |

Table
Number

Title

3.83	Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Better Ear by Age and Sex: United States, 1971-1975
3.84	Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Better Ear by Age, Race and Sex: United States, 1971-1975
3.85	Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Worse Ear by Age and Sex: United States, 1971-1975
3.86	Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Worse Ear by Age, Race and Sex: United States, 1971-1975
3.87	Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Right Ear by Age and Sex: United States, 1971-1975
3.88	Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Right Ear by Age, Race and Sex: United States, 1971-1975
3.89	Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Left Ear by Age and Sex: United States, 1971-1975
3.90	Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Left Ear by Age, Race and Sex: United States, 1971-1975
3.91	Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Better Ear by Age and Sex: United States, 1971-1975
3.92	Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Better Ear by Age, Race and Sex: United States, 1971-1975
3.93	Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Worse Ear by Age and Sex: United States, 1971-1975

Table
Number

Title

- | | |
|-------|---|
| 3.94 | Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Worse Ear by Age, Race and Sex: United States, 1971-1975 |
| 3.95 | Significance Tests (Z Statistics) of Age, Sex and Race Differences in Prevalence of Hearing Impairment (Under 7 Definitions) in the Right Ear: United States, 1971-1975 |
| 3.96 | Significance Tests (Z Statistics) of Age, Sex and Race Differences in Prevalence of Hearing Impairment (Under 7 Definitions) in the Left Ear: United States, 1971-1975 |
| 3.97 | Correlation Coefficients Among Air Conduction Hearing Levels and Bone Conduction Hearing Levels and Speech Discrimination Scores |
| 3.98 | Mean Air Conduction Hearing Levels (in Decibels) at 500, 1000, 2000 and 4000 Hertz in the Right Ear by Selected Self Report Items: United States, 1971-1975 |
| 3.99 | Mean Air Conduction Hearing Levels (in Decibels) at 500, 1000, 2000 and 4000 Hertz in the Left Ear by Selected Self Report Items: United States, 1971-1975 |
| 3.100 | Mean Air Conduction Hearing Levels (in Decibels) at 500, 1000, 2000 and 4000 Hertz in the Better Ear by Selected Self Report Items: United States, 1971-1975 |
| 3.101 | Mean Air Conduction Hearing Levels (in Decibels) at 500, 1000, 2000 and 4000 Hertz in the Worse Ear by Selected Self Report Items: United States, 1971-1975 |
| 3.102 | Mean Air Conduction Hearing Levels (in Decibels) at 500, 1000, 2000 and 4000 Hertz in the Right Ear by Causes of Hearing Problem: United States, 1971-1975 |
| 3.103 | Mean Air Conduction Hearing Levels (in Decibels) at 500, 1000, 2000 and 4000 Hertz in the Left Ear by Causes of Hearing Problem: United States, 1971-1975 |

<u>Table Number</u>	<u>Title</u>
3.104	Mean Air Conduction Hearing Levels (in Decibels) at 500, 1000, 2000 and 4000 Hertz in the Better Ear by Causes of Hearing Problem: United States, 1971-1975
3.105	Mean Air Conduction Hearing Levels (in Decibels) at 500, 1000, 2000 and 4000 Hertz in the Worse Ear by Causes of Hearing Problem: United States, 1971-1975
3.106	Mean Air Conduction Hearing Levels (in Decibels) at 500, 1000, 2000 and 4000 Hertz in the Right Ear by Assessment of Speech and Sound Understanding: United States, 1974-1975
3.107	Mean Air Conduction Hearing Levels (in Decibels) at 500, 1000, 2000 and 4000 Hertz in the Left Ear by Assessment of Speech and Sound Understanding: United States, 1974-1975
3.108	Mean Air Conduction Hearing Levels (in Decibels) at 500, 1000, 2000 and 4000 Hertz in the Better Ear by Assessment of Speech and Sound Understanding: United States, 1974-1975
3.109	Mean Air Conduction Hearing Levels (in Decibels) at 500, 1000, 2000 and 4000 Hertz in the Worse Ear by Assessment of Speech and Sound Understanding: United States, 1974-1975
3.110	Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Right Ear by Selected Self Report Items: United States, 1971-1975
3.111	Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Left Ear by Selected Self Report Items: United States, 1971-1975
3.112	Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Better Ear by Selected Self Report Items: United States, 1971-1975
3.113	Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Worse Ear by Selected Self Report Items: United States, 1971-1975

Table
Number

Title

- 3.114 Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Right Ear by Causes of Hearing Problem: United States, 1971-1975
- 3.115 Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Left Ear by Causes of Hearing Problem: United States, 1971-1975
- 3.116 Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Better Ear by Causes of Hearing Problem: United States, 1971-1975
- 3.117 Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Worse Ear by Causes of Hearing Problem: United States, 1971-1975
- 3.118 Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Right Ear by Assessment of Speech and Sound Understanding: United States, 1974-1975
- 3.119 Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Left Ear by Assessment of Speech and Sound Understanding: United States, 1974-1975
- 3.120 Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Better Ear by Assessment of Speech and Sound Understanding: United States, 1974-1975
- 3.121 Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Worse Ear by Assessment of Speech and Sound Understanding: United States, 1974-1975
- 3.122 Mean Speech Discrimination Scores at 20 dB Sensation Level in the Right, Left, Better and Worse Ears by Selected Self Report Items: United States, 1974-1975
- 3.123 Mean Speech Discrimination Scores at 20 dB Sensation Level in the Right, Left, Better and Worse Ears by Causes of Hearing Problem: United States, 1974-1975
- 3.124 Mean Speech Discrimination Scores at 20 dB Sensation Level in the Right, Left, Better and Worse Ears by Assessment of Speech and Sound Understanding: United States, 1974-1975

<u>Table Number</u>	<u>Title</u>
3.125	Significance Tests (F Statistics) of Differences in Air Conduction Hearing Levels at 500, 1000, 2000 and 4000 Hz in the Right and Left Ears by Self Assessment Categories: United States, 1971-1975
3.126	Significance Tests (F Statistics) of Difference in Speech Discrimination Scores at 20 dB SL in the Right and Left Ears by Self Assessment Categories: United States, 1971-1975
3.127	Significance Tests (F Statistics) of Difference in the Prevalence of Hearing Impairment (Under 7 Definitions) in the Right Ear by Self Assessment Categories
3.128	Significance Tests (F Statistics) of Difference in the Prevalence of Hearing Impairment (Under 7 Definitions) in the Left Ear by Self Assessment Categories
4.1	Means, Standard Errors and Significance Tests (F Statistics) of Differences in Air Conduction Hearing Levels and Measures of Shift (Left Ear) by Occupational Noise Exposure (MALES)
4.2	Regression Equations and Fitted Values for Regressions of Air Conduction Hearing Levels at 500, 1000, 2000 and 4000 Hz with Age, Occupational Exposure and Race (MALES)
4.3	Means, Standard Errors and Significance Tests (F Statistics) of Differences in Air Conduction Hearing Levels and Measures of Shift (Left Ear) by Occupational Noise Exposure (FEMALES)
4.4	Means, Standard Errors and Significance Tests (F Statistics) of Differences in Hypertension by Occupational Noise Exposure
4.5	<u>Significant Findings:</u> Relationships Between Hearing Measures and Demographic Characteristics and Physical Characteristics and Habits Controlling for Age and Race by Sex
4.6	<u>Significant Findings:</u> Relationships Between Indicators of Noise Induced Hearing Loss and Demographic Characteristics, Physical Characteristics and Habits Controlling for Age and Race by Sex

<u>Table Number</u>	<u>Title</u>
4.7	Regression Coefficients of Relationships Between Hearing Measures and Demographic Characteristics Within Sex Controlling for Age and Race
4.8	Regression Coefficients of Relationships Between Hearing Measures and Physical Characteristics Within Sex Controlling for Age and Race
4.9	Regression Coefficients of Relationships Between Indicators of Noise Induced Hearing Loss and Demographic Characteristics Within Sex Controlling for Age and Race
4.10	Regression Coefficients of Relationships Between Indicators of Noise Induced Hearing Loss and Physical Characteristics Within Sex Controlling for Age and Race
4.11	Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure and Air Conduction Hearing Level at 500 Hz in the Presence of Background Characteristics (MALES)
4.12	Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure and Air Conduction Hearing Level at 1000 Hz in the Presence of Background Characteristics (MALES)
4.13	Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure and Air Conduction Hearing Level at 2000 Hz in the Presence of Background Characteristics (MALES)
4.14	Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure and Air Conduction Hearing Level at 4000 Hz in the Presence of Background Characteristics (MALES)
4.15	Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure and Prevalence of Hearing Impairment (1000, 2000 and 4000 > 25 dB) in the Presence of Background Characteristics (MALES)
4.16	Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure and Absolute Shift from 500, 1000 and 2000 Hz to 4000 Hz in the Presence of Background Characteristics (MALES)

<u>Table Number</u>	<u>Title</u>
4.17	Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure and Absolute Shift from 500 and 1000 Hz to 4000 Hz in the Presence of Background Characteristics (MALES)
4.18	Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure and Percentage Shift from 500 and 1000 Hz to 4000 Hz in the Presence of Background Characteristics (MALES)
4.19	Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure and Percentage Shift from 500, 1000 and 2000 Hz to 4000 Hz in the Presence of Background Characteristics (MALES)
5.1	Means, Standard Errors and Significance Tests (F Statistics) of Differences in Hypertension by Occupational Noise Exposure (MALES)
5.2	Means, Standard Errors and Significance Tests (F Statistics) of Differences in Hypertension by Occupational Noise Exposure (FEMALES)
5.3	Regression Equations (Coefficients and Standard Errors) of Age, Race and Occupational Noise Exposure on Hypertension by Sex
5.4	<u>Significant Findings:</u> Relationships Between Hypertension Measures and Background Characteristics Within Sex Controlling for Age and Race
5.5	Regression Coefficients of Relationships between Hypertension Measures and Background Characteristics Within Sex Controlling for Age and Race
5.6	Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure and Mean Diastolic Blood Pressure in the Presence of Background Characteristics--MALES
5.7	Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure and Mean Average Blood Pressure in the Presence of Background Characteristics--MALES
5.8	Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure and Prevalence of Normotension in the Presence of Background Characteristics--MALES

Table
Number

Title

- | | |
|------|---|
| 5.9 | Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure and Mean Diastolic Blood Pressure in the Presence of Background Characteristics--FEMALES |
| 5.10 | Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure and Prevalence of Labile Hypertension in the Presence of Background Characteristics--FEMALES |
| 5.11 | Means, Standard Errors and Significance Tests (F Statistics) of Differences in Overall Health and Stress by Occupational Noise Exposure (MALES) |
| 5.12 | Means, Standard Errors and Significance Tests (F Statistics) of Differences in Overall Health and Stress by Occupational Noise Exposure (FEMALES) |
| 5.13 | Regression Coefficients and Standard Errors of Differences in Selected Health Conditions by Occupational Exposure Within Sex Controlling for Age and Race |
| 5.14 | <u>Significant Findings:</u> Relationships Between Health Conditions and Background Characteristics Within Sex Controlling for Age and Race |
| 5.15 | Regression Coefficients of Selected Relationships Between Health Characteristics and Background Characteristics Within Sex Controlling for Age and Race |
| 5.16 | Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure to Physician's Diagnostic Impression, Physician's Diagnosis of Skin Conditions and Relaxed/Tense Subscale in the Presence of Background Characteristics |
| 5.17 | Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure to General Well Being Score in the Presence of Background Characteristics |

<u>Table Number</u>	<u>Title</u>
5.18	<u>Significant Findings: Relationships Between Hearing Measures and Health Conditions, Controlling for Age and Race by Sex</u>
5.19	Regression Coefficients of Relationships Between Hearing Measures and Health Conditions Within Sex Controlling for Age and Race
5.20	Regression Coefficients of Relationships Between Indicators of Noise Induced Hearing Loss and Health Conditions Within Sex Controlling for Age and Race

Table 3.1

PERCENT DISTRIBUTION OF AIR CONDUCTION HEARING LEVELS (IN DECIBELS)
FOR THE RIGHT, LEFT, BETTER AND WORSE EARS OF ADULTS
AT 500, 1000, 2000 AND 4000 HERTZ: UNITED STATES, 1971-1975

FREQUENCY	HEARING LEVEL							
	LESS THAN -4dB	-4dB TO 6dB	6dB TO 16dB	16dB TO 26dB	26dB TO 36dB	36dB TO 46dB	46dB OR MORE	
RIGHT EAR								
500.....	2.0	36.3	40.5	13.6	3.6	1.6		2.5
1000.....	2.0	36.3	39.7	13.2	4.5	1.5		2.8
2000.....	4.4	32.9	33.7	13.8	6.8	3.1		5.3
4000.....	4.4	24.2	26.3	13.8	9.4	6.6		15.3
LEFT EAR								
500.....	1.9	34.6	41.5	13.8	4.6	1.1		2.6
1000.....	2.6	39.0	37.1	12.5	4.2	1.8		2.8
2000.....	4.7	31.4	31.0	15.7	7.4	3.6		6.1
4000.....	3.6	22.5	24.8	14.6	9.6	7.9		16.9
BETTER EAR								
500.....	3.4	44.3	30.2	9.9	2.3	.8		1.1
1000.....	4.0	48.0	33.6	9.2	3.0	1.1		1.3
2000.....	7.5	39.8	30.3	11.6	5.2	2.5		3.2
4000.....	6.5	30.0	24.9	13.1	8.0	6.1		11.4
WORSE EAR								
500.....	.5	26.4	43.9	17.5	5.8	2.0		3.9
1000.....	.6	27.3	43.3	16.6	5.7	2.3		4.2
2000.....	1.6	24.4	34.5	18.0	9.1	4.2		8.1
4000.....	1.5	16.7	26.1	15.3	11.1	8.5		20.8

Table 3.2

Correlation Coefficients Among Air Conduction Hearing Levels at
 500, 1000, 2000 and 4000 Hz in the Right and Left Ears:
 United States, 1971-1975

		Right Ear				Left Ear			
		500	1000	2000	4000	500	1000	2000	4000
Right Ear	500		1						
	1000	.82		1					
	2000	.66	.77		1				
	4000	.48	.54	.70		1			
Left Ear	500	.66	.59	.50	.39		1		
	1000	.58	.68	.60	.44	.82		1	
	2000	.48	.58	.75	.61	.64	.75		1
	4000	.37	.43	.60	.80	.49	.55	.72	

Table 3.3

PERCENT DISTRIBUTION OF THE DIFFERENCE BETWEEN THE AIR CONDUCTION HEARING LEVELS IN THE RIGHT AND LEFT EARS AT 500, 1000, 2000 AND 4000 HERTZ: UNITED STATES, 1971-1975

RIGHT-LEFT	FREQUENCY			
	500	1000	2000	4000
	HERTZ	HERTZ	HERTZ	HERTZ
-20DB OR LESS.....	2.9	2.8	5.2	8.8
-15DB.....	1.7	1.8	3.6	5.4
-10DB.....	7.1	6.3	9.6	10.5
-5DB.....	20.6	19.0	20.1	19.3
0DB.....	37.4	34.7	28.8	23.6
5DB.....	19.0	22.0	18.0	14.5
10DB.....	6.4	8.2	8.5	7.8
15DB.....	1.9	2.6	2.5	3.7
20DB OR MORE.....	2.8	2.6	3.6	6.1

Table 3.4

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500 HERTZ
IN THE RIGHT EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	12.5	6,792	12.0	3,117	12.9	3,675
25-34 YEARS.....	8.2	1,549	7.8	667	8.7	882
35-44 YEARS.....	9.9	1,202	10.1	520	9.7	682
45-54 YEARS.....	12.5	1,588	12.3	738	12.6	850
55-64 YEARS.....	16.2	1,268	16.4	615	16.1	653
65-74 YEARS.....	20.6	1,185	18.1	577	22.6	608
WHITE						
25-74 YEARS...	12.4	5,874	12.0	2,701	12.8	3,173
25-34 YEARS.....	8.0	1,351	7.6	503	8.4	768
35-44 YEARS.....	9.7	1,036	10.0	461	9.4	575
45-54 YEARS.....	12.4	1,375	12.4	635	12.5	740
55-64 YEARS.....	16.1	1,103	16.4	536	15.9	567
65-74 YEARS.....	20.6	1,009	18.0	486	22.6	523
BLACK						
25-74 YEARS...	13.3	846	12.2	379	14.1	467
25-34 YEARS.....	10.2	172	9.4	71	10.8	101
35-44 YEARS.....	11.5	147	11.7	52	11.4	95
45-54 YEARS.....	12.5	202	10.6	98	14.2	104
55-64 YEARS.....	17.0	156	15.6	73	18.2	83
65-74 YEARS.....	21.2	169	18.9	85	23.1	84

1/ RE ARIOMETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

STANDARD ERRORS AND DESIGN EFFECTS FOR AIR CONDUCTION HEARING LEVELS
IN THE RIGHT EAR AT 500 HERTZ BY AGE, RACE, AND SEX¹ UNITED STATES 1971-1975

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-74 YEARS...	.24	2.44	.27	1.56	.32	2.21
25-34 YEARS.....	.33	2.20	.36	1.54	.48	2.16
35-44 YEARS.....	.38	1.48	.45	.87	.56	1.96
45-54 YEARS.....	.39	1.61	.52	1.22	.52	1.59
55-64 YEARS.....	.42	1.30	.65	1.49	.56	1.20
65-74 YEARS.....	.66	1.99	.70	1.37	.95	1.93
WHITE						
25-74 YEARS...	.25	2.23	.29	1.52	.33	1.97
25-34 YEARS.....	.36	2.40	.37	1.54	.52	2.29
35-44 YEARS.....	.40	1.37	.49	.89	.60	1.77
45-54 YEARS.....	.42	1.57	.54	1.12	.56	1.64
55-64 YEARS.....	.42	1.16	.67	1.40	.53	.94
65-74 YEARS.....	.67	1.70	.74	1.25	1.01	1.80
BLACK						
25-74 YEARS...	.62	2.10	.82	1.65	.85	2.19
25-34 YEARS.....	.94	1.44	1.52	1.56	1.36	1.79
35-44 YEARS.....	.96	1.49	1.61	1.11	1.23	2.12
45-54 YEARS.....	1.15	1.75	1.73	2.18	1.50	1.42
55-64 YEARS.....	1.99	2.55	2.34	1.71	2.94	2.94
65-74 YEARS.....	1.74	2.57	2.27	2.20	2.12	1.98

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.6

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 1000 HERTZ
IN THE RIGHT EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	12.7	6,805	12.7	3,125	12.8	3,680
25-34 YEARS.....	7.5	1,550	7.2	667	7.7	883
35-44 YEARS.....	9.7	1,206	10.3	524	9.1	682
45-54 YEARS.....	13.0	1,590	13.1	739	12.9	851
55-64 YEARS.....	17.3	1,271	18.1	617	16.6	654
65-74 YEARS.....	22.3	1,188	21.1	578	23.3	610
WHITE						
25-74 YEARS...	12.6	5,885	12.6	2,709	12.7	3,176
25-34 YEARS.....	7.3	1,352	7.1	583	7.4	769
35-44 YEARS.....	9.4	1,040	9.9	465	8.9	575
45-54 YEARS.....	13.0	1,372	13.2	636	12.8	741
55-64 YEARS.....	17.1	1,106	18.0	538	16.4	568
65-74 YEARS.....	22.2	1,010	20.9	487	23.2	523
BLACK						
25-74 YEARS...	13.8	848	14.0	379	13.6	469
25-34 YEARS.....	9.1	172	8.3	71	9.7	101
35-44 YEARS.....	12.2	147	12.6	52	9.7	95
45-54 YEARS.....	12.6	202	11.4	98	13.7	104
55-64 YEARS.....	19.1	156	19.5	73	18.7	83
65-74 YEARS.....	24.2	171	23.3	85	24.8	86

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

STANDARD ERRORS AND DESIGN EFFECTS FOR AIR CONDUCTION HEARING LEVELS
IN THE RIGHT EAR AT 1000 HERTZ BY AGE, RACE, AND SEX: UNITED STATES 1971-1975

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-74 YEARS...	.27	2.90	.32	1.94	.32	2.17
25-34 YEARS.....	.34	2.74	.38	1.85	.46	2.43
35-44 YEARS.....	.33	1.33	.53	1.25	.36	1.12
45-54 YEARS.....	.44	2.04	.53	1.28	.67	2.62
55-64 YEARS.....	.52	1.78	.75	1.74	.63	1.34
65-74 YEARS.....	.62	1.56	.77	1.32	.94	1.75
WHITE						
25-74 YEARS...	.28	2.68	.34	1.90	.33	2.06
25-34 YEARS.....	.36	2.69	.40	1.84	.48	2.32
35-44 YEARS.....	.33	1.16	.52	1.17	.40	1.08
45-54 YEARS.....	.40	2.07	.56	1.20	.72	2.72
55-64 YEARS.....	.54	1.65	.79	1.72	.63	1.22
65-74 YEARS.....	.65	1.46	.85	1.36	1.01	1.69
BLACK						
25-74 YEARS...	.58	1.69	.86	1.54	.82	2.02
25-34 YEARS.....	.86	1.02	1.21	1.34	1.16	2.08
35-44 YEARS.....	1.01	1.35	2.01	1.13	.85	1.60
45-54 YEARS.....	1.09	1.57	1.66	2.05	1.52	1.42
55-64 YEARS.....	1.96	2.48	2.33	1.95	3.05	2.80
65-74 YEARS.....	1.52	1.51	2.10	1.28	1.99	1.46

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.8

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 17 AT 3000 HERTZ
IN THE RIGHT EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
	1	1	1	1	1	1
ALL RACES 2/						
25-74 YEARS....	14.9	6,798	16.4	3,122	13.5	3,676
25-34 YEARS.....	6.9	1,548	6.7	666	7.1	882
35-44 YEARS.....	10.5	1,204	12.4	523	8.6	681
45-54 YEARS.....	15.3	1,589	17.8	738	13.1	851
55-64 YEARS.....	21.6	1,270	24.6	617	18.9	653
65-74 YEARS.....	29.1	1,187	31.7	570	27.1	609
WHITE						
25-74 YEARS....	14.8	5,880	16.4	2,707	13.4	3,173
25-34 YEARS.....	6.0	1,351	6.7	583	6.8	768
35-44 YEARS.....	10.3	1,038	12.2	464	8.5	524
45-54 YEARS.....	15.3	1,376	17.8	635	13.0	741
55-64 YEARS.....	21.4	1,105	24.6	538	18.6	567
65-74 YEARS.....	28.9	1,010	31.5	487	27.0	523
BLACK						
25-74 YEARS....	15.7	846	17.1	378	14.5	468
25-34 YEARS.....	8.3	171	6.8	70	9.5	101
35-44 YEARS.....	12.1	147	15.9	52	9.2	95
45-54 YEARS.....	15.6	202	17.0	98	14.3	104
55-64 YEARS.....	23.4	156	24.4	73	22.6	83
65-74 YEARS.....	31.3	170	34.7	85	28.8	85

1/ RE AURTOHETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.9

STANDARD ERRORS AND DESIGN EFFECTS FOR AIR CONDUCTION HEARING LEVELS
IN THE RIGHT EAR AT 2000 HERTZ BY AGE, RACE, AND SEX: UNITED STATES 1971-1975

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-74 YEARS...	0.31	2.46	0.41	1.70	0.37	2.38
25-34 YEARS.....	.33	1.79	.46	1.79	.46	1.77
35-44 YEARS.....	.42	1.55	.69	1.35	.50	1.96
45-54 YEARS.....	.53	1.91	.79	1.40	.69	2.51
55-64 YEARS.....	.66	1.84	1.03	1.81	.66	1.27
65-74 YEARS.....	.75	1.77	1.03	1.50	1.02	1.90
WHITE						
25-74 YEARS...	.32	2.36	.45	1.78	.39	2.24
25-34 YEARS.....	.35	1.84	.50	1.81	.49	1.78
35-44 YEARS.....	.44	1.43	.74	1.33	.53	1.78
45-54 YEARS.....	.58	1.96	.87	1.50	.73	2.50
55-64 YEARS.....	.67	1.66	1.12	1.03	.69	1.27
65-74 YEARS.....	.79	1.65	1.12	1.45	1.10	1.86
BLACK						
25-74 YEARS...	.65	1.41	1.03	1.39	1.00	2.14
25-34 YEARS.....	1.08	1.96	1.12	1.19	1.58	2.09
35-44 YEARS.....	.91	1.08	1.75	1.00	1.14	2.08
45-54 YEARS.....	1.47	1.71	2.54	1.83	1.53	1.42
55-64 YEARS.....	2.18	2.21	2.39	1.44	3.51	2.77
65-74 YEARS.....	1.05	1.07	2.30	1.34	2.25	1.55

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.10

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 17 AT 4000 HERTZ
IN THE RIGHT EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1979

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 27						
25-24 YEARS....	22.6	6,791	30.2	3,115	15.0	3,676
25-34 YEARS.....	10.0	1,550	13.9	667	6.3	883
35-44 YEARS.....	16.8	1,204	24.3	522	9.9	602
45-54 YEARS.....	24.9	1,508	35.3	730	15.4	850
55-64 YEARS.....	32.5	1,268	42.7	615	23.4	653
65-74 YEARS.....	41.4	1,181	50.7	573	34.1	600
WHITE						
25-24 YEARS....	23.0	5,874	31.0	2,699	15.7	3,175
25-34 YEARS.....	10.0	1,392	14.4	583	5.9	769
35-44 YEARS.....	17.3	1,038	25.2	463	9.8	575
45-54 YEARS.....	25.2	1,376	36.1	635	15.1	741
55-64 YEARS.....	32.8	1,103	43.5	536	23.1	567
65-74 YEARS.....	41.8	1,005	51.4	482	34.6	523
BLACK						
25-24 YEARS....	19.5	845	23.2	379	16.5	466
25-34 YEARS.....	9.5	122	9.2	71	9.7	101
35-44 YEARS.....	13.7	147	17.0	52	10.6	95
45-54 YEARS.....	22.5	201	27.2	90	17.8	103
55-64 YEARS.....	30.5	156	34.0	73	26.9	83
65-74 YEARS.....	35.7	169	43.0	85	30.3	84

17 RE AUDIOMETRIC ZERO (AUBIT, 1969)

27 INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.11

STANDARD ERRORS AND DESIGN EFFECTS FOR AIR CONDUCTION HEARING LEVELS
IN THE RIGHT EAR AT 4000 HERTZ BY AGE, RACE, AND SEX: UNITED STATES 1971-1975

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-74 YEARS...	.36	1.81	.57	1.66	.37	1.70
25-34 YEARS.....	.52	2.02	.88	1.85	.49	1.84
35-44 YEARS.....	.68	1.58	1.11	1.43	.61	1.62
45-54 YEARS.....	.63	1.30	1.05	1.39	.66	1.82
55-64 YEARS.....	.76	1.51	1.10	1.54	.83	1.46
65-74 YEARS.....	.78	1.46	1.01	1.35	1.07	1.68
WHITE						
25-74 YEARS...	.38	1.69	.61	1.62	.40	1.65
25-34 YEARS.....	.56	1.98	.95	1.80	.47	1.65
35-44 YEARS.....	.75	1.56	1.26	1.56	.66	1.47
45-54 YEARS.....	.71	1.37	1.14	1.39	.74	1.98
55-64 YEARS.....	.79	1.40	1.18	1.52	.86	1.44
65-74 YEARS.....	.80	1.29	1.03	1.18	1.16	1.64
BLACK						
25-74 YEARS...	.78	1.43	1.33	1.56	.95	1.49
25-34 YEARS.....	1.09	1.34	1.20	.88	1.74	1.02
35-44 YEARS.....	1.23	1.52	2.10	1.17	1.21	1.82
45-54 YEARS.....	1.82	1.77	2.79	1.49	1.80	1.56
55-64 YEARS.....	2.54	2.08	2.87	1.58	4.03	2.48
65-74 YEARS.....	1.98	1.90	2.76	1.92	2.25	1.65

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.12

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 17 AT 500 HERTZ
IN THE LEFT EAR BY AGE, RACE AND SEX: UNITED STATES, 1921-1970

RACE AND AGE	BOTH SEXES		Males		Females	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 27						
25-74 YEARS...	12.7	6,706	12.7	3,116	12.7	3,670
25-34 YEARS.....	8.3	1,544	8.4	666	8.2	878
35-44 YEARS.....	10.3	1,200	11.0	520	9.6	680
45-54 YEARS.....	13.0	1,588	13.3	730	12.7	850
55-64 YEARS.....	16.1	1,267	16.4	615	15.8	682
65-74 YEARS.....	20.8	1,187	18.9	577	22.2	610
WHITE						
25-74 YEARS...	12.6	5,867	12.7	2,700	12.5	3,167
25-34 YEARS.....	8.0	1,346	8.3	582	7.8	764
35-44 YEARS.....	10.2	1,034	11.1	461	9.4	573
45-54 YEARS.....	12.9	1,375	13.6	635	12.5	740
55-64 YEARS.....	15.9	1,102	16.4	536	15.4	566
65-74 YEARS.....	20.8	1,010	18.8	486	22.4	524
BLACK						
25-74 YEARS...	13.3	847	12.4	379	14.0	468
25-34 YEARS.....	10.4	172	8.8	71	11.5	101
35-44 YEARS.....	10.9	147	11.1	52	10.8	95
45-54 YEARS.....	12.7	202	11.1	98	14.2	104
55-64 YFARS.....	18.0	156	17.3	73	18.4	83
65-74 YEARS.....	20.4	170	20.0	85	20.8	85

17 RE AURTOHETRIC ZERO (ANSI, 1969)

27 INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.13

STANDARD ERRORS AND DESIGN EFFECTS FOR AIR CONDUCTION HEARING LEVELS
IN THE LEFT EAR AT 500 HERTZ BY AGE, RACE, AND SEX¹ UNITED STATES 1971-1975

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-74 YEARS...	.25	2.78	.31	1.88	0.30	2.16
25-34 YEARS.....	.29	1.88	.43	1.84	.38	1.67
35-44 YEARS.....	.40	2.37	.62	1.52	.56	2.08
45-54 YEARS.....	.42	1.80	.60	1.55	.59	2.03
55-64 YEARS.....	.48	1.70	.73	1.66	.52	1.21
65-74 YEARS.....	.59	1.69	.62	1.11	.89	1.80
WHITE						
25-74 YEARS...	.26	2.65	.33	1.05	.32	2.06
25-34 YEARS.....	.30	1.78	.44	1.72	.37	1.62
35-44 YEARS.....	.52	2.26	.68	1.51	.60	1.93
45-54 YEARS.....	.45	1.70	.63	1.45	.64	2.07
55-64 YEARS.....	.45	1.46	.74	1.63	.49	1.04
65-74 YEARS.....	.63	1.62	.66	1.06	.97	1.77
BLACK						
25-74 YEARS...	.54	1.51	.92	1.94	.74	1.62
25-34 YEARS.....	1.25	2.36	1.63	1.91	1.53	1.91
35-44 YEARS.....	.84	1.65	1.10	1.43	1.04	1.43
45-54 YEARS.....	.97	1.34	1.54	1.86	1.15	.93
55-64 YEARS.....	2.04	2.10	3.34	2.23	2.65	2.24
65-74 YEARS.....	1.32	1.39	1.58	.93	1.95	1.60

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.14

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 1000 HERTZ
IN THE LEFT EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-24 YEARS...	12.3	6,796	12.9	3,125	11.8	3,671
25-34 YEARS.....	7.0	1,544	7.2	667	6.8	879
35-44 YEARS.....	9.7	1,204	11.1	524	8.5	680
45-54 YEARS.....	12.5	1,589	13.2	739	11.8	850
55-64 YEARS.....	16.7	1,269	17.8	617	15.6	652
65-74 YEARS.....	21.8	1,108	21.2	528	22.3	610
WHITE						
25-24 YEARS...	12.3	5,827	12.9	2,709	11.7	3,168
25-34 YEARS.....	6.7	1,340	7.1	583	6.3	765
35-44 YEARS.....	9.6	1,038	11.1	465	8.3	573
45-54 YEARS.....	12.5	1,376	13.4	636	11.7	740
55-64 YEARS.....	16.4	1,104	17.7	538	15.2	566
65-74 YEARS.....	21.8	1,011	21.0	487	22.5	524
BLACK						
25-24 YEARS...	13.1	847	13.2	379	13.0	468
25-34 YEARS.....	9.1	172	7.9	71	10.0	101
35-44 YEARS.....	10.5	147	12.1	52	9.3	95
45-54 YEARS.....	12.0	202	11.6	98	12.4	104
55-64 YEARS.....	19.3	156	18.7	73	19.7	83
65-74 YEARS.....	22.3	170	24.0	85	21.0	85

1/ RE AUDIOMETRIC ZERO (ANST, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.15

STANDARD ERRORS AND DESIGN EFFECTS FOR AIR CONDUCTION HEARING LEVELS
IN THE LEFT EAR AT 1000 HERTZ BY AGE, RACE, AND SEX: UNITED STATES 1971-1975

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-74 YEARS...	.27	3.01	.32	1.76	.34	2.52
25-34 YEARS.....	.28	1.79	.45	1.97	.34	1.48
35-44 YEARS.....	.41	2.01	.58	1.40	.47	1.96
45-54 YEARS.....	.43	1.82	.66	1.74	.56	1.95
55-64 YEARS.....	.56	2.00	.77	1.72	.65	1.55
65-74 YEARS.....	.64	1.63	.74	1.18	.94	1.71
WHITE						
25-74 YEARS...	.28	2.70	.34	1.73	.35	2.36
25-34 YEARS.....	.30	1.79	.47	1.88	.34	1.42
35-44 YEARS.....	.43	1.85	.63	1.37	.50	1.90
45-54 YEARS.....	.46	1.76	.70	1.68	.60	1.94
55-64 YEARS.....	.52	1.62	.77	1.58	.64	1.38
65-74 YEARS.....	.66	1.47	.77	1.06	1.00	1.64
BLACK						
25-74 YEARS...	.60	1.69	.98	1.89	.76	1.63
25-34 YEARS.....	.97	1.81	1.50	2.02	1.07	1.19
35-44 YEARS.....	.89	1.64	1.15	1.00	.98	1.30
45-54 YEARS.....	.99	1.39	1.70	1.79	1.10	.99
55-64 YEARS.....	2.17	2.21	3.24	2.16	2.96	2.33
65-74 YEARS.....	1.64	1.55	2.30	1.36	2.20	1.55

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.16

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 2000 HERTZ
IN THE LEFT EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	15.8	6,796	18.4	3,123	13.3	3,673
25-34 YEARS.....	7.5	1,546	8.4	667	6.7	879
35-44 YEARS.....	11.5	1,204	14.0	524	9.2	680
45-54 YEARS.....	16.3	1,589	20.4	739	12.5	850
55-64 YEARS.....	22.3	1,270	26.5	616	18.4	654
65-74 YEARS.....	30.6	1,187	34.5	577	27.5	610
WHITE						
25-74 YEARS...	15.8	5,877	18.6	2,707	13.2	3,170
25-34 YEARS.....	7.3	1,348	8.5	503	6.2	765
35-44 YEARS.....	11.5	1,038	13.9	465	9.1	573
45-54 YEARS.....	16.5	1,376	20.8	636	12.4	740
55-64 YEARS.....	22.0	1,105	26.4	537	18.0	568
65-74 YEARS.....	30.6	1,010	34.5	486	27.7	524
BLACK						
25-74 YEARS...	16.0	847	17.6	379	14.6	468
25-34 YEARS.....	8.8	172	7.6	71	9.7	101
35-44 YEARS.....	12.2	147	14.9	52	10.2	95
45-54 YEARS.....	15.3	202	16.5	98	14.3	104
55-64 YEARS.....	25.6	156	28.4	73	23.3	83
65-74 YEARS.....	30.3	170	35.7	85	26.0	85

1/ RE AUBIOHETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.17

STANDARD ERRORS AND DESIGN EFFECTS FOR AIR CONDUCTION HEARING LEVELS
IN THE LEFT EAR AT 2000 HERTZ BY AGE, RACE, AND SEX¹ UNITED STATES 1971-1975

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-74 YEARS...	.32	2.44	.43	1.69	.35	2.09
25-34 YEARS.....	.35	1.94	.58	2.01	.39	1.55
35-44 YEARS.....	.47	1.59	.77	1.42	.52	1.77
45-54 YEARS.....	.54	1.72	.79	1.33	.67	2.26
55-64 YEARS.....	.76	2.29	1.06	1.74	.70	1.48
65-74 YEARS.....	.76	1.70	1.14	1.62	.92	1.54
WHITE						
25-74 YEARS...	.34	2.35	.46	1.65	.37	2.04
25-34 YEARS.....	.37	1.87	.60	1.87	.41	1.58
35-44 YEARS.....	.50	1.54	.82	1.39	.57	1.79
45-54 YEARS.....	.59	1.73	.84	1.34	.72	2.30
55-64 YEARS.....	.75	2.00	1.08	1.59	.73	1.48
65-74 YEARS.....	.79	1.55	1.18	1.44	.99	1.48
BLACK						
25-74 YEARS...	.65	1.36	1.29	1.85	.79	1.47
25-34 YEARS.....	1.03	1.94	1.65	1.91	1.06	1.29
35-44 YEARS.....	.99	1.05	1.78	1.00	1.12	1.12
45-54 YEARS.....	1.55	2.01	2.74	2.12	1.34	1.25
55-64 YEARS.....	2.17	1.80	3.50	1.99	2.98	2.24
65-74 YEARS.....	1.77	1.56	2.55	1.50	2.15	1.39

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.18

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 4000 HERTZ
IN THE LEFT EAR BY AGE, RACE AND SEX² UNITED STATES, 1971-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	24.3	6,791	32.9	3,119	16.5	3,673
25-34 YEARS.....	11.2	1,543	16.1	666	6.6	879
35-44 YEARS.....	18.3	1,202	26.7	523	10.6	679
45-54 YEARS.....	26.8	1,508	38.5	738	16.0	850
55-64 YEARS.....	34.1	1,270	45.1	616	24.2	654
65-74 YEARS.....	44.0	1,186	54.1	576	36.1	610
WHITE						
25-74 YEARS...	24.9	5,023	33.9	2,703	16.6	3,170
25-34 YEARS.....	11.3	1,347	16.7	582	6.1	765
35-44 YEARS.....	19.1	1,037	27.9	464	10.8	573
45-54 YEARS.....	27.4	1,375	39.8	635	15.9	740
55-64 YEARS.....	34.5	1,105	46.1	532	24.0	560
65-74 YEARS.....	44.7	1,009	55.0	485	36.8	524
BLACK						
25-74 YEARS...	19.3	846	23.3	379	16.1	467
25-34 YEARS.....	10.2	172	10.8	71	7.8	101
35-44 YEARS.....	11.9	146	14.8	52	9.7	94
45-54 YEARS.....	21.7	202	27.2	98	16.0	104
55-64 YEARS.....	31.5	156	36.5	73	27.3	83
65-74 YEARS.....	36.4	170	45.5	85	29.4	85

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

TABLE 3.19

STANDARD ERRORS AND DESIGN EFFECTS FOR AIR CONDUCTION HEARING LEVELS
IN THE LEFT EAR AT 4000 HERTZ BY AGE, RACE, AND SEX IN UNITED STATES 1971-1975

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-74 YEARS...	.39	2.04	.63	2.00	.38	1.76
25-34 YEARS.....	.63	2.55	1.13	2.50	.42	1.61
35-44 YEARS.....	.78	1.99	1.25	1.75	.64	1.88
45-54 YEARS.....	.61	1.18	.89	1.07	.67	1.88
55-64 YEARS.....	.82	1.80	1.12	1.67	.69	1.12
65-74 YEARS.....	.80	1.61	.95	1.32	1.05	1.69
WHITE						
25-74 YEARS...	.41	1.90	.65	1.86	.40	1.69
25-34 YEARS.....	.68	2.52	1.24	2.48	.42	1.57
35-44 YEARS.....	.84	1.89	1.31	1.64	.72	1.98
45-54 YEARS.....	.68	1.27	.95	1.08	.72	1.87
55-64 YEARS.....	.84	1.65	1.15	1.53	.71	1.09
65-74 YEARS.....	.84	1.40	.97	1.16	1.12	1.63
BLACK						
25-74 YEARS...	.80	1.46	1.48	1.76	.97	1.58
25-34 YEARS.....	1.42	2.32	2.07	1.83	1.43	1.49
35-44 YEARS.....	1.08	1.10	1.91	1.04	1.40	1.49
45-54 YEARS.....	2.19	2.40	3.78	2.37	1.58	1.39
55-64 YEARS.....	2.27	1.75	3.14	1.89	3.59	2.21
65-74 YEARS.....	1.89	1.49	2.40	1.39	2.29	1.40

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.20

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500 HERTZ
IN THE BETTER EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	ISAMPLE SIZE	MEAN	ISAMPLE SIZE	MEAN	ISAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	9.7	6,782	9.3	3,114	10.0	3,668
25-34 YEARS.....	6.0	1,544	5.0	666	6.2	878
35-44 YEARS.....	7.4	1,199	7.5	519	7.3	680
45-54 YEARS.....	9.7	1,588	9.6	738	9.8	850
55-64 YEARS.....	12.0	1,266	12.0	614	12.0	652
65-74 YEARS.....	17.1	1,105	15.0	577	18.7	600
WHITE						
25-74 YEARS...	9.6	5,864	9.3	2,698	9.9	3,166
25-34 YEARS.....	5.8	1,346	5.7	582	5.8	764
35-44 YEARS.....	7.2	1,033	7.4	460	7.0	573
45-54 YEARS.....	9.6	1,375	9.7	635	9.6	740
55-64 YEARS.....	12.7	1,101	13.0	535	12.5	566
65-74 YEARS.....	17.1	1,009	14.9	486	18.0	523
BLACK						
25-74 YEARS...	10.3	846	8.9	379	11.4	467
25-34 YEARS.....	7.4	172	5.6	71	8.0	101
35-44 YEARS.....	8.8	147	8.7	52	8.8	95
45-54 YEARS.....	9.9	202	8.6	98	11.0	104
55-64 YEARS.....	13.5	156	10.7	73	15.0	83
65-74 YEARS.....	17.3	169	16.1	85	18.2	84

1/ RE AUDITOMETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.21

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 17 AT 1000 HERTZ
IN THE BETTER EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 27						
25-74 YEARS...	9.5	6,792	9.7	3,124	9.4	3,668
25-34 YEARS.....	4.9	1,545	4.9	667	4.8	678
35-44 YEARS.....	6.8	1,204	7.6	524	6.1	600
45-54 YEARS.....	9.8	1,589	10.0	739	9.5	850
55-64 YEARS.....	13.4	1,268	14.1	616	12.8	652
65-74 YEARS.....	18.2	1,186	17.3	578	18.8	608
WHITE						
25-74 YEARS...	9.5	5,873	9.6	2,708	9.3	3,165
25-34 YEARS.....	4.7	1,347	4.9	583	4.5	764
35-44 YEARS.....	6.6	1,030	7.4	465	5.9	573
45-54 YEARS.....	9.8	1,376	10.0	636	9.5	740
55-64 YEARS.....	13.3	1,103	14.2	537	12.5	566
65-74 YEARS.....	18.0	1,009	17.0	487	18.8	522
BLACK						
25-74 YEARS...	10.3	847	10.2	379	10.4	468
25-34 YEARS.....	6.4	172	5.3	71	7.2	101
35-44 YEARS.....	8.5	147	10.5	82	7.0	95
45-54 YEARS.....	9.7	202	9.4	98	10.0	104
55-64 YEARS.....	14.7	156	13.3	73	16.0	83
65-74 YEARS.....	19.7	170	20.0	85	19.5	85

17 RE AUDIOMETRY ZERO (ANSI, 1969)

27 INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.22

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 2000 HERTZ
IN THE BETTER EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	11.7	6,707	13.3	3,119	10.2	3,660
25-34 YEARS.....	4.4	1,544	4.6	666	4.2	878
35-44 YEARS.....	7.5	1,202	9.2	523	6.0	679
45-54 YEARS.....	12.0	1,588	14.5	738	9.7	850
55-64 YEARS.....	17.2	1,268	20.5	615	15.2	653
65-74 YEARS.....	25.2	1,105	28.0	577	23.0	608
WHITE						
25-74 YEARS...	11.7	5,070	13.3	2,704	10.1	3,166
25-34 YEARS.....	4.3	1,347	4.7	583	3.9	764
35-44 YEARS.....	7.4	1,036	9.0	464	5.9	572
45-54 YEARS.....	12.0	1,325	14.5	635	9.5	740
55-64 YEARS.....	17.5	1,103	20.6	534	14.8	567
65-74 YEARS.....	25.1	1,009	27.9	406	23.0	523
BLACK						
25-74 YEARS...	12.2	845	13.4	378	11.3	467
25-34 YEARS.....	5.4	171	4.1	70	6.3	101
35-44 YEARS.....	8.7	147	11.6	52	6.5	95
45-54 YEARS.....	12.6	202	14.0	98	11.4	104
55-64 YEARS.....	19.5	186	19.7	73	19.4	83
65-74 YEARS.....	26.4	169	29.7	65	23.9	84

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

TABLE 3.23

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 4000 HERTZ
IN THE BETTER EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	18.7	6,777	25.7	3,109	12.4	3,668
25-34 YEARS.....	6.6	1,545	9.9	666	3.4	879
35-44 YEARS.....	12.9	1,201	19.3	522	6.9	679
45-54 YEARS.....	21.0	1,586	30.7	737	12.0	849
55-64 YEARS.....	28.1	1,266	37.7	613	19.4	653
65-74 YEARS.....	37.5	1,179	46.9	571	30.3	608
WHITE						
25-74 YEARS...	19.2	5,861	26.5	2,693	12.5	3,168
25-34 YEARS.....	6.6	1,347	10.2	582	3.0	765
35-44 YEARS.....	13.5	1,036	20.3	463	7.0	523
45-54 YEARS.....	21.4	1,374	31.5	634	11.9	740
55-64 YEARS.....	28.4	1,101	38.7	534	19.0	567
65-74 YEARS.....	38.0	1,003	47.6	480	30.7	523
BLACK						
25-74 YEARS...	15.2	844	18.4	379	12.7	465
25-34 YEARS.....	6.3	172	6.5	71	6.2	101
35-44 YEARS.....	8.7	146	11.7	52	6.5	94
45-54 YEARS.....	17.0	201	22.9	98	13.4	103
55-64 YEARS.....	25.6	156	27.6	73	23.9	83
65-74 YEARS.....	32.2	169	39.5	85	26.6	84

1/ RE AUDITOMETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.24

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500 HERTZ
IN THE WORSE EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS....	15.5	6,782	15.4	3,114	15.6	3,660
25-34 YEARS.....	10.6	1,544	10.4	666	10.8	878
35-44 YEARS.....	12.8	1,199	13.6	519	12.0	600
45-54 YEARS.....	15.7	1,500	15.9	730	15.5	850
55-64 YEARS.....	19.5	1,266	20.0	614	19.1	652
65-74 YEARS.....	24.3	1,105	22.0	577	26.1	600
WHITE						
25-74 YEARS....	15.4	5,864	15.3	2,698	15.5	3,166
25-34 YEARS.....	10.3	1,346	10.1	582	10.4	764
35-44 YEARS.....	12.7	1,033	13.7	460	11.9	573
45-54 YEARS.....	15.8	1,375	16.2	635	15.3	740
55-64 YEARS.....	19.3	1,101	19.8	535	18.9	566
65-74 YEARS.....	24.3	1,009	21.9	486	26.2	523
BLACK						
25-74 YEARS....	16.3	846	15.7	379	16.8	467
25-34 YEARS.....	13.1	172	12.5	71	13.5	101
35-44 YEARS.....	13.7	147	14.0	52	13.4	95
45-54 YEARS.....	15.4	202	15.2	98	17.3	104
55-64 YEARS.....	21.5	156	22.1	73	21.0	83
65-74 YEARS.....	24.4	169	22.8	85	25.7	84

1/ RE AUDIOLOGIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.25

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 17 AT 1000 HERTZ
IN THE WORSE EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 27						
25-24 YEARS....	15.5	6,792	15.9	3,124	15.2	3,668
25-34 YEARS.....	9.6	1,545	9.4	667	9.7	878
35-44 YEARS.....	12.6	1,204	13.8	524	11.4	480
45-54 YEARS.....	15.7	1,589	16.3	739	15.1	850
55-64 YEARS.....	20.5	1,260	21.8	616	19.4	652
65-74 YEARS.....	25.8	1,186	25.0	578	26.4	608
WHITE						
25-24 YEARS....	15.4	5,073	15.8	2,708	15.1	3,165
25-34 YEARS.....	9.3	1,347	9.3	583	9.3	764
35-44 YEARS.....	12.4	1,038	13.5	465	11.3	573
45-54 YEARS.....	15.8	1,376	16.6	636	15.0	740
55-64 YEARS.....	20.2	1,103	21.5	537	19.1	566
65-74 YEARS.....	25.7	1,009	24.8	487	26.4	522
BLACK						
25-24 YEARS....	16.5	847	17.0	379	16.2	468
25-34 YEARS.....	11.8	172	10.9	71	12.5	101
35-44 YEARS.....	14.3	147	17.2	52	12.1	95
45-54 YEARS.....	14.9	202	13.6	98	16.0	104
55-64 YEARS.....	23.7	156	25.1	73	22.4	83
65-74 YEARS.....	26.8	170	27.3	85	26.3	85

17 RE AUDIOMETRIC ZERO (ANSI, 1969)

27 INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.26

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 17 AT 2000 HERTZ
IN THE WORSE EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-24 YEARS...	19.0	6,707	21.4	3,119	16.6	3,668
25-34 YEARS.....	10.1	1,544	10.5	666	9.7	878
35-44 YEARS.....	14.4	1,202	17.3	523	11.0	679
45-54 YEARS.....	19.7	1,588	23.6	730	16.0	850
55-64 YEARS.....	26.1	1,268	30.5	615	22.1	653
65-74 YEARS.....	34.4	1,185	38.2	577	31.5	608
WHITE						
25-24 YEARS...	19.0	5,870	21.7	2,704	16.5	3,166
25-34 YEARS.....	9.8	1,347	10.5	583	9.2	764
35-44 YEARS.....	14.3	1,036	17.1	464	11.6	572
45-54 YEARS.....	19.9	1,375	24.1	635	15.9	740
55-64 YEARS.....	25.0	1,103	30.3	536	21.8	567
65-74 YEARS.....	34.4	1,009	38.1	486	31.6	523
BLACK						
25-24 YEARS...	19.4	845	21.4	378	17.0	467
25-34 YEARS.....	11.8	171	10.4	70	12.9	101
35-44 YEARS.....	15.6	147	19.1	52	13.0	95
45-54 YEARS.....	18.3	202	19.5	98	17.3	104
55-64 YEARS.....	29.5	156	33.1	73	26.5	83
65-74 YEARS.....	35.1	169	40.7	85	30.7	84

1/ RE AUDIOLOGIC ZERO (ANGST, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.27

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 17 AT 4000 HERTZ
IN THE WORSE EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 27						
25-74 YEARS...	28.1	6,777	37.3	3,109	19.9	3,668
25-34 YEARS.....	14.6	1,545	20.1	666	9.5	879
35-44 YEARS.....	22.3	1,201	31.7	522	13.6	679
45-54 YEARS.....	30.8	1,586	43.1	737	19.3	849
55-64 YEARS.....	38.5	1,266	49.9	613	28.2	653
65-74 YEARS.....	47.2	1,179	57.9	571	39.9	608
WHITE						
25-74 YEARS....	28.7	5,861	38.3	2,693	19.9	3,168
25-34 YEARS.....	14.8	1,342	20.8	582	8.9	745
35-44 YEARS.....	22.9	1,036	32.0	463	13.6	573
45-54 YEARS.....	31.3	1,374	44.3	634	19.1	740
55-64 YEARS.....	38.0	1,101	50.7	534	28.1	567
65-74 YEARS.....	48.4	1,003	58.7	480	40.5	523
BLACK						
25-74 YEARS...	23.6	844	28.1	379	19.9	465
25-34 YEARS.....	13.4	172	13.6	71	13.3	101
35-44 YEARS.....	16.9	146	20.9	52	13.9	94
45-54 YEARS.....	24.3	201	32.1	98	21.3	103
55-64 YEARS.....	36.5	156	43.8	73	30.3	83
65-74 YEARS.....	40.0	169	48.9	85	33.1	84

17 RE AUDIOMETRIC ZERO (ANSI, 1969)

27 INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.28

Significance Tests (Z Statistics) of Age, Sex and Race Differences in
 Air Conduction Hearing Levels at 500, 1000, 2000
 and 4000 Hz in the Right and Left Ears:
 United States, 1971-1974

	Right Ear				Left Ear				
	500	1000	2000	4000	500	1000	2000	4000	
<u>Age Differences</u>									
(25-34) vs. (35-44)	-3.47***	-5.34***	-7.03***	-7.46***	-3.77***	-6.02***	-7.12***	-7.69*	
(35-44) vs. (45-54)	-5.01***	-6.92***	-8.88***	-8.59***	-4.90***	-5.74***	-8.00***	-8.80*	
(45-54) vs. (55-64)	-6.43***	-6.84***	-7.70***	-7.85***	-4.84***	-6.18***	-6.51***	-6.96*	
(55-64) vs. (65-74)	-5.93***	-7.02***	-8.31***	-8.92***	-6.68***	-6.93***	-9.31***	-8.98*	
<u>Sex Differences: Males vs. Females</u>									
25-34	-1.59	-1.05	-.60	7.85***	.19	.78	2.48*	8.22*	
35-44	.67	2.09*	4.45***	11.62***	2.09*	4.07***	5.25***	12.69*	
45-54	-.50	.26	4.79***	17.26***	.74	1.72	7.91***	20.55*	
55-64	.27	1.67	5.21***	13.89***	.79	2.46*	8.14***	17.10*	
65-74	-4.17***	-1.80	3.26**	11.27***	-3.10**	-.93	5.03***	13.47*	
<u>Race Differences: White vs. Black</u>									
Males	25-34	-1.14	-1.04	-.05	3.38***	-.34	-.49	-.52	2.57*
	35-44	-.99	-2.81**	-2.04*	3.04**	.01	-.87	-.50	5.83*
	45-54	1.01	1.06	.30	2.80**	1.43	1.01	1.47	3.16*
	55-64	.38	-.63	.07	2.77**	-.27	-.36	-.60	2.93*
	65-74	-.39	-1.03	-1.23	3.04**	-.69	-1.29	-.49	3.87*
Females	25-34	-1.63	-1.81	-1.59	-2.15*	-2.34*	-3.32***	-3.04**	-2.49*
	35-44	-1.52	-.89	-.59	-.66	-1.24	-.98	-.91	.64
	45-54	-1.06	-.51	-.83	-1.36	-1.34	-.61	-1.26	-.56
	55-64	-.79	-.74	-1.10	-.90	-1.20	-1.51	-1.70	-.87
	65-74	-.19	-.75	-.72	1.66	.71	.59	-.72	2.96*

*Significant at the .05 level.

**Significant at the .01 level.

***Significant at the .001 level.

Table 3.29

PERCENT DISTRIBUTION OF pure CONDUCTION HEARING LEVELS (IN DECIBELS)
FOR THE RIGHT, LEFT, BETTER AND WORSE EARS OF ADULTS
AT 500, 1000, 2000 AND 4000 HERTZ; UNITED STATES, 1971-1975

FREQUENCY	HEARING LEVEL							
	LESS	-400	0	1600	2400	3600	4600	OR
	THAN	TO	TO	TO	TO	TO	TO	MORE
	-400	600	1600	2600	3600	4600		
RIGHT EAR								
500.....	4.8	22.0	30.2	21.6	8.2	2.3		2.1
1000.....	9.7	32.6	34.0	14.8	5.3	1.6		1.9
2000.....	17.9	33.7	25.4	11.3	5.7	2.5		3.5
4000.....	6.6	24.0	26.4	15.3	9.3	8.6		9.9
LEFT EAR								
500.....	4.7	23.5	36.9	22.5	8.1	2.2		2.1
1000.....	8.4	31.8	35.3	15.6	5.0	2.5		1.4
2000.....	11.7	33.9	28.3	13.7	6.0	2.9		3.6
4000.....	2.5	17.5	20.4	21.0	11.3	7.7		11.6
BETTER EAR								
500.....	7.7	31.3	37.6	16.2	4.9	.9		1.4
1000.....	14.3	39.8	30.1	10.1	3.4	1.3		.9
2000.....	22.2	38.3	22.9	8.6	4.3	2.1		2.0
4000.....	8.5	29.4	26.0	14.2	7.7	6.3		7.1
WORSE EAR								
500.....	1.5	15.3	37.6	28.1	11.3	3.5		2.7
1000.....	3.0	24.0	39.2	20.3	6.9	2.7		2.3
2000.....	7.4	29.5	31.4	16.3	7.4	3.3		4.6
4000.....	.7	12.2	28.2	22.4	13.0	9.9		13.6

Table 3.30

Correlation Coefficients Among Bone Conduction Hearing Levels at
 500, 1000, 2000 and 4000 Hz in the Right and Left Ears:
 United States, 1971-1974

		Right Ear				Left Ear			
		500	1000	2000	4000	500	1000	2000	4000
Right Ear	500		1						
	1000		.67	1					
	2000		.55	.65	1				
	4000		.39	.43	.62	1			
Left Ear	500		.70	.57	.48	.36	1		
	1000		.58	.72	.59	.41	.67	1	
	2000		.49	.57	.79	.58	.53	.64	1
	4000		.33	.38	.54	.75	.36	.43	.61

Table 3.31

PERCENT DISTRIBUTION OF THE DIFFERENCE BETWEEN THE BONE CONDUCTION HEARING LEVELS IN THE RIGHT AND LEFT EARS AT 500, 1000, 2000 AND 4000 HERTZ: UNITED STATES, 1971-1974

RIGHT-LEFT	FREQUENCY			
	500	1000	2000	4000
	HERTZ	HERTZ	HERTZ	HERTZ
-20DB OR LESS.....	3.0	2.7	3.9	8.9
-15DB.....	4.5	4.2	5.8	9.1
-10DB.....	10.1	11.5	13.9	14.9
-5DB.....	18.8	20.4	21.2	17.3
0DB.....	27.3	28.6	26.1	22.5
5DB.....	17.8	17.0	15.8	11.4
10DB.....	10.5	8.8	7.9	7.9
15DB.....	5.1	4.3	3.2	4.0
20DB OR MORE.....	2.8	2.5	2.2	4.1

Table 3.32

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500 HERTZ
IN THE RIGHT EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1974

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	14.7	3,539	14.5	1,687	14.9	1,852
25-34 YEARS.....	9.3	683	9.3	314	9.3	369
35-44 YEARS.....	12.7	551	13.4	240	12.0	311
45-54 YEARS.....	14.0	663	14.3	419	15.3	444
55-64 YEARS.....	19.1	691	18.8	341	19.3	350
65-74 YEARS.....	23.2	751	21.8	373	24.3	378
WHITE						
25-74 YEARS...	14.5	2,962	14.4	1,414	14.7	1,548
25-34 YEARS.....	8.9	576	9.0	267	8.7	309
35-44 YEARS.....	12.5	489	13.3	209	11.8	250
45-54 YEARS.....	14.0	726	14.2	347	15.3	379
55-64 YEARS.....	18.8	581	18.9	285	18.8	294
65-74 YEARS.....	23.1	620	21.5	306	24.2	314
BLACK						
25-74 YEARS...	16.2	545	15.0	253	17.2	292
25-34 YEARS.....	13.2	102	11.7	43	14.5	59
35-44 YEARS.....	13.6	85	13.7	38	13.5	52
45-54 YEARS.....	15.7	131	15.1	69	16.1	62
55-64 YEARS.....	20.7	103	17.2	52	23.0	51
65-74 YEARS.....	25.1	124	23.8	61	26.2	63

1/ RE-AUDIOGRAPHIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.33

STANDARD ERRORS AND DESIGN EFFECTS FOR BONE CONDUCTION HEARING LEVELS
IN THE RIGHT EAR AT 500 HERTZ BY AGE, RACE, AND SEX¹⁷ UNITED STATES 1971-1974

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES ¹⁷						
25-74 YEARS....	.34	2.80	.40	1.93	.40	2.11
25-34 YEARS.....	.50	1.74	.59	1.13	.66	1.68
35-44 YEARS.....	.57	1.57	.79	1.42	.69	1.26
45-54 YEARS.....	.66	3.04	.68	1.71	.94	2.99
55-64 YEARS.....	.68	2.26	.87	1.90	.86	1.82
65-74 YEARS.....	.62	1.58	.82	1.36	.91	1.76
WHITE						
25-74 YEARS....	.36	2.61	.42	1.80	.45	2.05
25-34 YEARS.....	.53	1.72	.63	1.08	.71	1.67
35-44 YEARS.....	.59	1.36	.70	1.14	.74	1.18
45-54 YEARS.....	.72	2.99	.74	1.66	1.03	2.99
55-64 YEARS.....	.67	1.96	.89	1.71	.83	1.55
65-74 YEARS.....	.70	1.64	.90	1.37	.97	1.65
BLACK						
25-74 YEARS....	.45	1.75	.87	1.58	.94	1.93
25-34 YEARS.....	1.29	1.86	1.49	1.19	1.47	1.72
35-44 YEARS.....	1.15	1.67	1.03	1.33	1.40	1.69
45-54 YEARS.....	1.14	1.60	1.42	1.28	1.74	1.80
55-64 YEARS.....	2.50	3.02	2.67	2.06	3.47	2.79
65-74 YEARS.....	1.53	1.80	1.85	1.21	2.30	2.22

¹⁷ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.34

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) 17 AT 1000 HERTZ
IN THE RIGHT EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1974

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-24 YEARS...	11.3	3,608	11.1	1,734	11.4	1,024
25-34 YEARS.....	6.1	700	6.0	320	6.1	372
35-44 YEARS.....	9.2	568	10.0	251	8.4	317
45-54 YEARS.....	11.4	881	11.1	432	11.7	449
55-64 YEARS.....	15.1	705	15.1	350	15.1	355
65-74 YEARS.....	20.5	754	19.4	373	21.4	381
WHITE						
25-24 YEARS...	11.0	3,023	10.9	1,457	11.0	1,566
25-34 YEARS.....	5.7	592	5.7	200	5.7	312
35-44 YEARS.....	8.9	421	9.9	217	8.0	254
45-54 YEARS.....	11.1	743	10.8	359	11.4	384
55-64 YEARS.....	14.7	595	14.9	295	14.5	300
65-74 YEARS.....	20.1	622	18.8	306	21.1	316
BLACK						
25-24 YEARS...	13.9	851	13.1	256	14.6	295
25-34 YEARS.....	9.4	102	9.1	43	9.7	59
35-44 YEARS.....	11.2	89	11.7	31	10.9	50
45-54 YEARS.....	14.1	132	12.9	70	15.2	62
55-64 YEARS.....	19.0	103	15.6	51	21.0	52
65-74 YEARS.....	25.2	125	25.2	61	25.1	64

17 RE AURTOMETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.35

STANDARD ERRORS AND DESIGN EFFECTS FOR BONE CONDUCTION HEARING LEVELS
IN THE RIGHT EAR AT 1000 HERTZ BY AGE, RACE, AND SEX¹ UNITED STATES 1971-1975

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-74 YEARS...	.31	2.30	.37	1.61	.36	1.60
25-34 YEARS.....	.40	2.01	.70	1.71	.50	1.34
35-44 YEARS.....	.53	1.56	.86	1.78	.65	1.39
45-54 YEARS.....	.54	1.89	.62	1.31	.80	2.07
55-64 YEARS.....	.69	2.10	.97	1.95	.80	1.47
65-74 YEARS.....	.65	1.55	.86	1.41	.94	1.67
WHITE						
25-74 YEARS...	.34	2.42	.42	1.75	.41	1.81
25-34 YEARS.....	.53	2.07	.77	1.70	.55	1.46
35-44 YEARS.....	.54	1.34	.83	1.44	.70	1.23
45-54 YEARS.....	.61	2.05	.69	1.36	.89	2.20
55-64 YEARS.....	.75	2.16	1.04	1.91	.92	1.75
65-74 YEARS.....	.71	1.61	.96	1.54	1.01	1.59
BLACK						
25-74 YEARS...	.61	1.33	1.13	2.16	1.01	1.07
25-34 YEARS.....	1.01	1.37	1.48	1.45	1.35	1.27
35-44 YEARS.....	1.32	1.72	2.43	1.64	1.72	2.34
45-54 YEARS.....	1.52	2.21	1.72	1.61	2.22	2.13
55-64 YEARS.....	2.15	2.44	2.28	1.55	3.42	3.06
65-74 YEARS.....	2.00	1.73	3.47	2.43	2.63	1.60

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.36

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 2000 HERTZ
IN THE RIGHT EAR BY AGE, RACE AND SEX IN UNITED STATES, 1971-1974

RACE AND AGE	ROTII SFXFS		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	10.1	3,601	11.4	1,727	8.9	1,874
25-34 YEARS.....	2.3	702	2.6	329	2.0	373
35-44 YEARS.....	7.3	567	8.8	251	6.0	316
45-54 YEARS.....	9.9	879	11.9	431	8.1	448
55-64 YEARS.....	16.1	707	18.3	350	14.1	357
65-74 YEARS.....	23.4	746	25.4	366	21.8	380
WHITE						
25-74 YEARS...	9.9	3,016	11.3	1,449	8.7	1,567
25-34 YEARS.....	1.9	594	2.4	281	1.4	313
35-44 YEARS.....	7.3	470	9.0	217	5.8	253
45-54 YEARS.....	9.7	740	11.6	357	7.9	383
55-64 YEARS.....	15.9	696	18.1	294	14.0	302
65-74 YEARS.....	23.2	616	25.0	300	21.8	316
BLACK						
25-74 YEARS...	11.6	561	12.4	252	10.9	294
25-34 YEARS.....	5.8	102	3.8	43	7.5	59
35-44 YEARS.....	8.1	89	8.7	31	7.6	58
45-54 YEARS.....	12.3	133	14.2	71	10.5	62
55-64 YEARS.....	18.3	104	20.9	52	16.2	52
65-74 YEARS.....	25.9	123	29.8	60	22.6	63

1/ RE ACOUSTIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.37

STANDARD ERRORS AND DESIGN EFFECTS FOR BONE CONDUCTION HEARING LEVELS
IN THE RIGHT EAR AT 2000 HERTZ BY AGE, RACE, AND SEX: UNITED STATES 1971-1974

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-74 YEARS...	.33	1.78	.55	2.11	.36	1.31
25-34 YEARS.....	.46	1.80	.71	1.77	.54	1.53
35-44 YEARS.....	.64	1.49	1.00	1.36	.83	1.69
45-54 YEARS.....	.54	1.32	.82	1.23	.71	1.60
55-64 YEARS.....	.71	1.69	1.07	1.66	.94	1.71
65-74 YEARS.....	.78	1.61	.99	1.13	1.11	1.90
WHITE						
25-74 YEARS...	.38	1.99	.63	2.31	.40	1.40
25-34 YEARS.....	.48	1.66	.75	1.60	.54	1.46
35-44 YEARS.....	.73	1.52	1.12	1.42	.95	1.69
45-54 YEARS.....	.60	1.41	.89	1.24	.79	1.66
55-64 YEARS.....	.83	1.91	1.16	1.60	1.06	1.96
65-74 YEARS.....	.89	1.78	1.11	1.19	1.17	1.77
BLACK						
25-74 YEARS...	.57	.95	1.09	1.36	.90	1.49
25-34 YEARS.....	.94	1.13	1.34	1.54	1.30	1.01
35-44 YEARS.....	1.07	1.20	2.05	1.36	1.24	1.17
45-54 YEARS.....	1.55	1.60	2.53	1.65	1.63	1.36
55-64 YEARS.....	2.43	2.84	2.30	1.88	4.08	3.30
65-74 YEARS.....	2.21	1.92	3.56	2.11	2.34	1.38

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.38

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 4000 HERTZ
IN THE RIGHT EAR BY AGE, RACE AND SEX² UNITED STATES, 1971-1974

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	18.9	3,550	24.3	1,606	14.2	1,064
25-34 YEARS.....	9.5	499	12.7	327	6.5	372
35-44 YEARS.....	15.2	561	20.7	246	10.3	315
45-54 YEARS.....	20.5	864	27.5	416	14.2	448
55-64 YEARS.....	26.3	698	33.5	344	19.9	354
65-74 YEARS.....	33.0	728	38.5	353	26.8	375
WHITE						
25-74 YEARS...	19.3	2,975	24.9	1,415	14.3	1,560
25-34 YEARS.....	9.6	591	13.0	279	6.4	312
35-44 YEARS.....	15.7	466	21.4	213	10.6	253
45-54 YEARS.....	20.7	728	28.1	345	14.1	383
55-64 YEARS.....	26.7	589	34.3	209	19.7	300
65-74 YEARS.....	33.2	601	38.9	289	29.0	312
BLACK						
25-74 YEARS...	15.5	541	18.1	250	13.4	291
25-34 YEARS.....	7.9	102	7.8	43	8.0	59
35-44 YEARS.....	11.4	87	16.2	30	7.8	57
45-54 YEARS.....	18.6	130	22.1	68	15.4	62
55-64 YEARS.....	22.8	102	24.8	51	21.2	51
65-74 YEARS.....	30.1	120	33.5	58	27.3	62

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.39

STANDARD ERRORS AND DESIGN EFFECTS FOR BONE CONDUCTION HEARING LEVELS
IN THE RIGHT EAR AT 4000 HERTZ BY AGE, RACE, AND SEX: UNITED STATES 1971-1974

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-74 YEARS...	0.39	1.75	0.68	2.07	0.40	1.43
25-34 YEARS.....	.53	1.13	1.01	1.21	.50	1.42
35-44 YEARS.....	.88	1.72	1.31	1.31	.93	1.88
45-54 YEARS.....	.64	1.16	1.05	1.38	1.06	2.70
55-64 YEARS.....	.83	1.78	1.27	2.05	.99	1.86
65-74 YEARS.....	.89	2.17	1.15	1.83	1.16	2.12
WHITE						
25-74 YEARS...	.42	1.68	.72	1.96	.46	1.62
25-34 YEARS.....	.57	1.10	1.12	1.25	.54	1.50
35-44 YEARS.....	.95	1.57	1.40	1.26	1.03	1.77
45-54 YEARS.....	.72	1.23	1.05	1.16	1.17	2.68
55-64 YEARS.....	.91	1.79	1.29	1.77	1.10	2.08
65-74 YEARS.....	.96	2.09	1.18	1.68	1.24	1.96
BLACK						
25-74 YEARS...	.94	1.93	1.73	1.62	1.09	1.89
25-34 YEARS.....	1.20	1.14	2.22	1.35	1.36	1.06
35-44 YEARS.....	1.92	1.93	3.72	1.75	1.12	.86
45-54 YEARS.....	2.17	2.62	3.69	2.57	1.63	1.69
55-64 YEARS.....	2.70	2.69	2.81	2.03	4.47	3.04
65-74 YEARS.....	2.14	2.09	3.68	2.33	2.14	1.54

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.40

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500 HERTZ
IN THE LEFT EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1974

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	14.7	3,520	14.2	1,670	15.1	1,850
25-34 YEARS.....	9.5	680	9.0	312	9.9	368
35-44 YEARS.....	12.1	549	11.6	239	12.5	310
45-54 YEARS.....	15.2	861	14.5	417	15.8	444
55-64 YEARS.....	19.0	686	19.2	337	18.8	349
65-74 YEARS.....	23.1	744	22.3	365	23.8	379
WHITE						
25-74 YEARS...	14.4	2,943	13.9	1,399	14.9	1,544
25-34 YEARS.....	9.0	574	8.5	265	9.4	309
35-44 YEARS.....	11.8	455	11.2	207	12.3	248
45-54 YEARS.....	14.9	724	14.1	346	15.6	378
55-64 YEARS.....	18.7	576	19.1	282	18.4	294
65-74 YEARS.....	23.0	614	22.3	299	23.6	315
BLACK						
25-74 YEARS...	17.1	544	16.4	250	17.7	294
25-34 YEARS.....	13.8	100	12.7	42	14.8	58
35-44 YEARS.....	14.2	87	14.1	29	14.3	58
45-54 YEARS.....	17.4	131	17.7	68	17.1	63
55-64 YEARS.....	22.3	103	20.9	51	23.6	52
65-74 YEARS.....	24.5	123	22.1	60	26.4	63

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.41

STANDARD ERRORS AND DESIGN EFFECTS FOR BONE CONDUCTION HEARING LEVELS
IN THE LEFT EAR AT 500 HERTZ BY AGE, RACE, AND SEX: UNITED STATES 1971-1974

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-74 YEARS....	.34	2.83	.45	2.44	.39	1.90
25-34 YEARS.....	.45	1.40	.63	1.17	.59	1.40
35-44 YEARS.....	.58	1.78	.81	1.78	.74	1.43
45-54 YEARS.....	.58	2.24	.78	2.11	.84	2.25
55-64 YEARS.....	.74	2.57	.97	2.14	.93	2.09
65-74 YEARS.....	.65	1.02	.91	1.71	.89	1.81
WHITE						
25-74 YEARS....	.35	2.52	.49	2.37	.40	1.66
25-34 YEARS.....	.48	1.38	.67	1.17	.63	1.39
35-44 YEARS.....	.60	1.57	.82	1.50	.80	1.30
45-54 YEARS.....	.58	1.91	.72	1.63	.89	2.14
55-64 YEARS.....	.76	2.34	1.05	2.07	.89	1.74
65-74 YEARS.....	.71	1.80	1.00	1.69	.93	1.65
BLACK						
25-74 YEARS....	.79	2.20	1.24	2.45	.99	1.91
25-34 YEARS.....	1.38	1.63	2.27	1.61	1.29	.97
35-44 YEARS.....	1.27	1.57	2.15	1.52	1.57	1.56
45-54 YEARS.....	1.66	2.23	2.62	2.44	1.92	1.73
55-64 YEARS.....	2.30	2.64	2.29	1.60	3.41	2.55
65-74 YEARS.....	1.75	2.30	1.77	1.16	2.38	2.30

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.42

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 1000 HERTZ
IN THE LEFT EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1974

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	11.7	3,606	11.6	1,731	11.8	1,875
25-34 YEARS.....	6.7	700	6.8	326	6.6	374
35-44 YEARS.....	9.0	566	9.3	248	8.8	318
45-54 YEARS.....	12.0	884	11.6	435	12.5	449
55-64 YEARS.....	15.9	704	16.4	349	15.5	355
65-74 YEARS.....	20.4	752	19.6	373	21.4	379
WHITE						
25-74 YEARS...	11.5	3,023	11.5	1,454	11.5	1,569
25-34 YEARS.....	6.4	592	6.8	279	6.0	313
35-44 YEARS.....	8.6	471	8.9	215	8.3	256
45-54 YEARS.....	11.9	744	11.5	361	12.3	383
55-64 YEARS.....	15.6	592	16.3	292	14.9	300
65-74 YEARS.....	20.4	624	19.2	307	21.3	317
BLACK						
25-74 YEARS...	13.7	550	12.6	256	14.7	294
25-34 YEARS.....	8.8	102	5.8	42	11.2	60
35-44 YEARS.....	12.9	88	13.6	30	12.4	58
45-54 YEARS.....	12.7	134	11.7	71	13.6	63
55-64 YEARS.....	19.8	105	17.8	53	21.5	52
65-74 YEARS.....	23.3	121	23.7	60	23.1	61

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.43

STANDARD ERRORS AND DESIGN EFFECTS FOR BONE CONDUCTION HEARING LEVELS
IN THE LEFT EAR AT 1000 HERTZ BY AGE, RACE, AND SEX: UNITED STATES 1971-1974

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-74 YEARS...	.31	2.41	.39	1.87	.35	1.67
25-34 YEARS.....	.38	1.27	.64	1.57	.44	.98
35-44 YEARS.....	.54	1.90	.74	1.68	.80	2.22
45-54 YEARS.....	.48	1.59	.64	1.42	.70	1.76
55-64 YEARS.....	.76	2.47	1.04	2.12	.83	1.63
65-74 YEARS.....	.70	1.83	.94	1.57	.94	1.79
WHITE						
25-74 YEARS...	.33	2.29	.44	1.98	.39	1.69
25-34 YEARS.....	.43	1.37	.74	1.76	.46	.96
35-44 YEARS.....	.54	1.58	.71	1.41	.84	1.87
45-54 YEARS.....	.51	1.57	.68	1.36	.77	1.81
55-64 YEARS.....	.80	2.33	1.12	2.04	.89	1.66
65-74 YEARS.....	.73	1.70	.94	1.37	.98	1.63
BLACK						
25-74 YEARS...	.62	1.39	1.13	2.12	.98	1.95
25-34 YEARS.....	1.17	1.61	1.50	1.58	1.35	1.15
35-44 YEARS.....	1.14	1.41	2.60	1.89	1.46	2.02
45-54 YEARS.....	1.40	1.76	1.92	1.75	1.87	1.49
55-64 YEARS.....	2.10	2.41	2.04	1.34	3.39	2.84
65-74 YEARS.....	1.69	1.50	2.97	2.25	2.47	1.84

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.44

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 2000 HERTZ
IN THE LEFT EAR BY AGE, RACE AND SEX IN UNITED STATES, 1971-1974

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	11.7	3,600	13.5	1,721	10.1	1,879
25-34 YEARS.....	4.8	700	5.9	327	3.7	373
35-44 YEARS.....	8.2	567	9.9	249	6.7	318
45-54 YEARS.....	12.4	884	14.7	434	10.3	450
55-64 YEARS.....	16.7	700	19.3	344	14.3	356
65-74 YEARS.....	24.9	749	27.2	367	23.0	382
WHITE						
25-74 YEARS...	11.6	3,014	13.5	1,444	10.0	1,570
25-34 YEARS.....	4.6	592	5.9	280	3.3	312
35-44 YEARS.....	8.1	471	9.6	215	6.7	256
45-54 YEARS.....	12.2	744	14.6	360	10.0	384
55-64 YEARS.....	16.5	589	19.3	288	14.0	301
65-74 YEARS.....	24.8	618	27.1	301	23.1	317
BLACK						
25-74 YEARS...	12.6	553	13.7	256	11.6	297
25-34 YEARS.....	6.3	102	5.1	42	7.3	60
35-44 YEARS.....	9.0	89	12.1	31	6.6	58
45-54 YEARS.....	14.1	134	15.4	71	12.8	63
55-64 YEARS.....	19.3	104	20.3	52	18.3	52
65-74 YEARS.....	25.5	124	28.2	60	23.3	64

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.45

STANDARD ERRORS AND DESIGN EFFECTS FOR BONE CONDUCTION HEARING LEVELS
IN THE LEFT EAR AT 2000 HERTZ BY AGE, RACE, AND SEX: UNITED STATES 1971-1974

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-24 YEARS...	.33	1.97	.50	1.03	.38	1.60
25-34 YEARS.....	.47	1.74	.81	1.04	.43	1.00
35-44 YEARS.....	.53	1.23	.94	1.41	.63	1.32
45-54 YEARS.....	.59	1.55	.77	1.15	.94	2.45
55-64 YEARS.....	.79	2.13	1.13	1.90	.97	1.96
65-74 YEARS.....	.80	1.91	1.05	1.37	.99	1.81
WHITE						
25-24 YEARS...	.37	2.01	.55	1.81	.44	1.80
25-34 YEARS.....	.53	1.82	.90	1.91	.44	1.01
35-44 YEARS.....	.58	1.18	1.04	1.39	.71	1.24
45-54 YEARS.....	.66	1.62	.93	1.12	1.06	2.58
55-64 YEARS.....	.84	2.05	1.19	1.71	1.10	2.27
65-74 YEARS.....	.84	1.77	1.13	1.29	1.02	1.62
BLACK						
25-24 YEARS...	.50	1.02	1.26	2.01	.94	1.66
25-34 YEARS.....	1.21	1.74	1.90	1.66	1.38	1.43
35-44 YEARS.....	.93	1.26	1.76	1.34	.81	.96
45-54 YEARS.....	1.52	1.75	2.53	1.93	1.60	1.33
55-64 YEARS.....	2.18	2.06	2.11	1.25	3.88	2.74
65-74 YEARS.....	1.85	1.52	3.17	2.08	2.35	1.36

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.46

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 4000 HERTZ
IN THE LEFT EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1974

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	21.8	3,540	27.1	1,683	17.2	1,065
25-34 YEARS.....	14.4	697	17.6	324	11.4	373
35-44 YEARS.....	17.0	560	22.4	245	13.6	315
45-54 YEARS.....	23.7	870	31.0	422	17.1	448
55-64 YEARS.....	26.0	692	33.6	338	20.9	354
65-74 YEARS.....	35.1	729	41.6	354	30.1	375
WHITE						
25-74 YEARS...	22.3	2,967	27.8	1,409	17.4	1,558
25-34 YEARS.....	14.6	589	17.9	277	11.5	312
35-44 YEARS.....	18.5	464	23.3	212	14.1	254
45-54 YEARS.....	24.0	730	31.7	348	17.0	382
55-64 YEARS.....	27.1	581	34.4	282	20.8	299
65-74 YEARS.....	35.4	601	42.0	290	30.4	311
BLACK						
25-74 YEARS...	18.1	549	20.8	254	15.8	295
25-34 YEARS.....	12.0	102	13.4	42	10.8	60
35-44 YEARS.....	12.3	88	15.0	31	10.1	57
45-54 YEARS.....	21.8	134	25.3	71	18.6	63
55-64 YEARS.....	24.9	104	26.3	52	23.7	52
65-74 YEARS.....	31.4	121	36.6	58	27.2	63

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.47

STANDARD ERRORS AND DESIGN EFFECTS FOR BONE CONDUCTION HEARING LEVELS
IN THE LEFT EAR AT 4000 HERTZ BY AGE, RACE, AND SEX: UNITED STATES 1971-1974

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-24 YEARS...	.39	1.95	.65	2.08	.38	1.57
25-34 YEARS.....	.63	1.60	1.14	1.59	.59	1.74
35-44 YEARS.....	.80	1.52	1.34	1.39	.65	1.09
45-54 YEARS.....	.55	.98	.94	1.29	.79	1.05
55-64 YEARS.....	.99	2.61	1.23	1.86	.89	1.62
65-74 YEARS.....	.82	2.03	1.07	2.05	.95	1.57
WHITE						
25-24 YEARS...	.42	1.89	.60	1.89	.43	1.66
25-34 YEARS.....	.72	1.72	1.28	1.67	.66	1.84
35-44 YEARS.....	.80	1.45	1.47	1.36	.72	1.02
45-54 YEARS.....	.63	1.09	.98	1.21	.87	1.88
55-64 YEARS.....	1.11	2.70	1.31	1.75	1.01	1.84
65-74 YEARS.....	.86	1.86	1.00	1.78	1.00	1.45
BLACK						
25-24 YEARS...	.75	1.41	1.20	1.58	.96	1.67
25-34 YEARS.....	1.10	1.09	1.90	.98	1.37	1.45
35-44 YEARS.....	1.09	1.17	2.11	1.24	1.06	1.03
45-54 YEARS.....	1.93	1.99	3.48	2.47	1.87	1.57
55-64 YEARS.....	2.30	2.38	2.38	1.62	3.79	2.74
65-74 YEARS.....	2.26	2.42	3.03	3.12	2.41	1.82

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.48

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) 17 AT 500 HERTZ
IN THE BETTER EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1974

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
	17	1	17	1	17	1
ALL RACES 2/						
25-74 YEARS...	11.3	3,468	11.0	1,641	11.7	1,827
25-34 YEARS.....	6.3	471	6.4	307	6.2	364
35-44 YEARS.....	9.3	538	9.4	233	9.2	305
45-54 YEARS.....	11.5	849	11.1	409	11.9	440
55-64 YEARS.....	15.5	675	15.2	330	15.7	345
65-74 YEARS.....	19.6	735	18.0	362	20.0	373
WHITE						
25-74 YEARS...	11.2	2,901	10.9	1,375	11.4	1,526
25-34 YEARS.....	5.9	567	6.1	261	5.7	306
35-44 YEARS.....	9.1	447	9.1	203	9.0	244
45-54 YEARS.....	11.4	714	10.9	339	11.8	375
55-64 YEARS.....	15.3	867	15.3	276	15.2	291
65-74 YEARS.....	19.4	606	17.7	296	20.6	310
BLACK						
25-74 YEARS...	13.1	535	11.8	246	14.2	289
25-34 YEARS.....	9.8	99	8.6	42	10.9	57
35-44 YEARS.....	10.6	84	10.9	27	10.4	57
45-54 YEARS.....	13.0	129	12.8	67	13.1	62
55-64 YEARS.....	17.6	101	12.9	50	21.5	51
65-74 YEARS.....	21.0	122	19.5	60	23.7	62

1/ RF AUDIOMETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.49

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 1000 HERTZ
IN THE BETTER EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1974

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	8.2	3,570	8.0	1,715	8.4	1,855
25-34 YEARS.....	3.3	695	3.1	324	3.4	371
35-44 YEARS.....	6.1	562	6.9	247	5.3	315
45-54 YEARS.....	8.4	877	7.7	430	9.0	447
55-64 YEARS.....	12.0	697	12.2	346	11.8	351
65-74 YEARS.....	17.1	739	15.9	368	18.1	371
WHITE						
25-74 YEARS...	7.9	2,993	7.9	1,441	8.0	1,552
25-34 YEARS.....	2.9	588	3.0	277	2.9	311
35-44 YEARS.....	5.7	467	6.5	214	4.8	253
45-54 YEARS.....	8.1	739	7.5	357	8.7	382
55-64 YEARS.....	11.7	587	12.3	291	11.1	296
65-74 YEARS.....	16.8	612	15.4	302	17.9	310
BLACK						
25-74 YEARS...	10.8	544	9.4	253	12.0	291
25-34 YEARS.....	6.3	101	4.0	42	8.2	59
35-44 YEARS.....	9.5	88	10.3	30	9.0	58
45-54 YEARS.....	10.5	132	9.3	70	11.8	62
55-64 YEARS.....	15.7	103	11.1	51	19.5	52
65-74 YEARS.....	20.9	120	21.1	60	20.7	60

1/ RE ACOUSTIC ZERO (ANSI, 1969).

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK.

Table 3.50

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) ^{1/} AT 2000 HERTZ
IN THE BETTER EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1974

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES ^{2/}						
25-74 YEARS...	7.3	3,566	8.7	1,705	6.1	1,861
25-34 YEARS.....	.4	697	.9	326	.0	371
35-44 YEARS.....	4.3	562	5.7	248	3.1	314
45-54 YEARS.....	7.5	875	9.3	428	5.8	447
55-64 YEARS.....	12.7	697	14.9	343	10.8	354
65-74 YEARS.....	20.1	735	22.4	360	18.2	375
WHITE						
25-74 YEARS...	7.2	2,986	8.6	1,430	5.9	1,556
25-34 YEARS.....	.1	590	.7	279	-.6	311
35-44 YEARS.....	4.2	466	5.6	214	3.0	252
45-54 YEARS.....	7.2	736	8.9	354	5.6	382
55-64 YEARS.....	12.6	587	14.8	208	10.5	299
65-74 YEARS.....	19.9	601	22.1	295	18.2	312
BLACK						
25-74 YEARS...	9.2	547	10.3	254	8.2	293
25-34 YEARS.....	3.5	101	2.2	42	4.6	59
35-44 YEARS.....	5.8	89	6.1	31	4.1	58
45-54 YEARS.....	10.4	133	12.3	71	8.7	62
55-64 YEARS.....	15.1	103	16.2	51	14.1	52
65-74 YEARS.....	22.2	121	25.4	59	19.6	62

^{1/} RE AUDIOMETRIC ZERO (ANSI, 1969)

^{2/} INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.51

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 4000 HERTZ
IN THE BETTER EAR BY AGE, RACE AND SEX² UNITED STATES, 1971-1974

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-24 YEARS...	15.7	3,502	20.8	1,657	11.3	1,845
25-34 YEARS.....	7.1	692	9.7	322	4.7	370
35-44 YEARS.....	11.5	552	16.2	242	7.3	310
45-54 YEARS.....	17.5	856	24.5	410	11.3	446
55-64 YEARS.....	22.2	687	29.1	337	16.1	350
65-74 YEARS.....	30.2	715	36.5	346	25.3	349
WHITE						
25-24 YEARS...	16.1	2,934	21.4	1,390	11.4	1,544
25-34 YEARS.....	7.1	585	9.8	375	4.7	310
35-44 YEARS.....	12.1	450	17.0	210	7.6	250
45-54 YEARS.....	17.6	720	25.0	339	11.2	381
55-64 YEARS.....	22.5	570	29.9	282	16.0	296
65-74 YEARS.....	30.4	591	36.9	284	25.5	307
BLACK						
25-24 YEARS...	12.6	536	15.0	247	10.6	289
25-34 YEARS.....	5.9	101	7.1	42	4.9	59
35-44 YEARS.....	7.3	86	9.9	30	5.4	56
45-54 YEARS.....	15.9	130	20.0	68	12.3	62
55-64 YEARS.....	19.2	102	19.3	51	19.2	51
65-74 YEARS.....	27.8	117	32.2	56	24.2	61

1/ RE AUDIOMETRIC ZERO (ABRT, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.52

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500 HERTZ
IN THE WORSE EAR BY AGE, RACE AND SEX; UNITED STATES, 1971-1974

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	18.0	3,460	17.7	1,641	18.3	1,827
25-34 YEARS.....	12.5	671	12.0	307	12.9	364
35-44 YEARS.....	15.5	538	15.6	233	15.4	305
45-54 YEARS.....	18.5	849	17.7	409	19.2	440
55-64 YEARS.....	22.7	675	23.1	330	22.4	345
65-74 YEARS.....	26.8	735	26.3	362	27.2	373
WHITE						
25-74 YEARS...	17.8	2,901	17.5	1,375	18.1	1,526
25-34 YEARS.....	12.1	562	11.6	261	12.5	306
35-44 YEARS.....	15.3	442	15.5	203	15.1	244
45-54 YEARS.....	18.3	714	17.3	339	19.1	375
55-64 YEARS.....	22.4	567	22.9	276	21.9	291
65-74 YEARS.....	26.7	606	26.2	296	27.0	310
BLACK						
25-74 YEARS...	19.9	535	19.3	246	20.4	289
25-34 YEARS.....	16.4	99	15.6	42	17.1	57
35-44 YEARS.....	16.9	84	15.8	27	17.7	57
45-54 YEARS.....	20.3	129	20.6	67	20.0	62
55-64 YEARS.....	25.2	101	24.4	50	25.8	51
65-74 YEARS.....	28.2	122	26.8	60	29.2	62

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.53

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 1000 HERTZ
IN THE WORSE EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1974

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS....	14.6	3,570	14.6	1,715	14.6	1,855
25-34 YEARS.....	9.4	695	9.6	324	9.2	371
35-44 YEARS.....	12.0	562	12.6	247	11.5	315
45-54 YEARS.....	15.1	877	14.9	430	15.2	447
55-64 YEARS.....	18.8	697	19.2	346	18.5	351
65-74 YEARS.....	23.7	739	23.0	368	24.2	371
WHITE						
25-74 YEARS....	14.4	2,993	14.5	1,441	14.3	1,552
25-34 YEARS.....	9.1	913	9.4	277	8.8	311
35-44 YEARS.....	11.7	467	12.4	214	11.1	253
45-54 YEARS.....	14.9	739	14.8	357	15.0	382
55-64 YEARS.....	18.5	587	19.0	291	18.0	296
65-74 YEARS.....	23.4	612	22.5	302	24.1	310
BLACK						
25-74 YEARS....	16.5	544	16.0	253	17.0	291
25-34 YEARS.....	11.9	101	10.9	42	12.7	59
35-44 YEARS.....	14.5	88	14.8	30	14.4	58
45-54 YEARS.....	16.1	132	15.3	70	16.8	62
55-64 YEARS.....	22.5	103	21.0	51	23.8	52
65-74 YEARS.....	27.2	120	28.0	60	26.5	60

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.54

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 2000 HERTZ
IN THE WORSE EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1974

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	14.2	3,566	15.9	1,705	12.6	1,841
25-34 YEARS.....	6.6	697	7.6	326	5.7	371
35-44 YEARS.....	11.0	562	13.1	248	9.1	314
45-54 YEARS.....	14.5	875	16.7	428	12.5	447
55-64 YEARS.....	19.9	697	22.4	343	17.6	354
65-74 YEARS.....	27.8	739	29.8	360	26.2	375
WHITE						
25-74 YEARS...	14.1	2,986	16.0	1,430	12.5	1,556
25-34 YEARS.....	6.4	590	7.7	279	5.2	311
35-44 YEARS.....	11.0	466	13.2	214	9.0	252
45-54 YEARS.....	14.4	736	16.6	354	12.4	382
55-64 YEARS.....	19.7	587	22.3	288	17.4	299
65-74 YEARS.....	27.7	607	29.6	295	26.2	312
BLACK						
25-74 YEARS...	14.8	547	15.6	254	14.1	293
25-34 YEARS.....	8.6	101	6.8	42	10.1	59
35-44 YEARS.....	11.3	89	12.7	31	10.2	58
45-54 YEARS.....	15.8	133	17.3	71	14.3	62
55-64 YEARS.....	21.8	103	23.5	51	20.3	52
65-74 YEARS.....	29.4	121	32.9	59	26.6	62

1/ RE AUDIOLOGIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.55

MEAN BONE CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 4000 HERTZ
IN THE WORSE EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1972

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 2/						
25-74 YEARS...	24.7	3,502	30.4	1,657	19.8	1,845
25-34 YEARS.....	16.6	692	20.3	322	13.2	370
35-44 YEARS.....	21.1	552	27.0	242	15.8	310
45-54 YEARS.....	26.5	856	33.9	410	20.0	446
55-64 YEARS.....	30.7	687	37.6	337	24.7	350
65-74 YEARS.....	37.6	715	43.5	346	33.2	369
WHITE						
25-74 YEARS...	25.2	2,934	31.1	1,390	20.0	1,544
25-34 YEARS.....	16.8	585	20.8	275	13.2	310
35-44 YEARS.....	21.7	460	27.7	210	16.2	250
45-54 YEARS.....	26.8	720	34.7	339	19.8	381
55-64 YEARS.....	31.0	528	38.3	282	24.6	296
65-74 YEARS.....	38.0	591	44.0	284	33.4	307
BLACK						
25-74 YEARS...	20.7	536	23.4	247	18.5	289
25-34 YEARS.....	14.0	101	14.3	42	13.8	59
35-44 YEARS.....	16.3	86	21.3	30	17.5	56
45-54 YEARS.....	23.9	130	26.5	68	21.5	62
55-64 YEARS.....	27.8	102	30.4	51	25.5	51
65-74 YEARS.....	33.7	117	37.8	56	30.4	61

1/ RE AUDIOLOGIC ZERO (ANSI, 1969)

2/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.56

Significance Tests (Z Statistics) of Age, Sex and Race Differences in
 Bone Conduction Hearing Levels at 500, 1000, 2000
 and 4000 Hz in the Right and Left Ears:
 United States, 1971-1974

	Right Ear				Left Ear			
	500	1000	2000	4000	500	1000	2000	4000
<u>Age Differences</u>								
(25-34) vs. (35-44)	-3.75***	-3.71***	-5.10***	-3.35***	-4.66***	-4.64***	-6.45***	-5.11*
(35-44) vs. (45-54)	-4.12***	-4.52***	-6.57***	-6.16***	-2.87**	-3.32***	-3.72***	-4.89*
(45-54) vs. (55-64)	-3.96***	-4.19***	-3.97***	-2.74**	-4.42***	-3.74***	-7.35***	-5.53*
(55-64) vs. (65-74)	-5.14***	-5.08***	-9.55***	-7.67***	-4.98***	-6.90***	-7.16***	-6.48*
<u>Sex Differences: Males vs. Females</u>								
25-34	-1.13	.26	2.50*	4.82***	-.01	-.10	.73	5.47*
35-44	-.84	.47	2.73**	6.24***	1.43	1.53	2.16*	7.07*
45-54	-1.10	-.91	3.69***	11.20***	-1.03	-.71	3.67***	8.18*
55-64	.33	.79	3.39***	10.22***	-.40	-.02	2.91**	7.49*
65-74	-1.17	-1.41	3.14**	8.59***	-2.11*	-1.59	2.52*	6.01*
<u>Race Differences: White vs. Black</u>								
Males 25-34	-1.82	.56	.37	1.99*	-1.67	-1.98*	-.99	2.09*
35-44	-1.32	-1.86	-1.22	3.35***	-.21	-.74	.12	1.37
45-54	-1.45	-.07	-.30	1.81	-.61	-1.07	-.92	1.67
55-64	-.68	-.64	-.47	2.92**	.63	-.26	-1.09	3.21*
65-74	.11	-1.44	-.33	1.42	-.99	-1.66	-1.19	1.51
Females 25-34	-3.70***	-3.57***	-2.68**	.47	-3.06**	-2.61**	-4.45***	-1.09
35-44	-1.20	-2.83**	.10	3.20**	-1.05	-1.60	-1.12	1.98*
45-54	-.76	-.62	-1.38	-.76	-.40	-1.53	-1.41	-.68
55-64	-1.54	-1.82	-.99	-.70	-1.43	-1.92	-.48	-.28
65-74	-1.15	-.69	-.11	1.26	-.77	-1.44	-.35	-.70

*Significant at the .05 level.

**Significant at the .01 level.

***Significant at the .001 level.

Table 3.57

PERCENT DISTRIBUTION OF SPEECH DISCRIMINATION SCORES (AT 20dB SENSATION LEVEL)
IN THE RIGHT, LEFT, BETTER AND WORSE EARS: UNITED STATES, 1974-1975

EAR	SPEECH DISCRIMINATION SCORE									
	0 TO 10	10 TO 19	20 TO 29	30 TO 39	40 TO 49	50 TO 59	60 TO 69	70 TO 79	80 TO 89	90 TO 100
RIGHT.....	5.4	1.2	1.2	1.3	1.5	3.1	2.9	3.9	9.0	70.5
LEFT.....	5.3	.9	1.0	2.2	1.6	3.0	3.2	4.1	9.0	69.6
BETTER.....	2.0	.5	.6	.9	1.0	2.1	1.9	3.0	6.7	81.4
WORSE.....	7.4	1.4	1.6	2.5	2.0	4.0	4.2	5.0	11.5	60.5

Table 3.58

JOINT PERCENT DISTRIBUTION OF SPEECH DISCRIMINATION SCORES AT 20dB
SENSATION LEVEL IN THE RIGHT AND LEFT EARS: UNITED STATES, 1974-1975

LEFT EAR	RIGHT EAR									
	0 TO 9	10 TO 19	20 TO 29	30 TO 39	40 TO 49	50 TO 59	60 TO 69	70 TO 79	80 TO 89	90 TO 100
0 TO 9.....	1.8	0.4	0.2	0.2	0.1	0.2	0.1	0.4	0.1	0.9
10 TO 19.....	.1	.1	.0	.0	.0	.1	.2	.1	.1	.1
20 TO 29.....	.3	.1	.1	.1	-	.1	-	.1	.2	.1
30 TO 39.....	.2	.1	.0	.0	.1	.2	.4	.2	.1	.3
40 TO 49.....	.2	.1	.1	.1	.4	.1	.3	.0	.3	.8
50 TO 59.....	.4	.1	-	.1	.1	.1	.3	.3	.1	.7
60 TO 69.....	.3	.1	.1	.0	.0	.1	.3	.2	.5	1.4
70 TO 79.....	.1	-	.1	.1	.2	.2	.4	.4	.7	1.9
80 TO 89.....	.2	-	.1	.0	.1	.4	.2	.4	.7	3.3
90 TO 100.....	.9	.3	.2	.4	.5	.8	1.1	1.4	3.0	66.2

Table 3.59

MEAN SPEECH DISCRIMINATION SCORES (AT 20dB SENSATION LEVEL)
IN THE RIGHT EAR BY AGE, RACE AND SEX: UNITED STATES, 1974-1975

RACE AND AGE	BOTH SEXED		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 1/						
25-74 YEARS...	85.4	2,795	84.2	1,219	86.5	1,574
25-34 YEARS.....	95.2	795	94.9	317	95.4	478
35-44 YEARS.....	92.4	576	92.1	246	92.8	330
45-54 YEARS.....	84.7	634	81.7	281	87.5	353
55-64 YEARS.....	77.7	484	74.1	225	80.8	259
65-74 YEARS.....	61.2	306	60.9	150	61.4	156
WHITE						
25-74 YEARS...	84.0	2,531	84.6	1,106	87.3	1,425
25-34 YEARS.....	96.1	717	95.7	285	96.4	432
35-44 YEARS.....	92.8	517	91.8	225	93.7	292
45-54 YEARS.....	84.9	574	82.2	255	87.5	319
55-64 YEARS.....	78.6	444	74.9	206	81.8	238
65-74 YEARS.....	62.4	279	60.4	135	63.9	144
BLACK						
25-74 YEARS...	81.2	234	80.9	101	81.5	133
25-34 YEARS.....	91.4	62	87.3	27	94.5	35
35-44 YEARS.....	90.2	51	93.5	18	88.3	33
45-54 YEARS.....	83.1	56	78.8	24	86.0	32
55-64 YEARS.....	70.2	38	69.8	17	70.6	21
65-74 YEARS.....	48.6	27	45.7	15	36.0	12

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.60

STANDARD ERRORS AND DESIGN EFFECTS FOR SPEECH DISCRIMINATION SCORES AT
20DB SENSATION LEVEL IN THE RIGHT EAR BY AGE, RACE AND SEX: UNITED STATES, 1974-1975

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-74 YEARS...	0.28	0.29	0.39	0.25	0.38	0.31
25-34 YEARS.....	.22	.19	.34	.22	.26	.15
35-44 YEARS.....	.45	.38	.80	.60	.43	.18
45-54 YEARS.....	.64	.34	1.05	.37	.66	.23
55-64 YEARS.....	.70	.24	.92	.19	1.09	.33
65-74 YEARS.....	.90	.18	1.26	.19	1.26	.17
WHITE						
25-74 YEARS...	.29	.29	.41	.26	.38	.30
25-34 YEARS.....	.20	.20	.37	.28	.15	.07
35-44 YEARS.....	.40	.41	.87	.59	.39	.16
45-54 YEARS.....	.68	.36	1.12	.40	.69	.23
55-64 YEARS.....	.70	.22	.95	.18	1.08	.30
65-74 YEARS.....	.97	.19	1.34	.19	1.35	.19
BLACK						
25-74 YEARS...	1.07	.31	1.45	.26	1.53	.34
25-34 YEARS.....	.83	.12	1.63	.14	.63	.07
35-44 YEARS.....	1.15	.19	.97	.25	1.79	.20
45-54 YEARS.....	1.67	.19	2.46	.14	2.31	.30
55-64 YEARS.....	3.43	.43	3.96	.27	5.52	.58
65-74 YEARS.....	3.10	.19	3.30	.14	5.27	.27

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.61

MEAN SPEECH DISCRIMINATION SCORES (AT 20dB SENSATION LEVEL)
IN THE LEFT EAR BY AGE, RACE AND SEX: UNITED STATES, 1974-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 1/						
25-74 YEARS...	85.1	2,781	83.4	1,210	86.7	1,571
25-34 YEARS.....	95.0	790	94.2	315	95.7	475
35-44 YEARS.....	92.0	506	89.5	249	94.4	337
45-54 YEARS.....	85.0	630	82.0	275	87.7	355
55-64 YEARS.....	73.9	477	71.8	221	75.7	256
65-74 YEARS.....	64.5	298	62.9	150	65.8	148
WHITE						
25-74 YEARS...	85.6	2,515	84.0	1,093	87.1	1,422
25-34 YEARS.....	95.8	714	95.0	283	96.5	431
35-44 YEARS.....	92.3	524	89.6	226	95.0	298
45-54 YEARS.....	85.5	569	82.7	249	88.2	320
55-64 YEARS.....	74.2	439	72.2	202	75.9	237
65-74 YEARS.....	65.4	269	63.9	133	66.7	136
BLACK						
25-74 YEARS...	82.6	236	79.2	105	85.3	131
25-34 YEARS.....	94.5	60	90.4	27	97.8	33
35-44 YEARS.....	90.1	54	88.0	20	91.5	34
45-54 YEARS.....	81.1	57	76.9	24	84.5	33
55-64 YEARS.....	72.0	36	71.2	17	72.8	19
65-74 YEARS.....	55.6	29	53.1	17	57.7	12

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.62

STANDARD ERRORS AND DESIGN EFFECTS FOR SPEECH DISCRIMINATION SCORES AT
0DB SENSATION LEVEL IN THE LEFT EAR BY AGE, RACE AND SEX: UNITED STATES, 1974-1975

AGE AND RACE	BOTH SEXES		MALE		FEMALE	
	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT	STANDARD ERROR	DESIGN EFFECT
ALL RACES 1/						
25-74 YEARS...	0.28	0.32	0.45	0.33	0.34	0.27
25-34 YEARS.....	.33	.47	.58	.48	.33	.35
35-44 YEARS.....	.60	.63	.98	.50	.58	.62
45-54 YEARS.....	.59	.32	.94	.35	.72	.29
55-64 YEARS.....	.64	.19	.86	.16	.94	.22
65-74 YEARS.....	1.02	.24	1.41	.26	1.42	.21
WHITE						
25-74 YEARS...	.29	.29	.45	.31	.35	.26
25-34 YEARS.....	.26	.34	.47	.37	.21	.18
35-44 YEARS.....	.45	.69	1.07	.53	.48	.48
45-54 YEARS.....	.57	.28	.86	.28	.78	.31
55-64 YEARS.....	.62	.17	.91	.16	.87	.17
65-74 YEARS.....	1.08	.24	1.54	.27	1.40	.21
BLACK						
25-74 YEARS...	1.21	.47	1.46	.30	1.53	.42
25-34 YEARS.....	.58	.09	.96	.06	.34	.09
35-44 YEARS.....	2.01	.57	1.66	.12	3.50	1.31
45-54 YEARS.....	2.60	.51	4.75	.45	2.14	.23
55-64 YEARS.....	3.25	.41	2.80	.19	5.95	.57
65-74 YEARS.....	3.59	.33	1.65	.07	6.46	.34

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.63

MEAN SPEECH DISCRIMINATION SCORES (AT 2000 SENSATION LEVEL)
IN THE BETTER EAR BY AGE, RACE AND SEX IN UNITED STATES, 1974-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 1/						
25-24 YEARS...	91.8	2,718	91.2	1,180	92.4	1,538
25-34 YEARS.....	98.3	707	98.5	315	98.1	472
35-44 YEARS.....	96.4	569	95.0	241	97.8	328
45-54 YEARS.....	92.1	420	90.5	272	93.5	348
55-64 YEARS.....	85.8	462	84.2	213	87.2	249
65-74 YEARS.....	74.6	200	75.2	139	74.2	141
WHITE						
25-24 YEARS...	92.2	2,458	91.6	1,067	92.8	1,391
25-34 YEARS.....	98.9	711	98.9	283	98.8	428
35-44 YEARS.....	96.4	510	94.9	220	98.2	290
45-54 YEARS.....	92.4	560	90.9	246	93.7	314
55-64 YEARS.....	86.3	424	85.1	194	87.3	230
65-74 YEARS.....	75.6	253	75.7	124	75.6	129
BLACK						
25-24 YEARS...	89.7	230	88.5	101	90.5	129
25-34 YEARS.....	97.3	60	96.5	27	98.0	33
35-44 YEARS.....	96.3	51	95.0	18	97.0	33
45-54 YEARS.....	90.2	56	88.8	24	91.4	32
55-64 YEARS.....	82.8	36	79.7	17	85.9	19
65-74 YEARS.....	64.8	27	70.2	15	60.8	12

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.64

MEAN SPEECH DISCRIMINATION SCORES (AT 20dB SENSATION LEVEL)
IN THE WORSE EAR BY AGE, RACE AND SEX; UNITED STATES, 1974-1975

RACE AND AGE	BOTH SEXES		MALES		FEMALES	
	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE	MEAN	SAMPLE SIZE
ALL RACES 1/						
25-74 YEARS....	80.4	2,774	78.4	1,180	82.2	1,538
25-34 YEARS.....	92.3	787	91.2	315	93.3	472
35-44 YEARS.....	88.4	569	86.8	241	89.9	320
45-54 YEARS.....	78.5	620	74.7	272	82.2	348
55-64 YEARS.....	68.5	462	65.2	213	71.3	249
65-74 YEARS.....	55.5	280	52.9	139	57.6	141
WHITE						
25-74 YEARS....	81.2	2,458	79.1	1,067	83.1	1,391
25-34 YEARS.....	93.5	711	92.5	283	94.4	428
35-44 YEARS.....	89.1	510	86.8	220	91.2	290
45-54 YEARS.....	79.1	560	75.6	246	82.4	314
55-64 YEARS.....	69.4	424	66.0	194	72.1	230
65-74 YEARS.....	57.1	253	53.2	124	60.2	129
BLACK						
25-74 YEARS....	74.6	230	71.5	101	77.0	129
25-34 YEARS.....	88.3	60	81.2	27	94.1	33
35-44 YEARS.....	83.6	51	85.0	18	82.0	33
45-54 YEARS.....	74.1	56	66.9	24	80.3	32
55-64 YEARS.....	62.1	36	61.2	17	62.9	19
65-74 YEARS.....	39.9	27	49.4	15	32.9	12

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.65

Significance Tests (Z Statistics) of Age, Sex and Race Differences
in Speech Discrimination Scores at 20 db SL in the
Right and Left Ears: United States, 1974-1975

	<u>Right</u>	<u>Left</u>
<u>Age Differences</u>		
(25-34) vs. (35-44)	3.23**	2.87**
(35-44) vs. (45-54)	7.65****	5.78****
(45-54) vs. (55-64)	4.02***	5.27***
(55-64) vs. (65-74)	6.68***	3.91***
<u>Sex Differences: Males vs. Females</u>		
25-34	-.20	-1.32
35-44	-.25	-3.38***
45-54	-2.55*	-2.86**
55-64	-1.83	-1.04
65-74	-.24	-.31
<u>Race Differences: White vs. Black</u>		
Males 25-34	2.20*	.87
35-44	-.76	.23
45-54	.49	.90
55-64	.63	.15
65-74	-.16	1.37
Females 25-34	.67	-1.11
35-44	.93	.89
45-54	.02	.68
55-64	1.18	.29
65-74	2.10*	.58

*Significant at the .05 level.

**Significant at the .01 level.

***Significant at the .001 level.

Table 3.66

PREVALENCE OF POOR HEARING IN BOTH EARS, FOR RIGHT EAR AND
THE LEFT EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

AGE AND RACE	BOTH SEXES				MALES				FEMALES			
	PREV. POOR	PREV. POOR	PREV. POOR	PREV. POOR	PREV. POOR	PREV. POOR	PREV. POOR	PREV. POOR	HEARING BOTH EARS	HEARING IN RIGHT EAR	HEARING IN LEFT EAR	HEARING BOTH EARS
	HEARING BOTH EARS	HEARING IN RIGHT EAR	HEARING IN LEFT EAR	HEARING BOTH EARS	HEARING IN RIGHT EAR	HEARING IN LEFT EAR	HEARING BOTH EARS	HEARING IN RIGHT EAR	HEARING IN LEFT EAR	HEARING BOTH EARS	HEARING IN RIGHT EAR	HEARING IN LEFT EAR
ALL RACES 1/												
25-74 YEARS...	13.9	10.5	10.9	17.3	13.5	13.6	10.9	7.7				
25-34 YEARS.....	4.7	4.5	4.5	8.3	5.7	5.9	5.1	3.3				
35-44 YEARS.....	10.9	6.5	8.6	13.3	8.4	10.8	8.6	4.8				
45-54 YEARS.....	15.0	11.8	12.1	20.1	16.2	16.2	10.3	7.9				
55-64 YEARS.....	18.4	15.2	13.8	24.1	21.1	18.4	13.2	9.8				
65-74 YEARS.....	26.1	20.7	22.1	29.6	24.9	24.5	23.3	17.5				
WHITE												
25-74 YEARS...	14.4	10.9	11.3	17.8	13.9	14.1	11.3	8.1				
25-34 YEARS.....	6.7	4.5	4.5	8.2	5.4	5.8	5.3	3.6				
35-44 YEARS.....	11.3	6.9	8.9	13.6	8.3	11.2	9.2	5.5				
45-54 YEARS.....	15.5	12.3	12.6	20.9	16.9	16.8	10.4	8.1				
55-64 YEARS.....	19.0	15.8	14.4	23.0	22.0	19.1	13.5	10.1				
65-74 YEARS.....	26.8	21.1	22.9	30.5	25.7	25.6	24.0	17.6				
BLACK												
25-74 YEARS...	10.0	7.2	7.1	12.6	10.2	8.8	8.0	4.8				
25-34 YEARS.....	6.5	4.7	4.6	10.9	9.5	7.2	3.2	1.1				
35-44 YEARS.....	6.1	2.6	4.3	7.2	6.2	2.0	5.3	.0				
45-54 YEARS.....	11.0	7.7	8.0	12.1	8.9	10.4	10.1	6.7				
55-64 YEARS.....	13.5	10.2	8.8	16.4	12.0	12.6	11.2	8.0				
65-74 YEARS.....	20.2	17.8	15.3	23.4	19.4	15.9	17.7	16.6				

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.67

PREVALENCE OF DEAFNESS OR TROUBLE HEARING IN ONE OR BOTH EARS
BY AGE, RACE AND SEX* - UNITED STATES, 1971-1975

AGE AND RACE	BOTH SEXES	MALES	FEMALES
	PREVALENCE OF DEAFNESS OR TROUBLE HEARING IN ONE OR BOTH EARS		
ALL RACES 1/			
25-74 YEARS....	16.1	19.1	13.4
25-34 YEARS.....	9.5	11.2	7.9
35-44 YEARS.....	13.3	15.1	11.6
45-54 YEARS.....	17.2	21.6	13.1
55-64 YEARS.....	20.2	25.4	15.5
65-74 YEARS.....	27.2	30.7	24.5
WHITE			
25-74 YEARS....	16.6	19.4	13.9
25-34 YEARS.....	9.5	10.5	8.5
35-44 YEARS.....	13.6	15.5	11.8
45-54 YEARS.....	17.8	22.5	13.4
55-64 YEARS.....	20.9	26.4	15.9
65-74 YEARS.....	27.9	31.7	25.0
BLACK			
25-74 YEARS....	12.5	15.7	10.1
25-34 YEARS.....	10.8	20.2	3.8
35-44 YEARS.....	9.7	8.6	10.5
45-54 YEARS.....	11.6	12.5	10.8
55-64 YEARS.....	14.0	16.9	13.0
65-74 YEARS.....	21.7	23.7	20.2

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.68

PREVALENCE OF SELECTED CAUSES OF HEARING LOSS BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

AGE AND RACE	BOTH SEXES		MALES				FEMALES			
	Ear Infection	Born With It	Loud Noise	Ear Infection	Born With It	Loud Noise	Ear Infection	Born With It	Loud Noise	
ALL RACES 1/										
25-74 YEARS...	27.8	5.4	32.0	21.7	4.8	48.5	36.2	6.3	9.4	
25-34 YEARS.....	30.7	8.2	38.9	29.5	7.3	58.2	32.6	9.4	9.6	
35-44 YEARS.....	41.0	6.1	25.7	29.1	6.5	39.3	56.2	5.6	8.2	
45-54 YEARS.....	26.9	6.3	34.5	24.6	3.1	48.4	30.3	11.0	13.8	
55-64 YEARS.....	23.6	3.9	36.9	13.0	4.4	51.5	40.5	3.0	13.3	
65-74 YEARS.....	18.6	2.9	22.0	13.5	3.2	43.6	23.7	2.6	1.9	
WHITE										
25-74 YEARS...	27.3	5.7	30.7	21.7	5.0	46.1	35.0	6.6	9.4	
25-34 YEARS.....	29.2	9.4	32.3	27.0	8.9	49.7	32.2	10.1	8.9	
35-44 YEARS.....	41.2	6.4	24.9	31.3	7.0	37.0	54.0	5.6	9.0	
45-54 YEARS.....	25.3	6.6	35.3	24.3	3.3	48.7	26.8	11.8	14.3	
55-64 YEARS.....	24.1	4.1	36.7	13.6	4.6	50.9	41.8	3.3	12.6	
65-74 YEARS.....	19.0	2.6	21.1	14.4	2.4	40.7	23.5	2.7	2.0	
BLACK										
25-74 YEARS...	32.7	2.4	49.9	20.2	2.3	81.2	48.5	2.4	9.9	
25-34 YEARS.....	40.3	.0	81.4	41.0	.0	90.1	37.7	.0	18.7	
35-44 YEARS.....	39.6	3.1	39.2	.0	.0	81.3	76.4	6.0	.0	
45-54 YEARS.....	46.5	2.7	23.4	19.2	.0	48.9	61.1	4.1	9.7	
55-64 YEARS.....	14.2	.0	40.4	.0	.0	64.7	25.7	.0	20.6	
65-74 YEARS.....	13.1	7.9	46.4	3.6	13.0	76.0	27.6	.0	.0	

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

PREVALENCE OF SELECTED CAUSES OF HEARING LOSS BY
AGE, RACE AND SEX: UNITED STATES, 1971-1975
(CONTINUED)

AGE AND RACE	BOTH SEXES			MALES			FEMALES		
	Ear Surgery	Ear Injury	Other	Ear Surgery	Ear Injury	Other	Ear Surgery	Ear Injury	Other
ALL RACES 1/									
25-74 YEARS...	2.9	6.5	32.6	2.6	6.6	25.8	3.5	6.3	41.9
25-34 YEARS.....	3.6	8.6	23.1	4.8	6.4	15.7	2.3	12.1	34.7
35-44 YEARS.....	1.1	8.7	25.3	.0	10.8	21.4	2.4	6.1	30.1
45-54 YEARS.....	3.3	5.4	32.2	2.5	6.8	25.3	4.6	3.3	42.6
55-64 YEARS.....	2.2	4.9	31.9	2.1	4.1	27.5	2.4	2.0	39.3
65-74 YEARS.....	4.4	5.8	49.8	3.7	2.9	40.1	5.1	8.8	59.6
WHITE									
25-74 YEARS...	2.8	6.7	33.6	2.5	6.7	26.9	3.4	6.7	42.9
25-34 YEARS.....	4.4	8.5	25.7	5.8	6.1	18.9	2.4	11.8	35.2
35-44 YEARS.....	1.2	8.8	26.1	.0	10.4	21.8	2.6	6.7	31.4
45-54 YEARS.....	2.8	5.7	33.0	2.6	7.1	25.3	3.3	3.6	45.2
55-64 YEARS.....	1.6	5.2	31.1	1.0	6.4	26.9	2.6	3.0	38.4
65-74 YEARS.....	4.7	6.1	51.8	4.0	2.9	43.2	5.4	9.3	60.2
BLACK									
25-74 YEARS...	4.4	3.1	20.7	3.9	3.7	13.2	4.9	2.3	30.5
25-34 YEARS.....	.0	9.5	8.9	.0	7.9	.0	.0	15.5	28.1
35-44 YEARS.....	.0	.0	18.1	.0	.0	18.7	.0	.0	17.6
45-54 YEARS.....	10.9	.0	23.0	.0	.0	31.8	17.4	.0	17.8
55-64 YEARS.....	13.2	.0	46.1	29.5	.0	41.7	.0	.0	49.6
65-74 YEARS.....	.0	1.5	21.6	.0	2.5	4.8	.0	.0	47.2

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.69

PREVALENCE OF RUMMING AND RINGING IN THE EAR BY
AGE, RACE AND SEX: UNITED STATES, 1971-1975

AGE AND RACE	BOTH SEXES			MALES			FEMALES		
	RUNNING	RUMMING	RINGING	RUNNING	RUMMING	RINGING	RUNNING	RUMMING	RINGING
	IN THE EAR	OR OTHER	EVERY FEW DAYS	IN THE EAR	OR OTHER	EVERY FEW DAYS	IN THE EAR	OR OTHER	EVERY FEW DAYS
ALL RACES 1/									
25-74 YEARS...	18.5	26.1	32.8	19.4	24.9	38.1	17.8	27.2	28.4
25-34 YEARS.....	18.4	22.6	31.5	19.2	22.3	35.4	16.8	22.9	14.2
35-44 YEARS.....	19.1	19.3	28.1	16.0	17.4	32.2	20.9	21.1	25.1
45-54 YEARS.....	20.1	27.9	34.2	26.8	27.3	39.5	14.2	28.4	29.5
55-64 YEARS.....	18.7	30.8	38.4	17.7	29.0	46.0	19.6	31.7	31.3
65-74 YEARS.....	15.6	21.4	46.0	10.9	32.8	49.5	10.8	37.0	43.7
WHITE									
25-74 YEARS...	19.1	25.8	33.6	19.9	24.8	39.1	18.3	26.6	29.0
25-34 YEARS.....	18.7	22.1	18.4	19.3	22.1	26.0	18.1	22.0	11.2
35-44 YEARS.....	18.9	19.0	29.2	16.7	17.3	33.7	20.6	20.7	25.5
45-54 YEARS.....	20.8	27.4	36.0	28.4	27.5	40.9	13.8	27.3	31.5
55-64 YEARS.....	19.7	30.5	39.4	18.4	29.6	47.1	20.9	31.4	32.9
65-74 YEARS.....	16.4	34.9	46.8	12.0	32.5	50.8	19.3	36.6	44.1
BLACK									
25-74 YEARS...	15.0	30.0	26.0	15.9	27.4	29.7	14.4	32.0	23.4
25-34 YEARS.....	16.1	28.4	27.4	26.4	27.8	21.1	8.6	28.9	31.9
35-44 YEARS.....	23.4	21.1	19.4	22.1	16.7	25.4	24.1	24.4	16.4
45-54 YEARS.....	15.5	32.6	20.6	12.0	22.5	26.4	17.8	37.0	16.9
55-64 YEARS.....	10.0	36.3	29.5	11.8	35.2	44.7	8.6	37.3	17.3
65-74 YEARS.....	9.2	27.7	35.3	1.4	36.0	34.2	14.4	39.1	36.0

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.70

PREVALENCE OF PERSONS WHO CANNOT UNDERSTAND A WHISPER ACROSS A QUIET ROOM BY AGE, RACE, AND SEX - UNITED STATES, 1924-1925

	BOTH SEXES	MALES	FEMALES
AGE AND RACE	PREVALENCE OF PERSONS WHO CANNOT UNDERSTAND A WHISPER ACROSS A QUIET ROOM		
ALL RACES 1/			
25-74 YEARS...	21.2	20.5	21.7
25-34 YEARS.....	14.0	13.9	14.2
35-44 YEARS.....	14.5	13.8	15.1
45-54 YEARS.....	21.6	21.4	21.9
55-64 YEARS.....	25.2	27.0	24.9
65-74 YEARS.....	40.2	37.5	42.2
WHITE			
25-74 YEARS...	21.4	21.3	21.5
25-34 YEARS.....	13.5	14.5	12.5
35-44 YEARS.....	14.9	13.8	15.9
45-54 YEARS.....	21.9	22.2	21.6
55-64 YEARS.....	25.8	28.1	23.7
65-74 YEARS.....	41.6	38.6	43.8
BLACK			
25-74 YEARS...	20.3	15.8	23.8
25-34 YEARS.....	19.5	12.8	24.5
35-44 YEARS.....	11.5	11.6	11.5
45-54 YEARS.....	20.7	14.6	25.7
55-64 YEARS.....	27.8	18.6	35.5
65-74 YEARS.....	26.6	27.2	26.2

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.71

NUMBER OF PERSONS (IN THOUSANDS) WITH POOR HEARING IN BOTH EARS,
THE RIGHT EAR AND LEFT EAR BY AGE, RACE AND SEX
UNITED STATES, 1971-1975

AGE AND RACE	BOTH SEXES			MALES			FEMALES		
	POP.	POP.	POP.	POP.	POP.	POP.	POP.	POP.	POP.
	POOR	POOR	POOR	POOR	POOR	POOR	POOR	POOR	POOR
	HEARING BOTH EARS	HEARING IN RIGHT EAR	HEARING IN LEFT EAR	HEARING BOTH EARS	HEARING IN RIGHT EAR	HEARING IN LEFT EAR	HEARING BOTH EARS	HEARING IN RIGHT EAR	HEARING IN LEFT EAR
ALL RACES 1/									
25-74 YEARS...	14,797	11,134	11,587	8,716	6,036	6,866	6,081	4,298	4,721
25-34 YEARS.....	1,870	1,258	1,269	1,138	773	798	740	486	471
35-44 YEARS.....	2,420	1,447	1,911	1,423	895	1,155	997	552	756
45-54 YEARS.....	3,533	2,780	2,849	2,269	1,823	1,834	1,264	965	1,016
55-64 YEARS.....	3,547	2,926	2,657	2,207	1,933	1,689	1,340	993	968
65-74 YEARS.....	3,419	2,715	2,901	1,679	1,412	1,390	1,740	1,303	1,511
WHITE									
25-74 YEARS...	13,634	10,293	10,737	8,047	6,292	6,376	5,587	4,000	4,361
25-34 YEARS.....	1,668	1,104	1,119	996	648	704	672	456	415
35-44 YEARS.....	2,207	1,339	1,742	1,291	787	1,067	916	552	675
45-54 YEARS.....	3,257	2,590	2,645	2,120	1,710	1,704	1,137	880	942
55-64 YEARS.....	3,318	2,753	2,608	2,079	1,833	1,590	1,239	920	917
65-74 YEARS.....	3,184	2,507	2,723	1,561	1,314	1,310	1,623	1,192	1,413
BLACK									
25-74 YEARS...	1,068	767	755	592	481	413	476	286	342
25-34 YEARS.....	198	143	139	142	124	94	56	19	45
35-44 YEARS.....	148	63	103	74	63	29	74	0	74
45-54 YEARS.....	260	182	180	133	97	114	127	85	74
55-64 YEARS.....	227	171	147	126	98	97	101	73	51
65-74 YEARS.....	235	208	178	118	98	80	117	110	98

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.72

NUMBER OF PERSONS (IN THOUSANDS) WITH DEAFNESS OR TROUBLE HEARING
IN ONE OR BOTH EARS BY AGE, RACE AND SEX—UNITED STATES, 1971-1975

	BOTH SEXES	MALES	FEMALES
AGE AND RACE			
NUMBER OF PERSONS WITH DEAFNESS OR TROUBLE HEARING IN ONE OR BOTH EARS			
ALL RACES 1/			
25-74 YEARS...	17,163	9,669	7,494
25-34 YEARS.....	2,681	1,532	1,149
35-44 YEARS.....	2,962	1,629	1,333
45-54 YEARS.....	4,041	2,437	1,604
55-64 YEARS.....	3,908	2,329	1,579
65-74 YEARS.....	3,571	1,742	1,829
WHITE			
25-74 YEARS...	15,732	8,056	6,876
25-34 YEARS.....	2,342	1,270	1,072
35-44 YEARS.....	2,663	1,403	1,180
45-54 YEARS.....	3,752	2,284	1,468
55-64 YEARS.....	3,658	2,197	1,461
65-74 YEARS.....	3,317	1,622	1,695
BLACK			
25-74 YEARS...	1,336	736	599
25-34 YEARS.....	320	263	65
35-44 YEARS.....	234	88	146
45-54 YEARS.....	273	136	136
55-64 YEARS.....	247	130	117
65-74 YEARS.....	254	120	134

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.73

NUMBER OF PERSONS (IN THOUSANDS) WITH SELECTED CAUSES OF
HEARING LOSS BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

AGE AND RACE	BOTH SEXES			MALES			FEMALES		
	CAUSE OF HEARING PROBLEM								
	Ear Infection	Born With It	Loud Noise	Ear Infection	Born With It	Loud Noise	Ear Infection	Born With It	Loud Noise
ALL RACES 1/									
25-74 YEARS...	3,502	601	4,039	1,582	347	3,539	1,919	334	499
25-34 YEARS.....	645	171	817	373	93	737	272	79	80
35-44 YEARS.....	926	137	580	348	82	498	558	55	81
45-54 YEARS.....	832	195	1,066	455	50	894	377	137	172
55-64 YEARS.....	671	110	1,049	229	77	905	441	33	144
65-74 YEARS.....	428	67	526	157	37	504	272	30	21
WHITE									
25-74 YEARS...	3,172	650	3,564	1,461	335	3,105	1,710	324	450
25-34 YEARS.....	531	171	500	202	93	519	249	79	69
35-44 YEARS.....	855	132	517	368	82	435	487	50	81
45-54 YEARS.....	728	190	1,019	428	58	859	300	132	160
55-64 YEARS.....	640	110	986	229	77	859	419	33	126
65-74 YEARS.....	408	55	454	153	25	433	255	30	21
BLACK									
25-74 YEARS...	310	22	473	108	12	432	202	10	41
25-34 YEARS.....	113	0	229	91	0	218	22	0	11
35-44 YEARS.....	64	5	63	0	0	63	64	5	0
45-54 YEARS.....	90	5	45	13	0	33	77	5	12
55-64 YEARS.....	22	0	64	0	0	46	22	0	18
65-74 YEARS.....	20	12	71	3	12	71	17	0	0

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

NUMBER OF PERSONS (IN THOUSANDS) WITH SELECTED CAUSES OF
HEARING LOSS BY AGE & RACE AND SEX - UNITED STATES, 1971-1975
(CONTINUED)

AGE AND RACE	BOTH SEXES			MALES			FEMALES		
	CAUSE OF HEARING PROBLEM								
	Ear Surgery	Ear Injury	Other	Ear Surgery	Ear Injury	Other	Ear Surgery	Ear Injury	Other
ALL RACES 1/									
25-74 YEARS...	371	817	4,096	188	484	1,883	183	333	2,212
25-34 YEARS.....	81	184	491	62	84	204	19	100	288
35-44 YEARS.....	25	199	503	0	135	269	25	64	315
45-54 YEARS.....	101	163	977	45	123	461	56	40	516
55-64 YEARS.....	63	137	899	38	108	408	25	29	411
65-74 YEARS.....	101	134	1,145	42	33	463	59	101	683
WHITE									
25-74 YEARS...	330	775	3,902	167	451	1,813	163	324	2,089
25-34 YEARS.....	81	157	475	62	66	204	19	91	271
35-44 YEARS.....	25	186	554	0	122	254	25	64	300
45-54 YEARS.....	81	163	935	45	123	439	36	40	496
55-64 YEARS.....	42	137	826	17	108	458	25	29	368
65-74 YEARS.....	101	132	1,112	42	31	458	59	101	654
BLACK									
25-74 YEARS...	41	29	194	21	20	70	20	9	124
25-34 YEARS.....	0	27	17	0	17	0	0	9	17
35-44 YEARS.....	0	0	29	0	0	15	0	0	15
45-54 YEARS.....	20	0	42	0	0	22	20	0	20
55-64 YEARS.....	21	0	73	21	0	29	0	0	43
65-74 YEARS.....	0	2	33	0	2	4	0	0	29

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.74

NUMBER OF PERSONS (IN THOUSANDS) WITH RINGING OR TINGLING IN THE EAR BY AGE, RACE AND SEX: UNITED STATES, 1971-1975

AGE AND RACE	BOTH SEXES		MALES				FEMALES			
	RUNNING IN THE EAR	RINGING IN THE EAR								
	OTHER NOISES	FEW DAYS								
ALL RACES 1/										
25-74 YEARS...	11,917	27,535	9,026	5,174	12,407	4,728	6,404	15,128	4,298	
25-34 YEARS.....	2,676	6,259	1,222	1,319	2,960	755	1,240	3,291	467	
35-44 YEARS.....	2,578	4,283	1,205	950	1,856	597	1,490	2,427	608	
45-54 YEARS.....	2,680	6,529	2,230	1,324	3,054	1,206	1,246	3,475	1,024	
55-64 YEARS.....	2,651	5,073	2,255	1,071	2,694	1,262	1,516	3,178	993	
65-74 YEARS.....	1,332	4,591	2,113	462	1,835	909	866	2,756	1,205	
WHITE										
25-74 YEARS...	11,153	24,171	8,131	5,612	11,069	4,333	6,977	13,102	3,798	
25-34 YEARS.....	2,502	5,353	985	1,427	2,606	678	1,103	2,747	307	
35-44 YEARS.....	2,292	3,701	1,079	1,080	1,640	553	1,312	2,061	926	
45-54 YEARS.....	2,494	5,722	2,059	1,434	2,751	1,124	1,120	2,972	935	
55-64 YEARS.....	2,508	5,264	2,076	1,105	2,424	1,141	1,517	2,841	935	
65-74 YEARS.....	1,277	4,130	1,932	446	1,649	837	815	2,401	1,095	
BLACK										
25-74 YEARS...	656	3,103	826	263	1,278	300	493	1,905	446	
25-34 YEARS.....	159	864	237	108	361	76	51	503	160	
35-44 YEARS.....	216	510	99	81	171	44	136	339	56	
45-54 YEARS.....	162	768	158	36	301	80	126	467	79	
55-64 YEARS.....	64	608	179	35	270	121	29	338	59	
65-74 YEARS.....	55	432	152	4	174	59	31	259	93	

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.75

NUMBER OF PERSONS (IN THOUSANDS) WHO CANNOT UNDERSTAND A WHISPER
ACROSS A QUIET ROOM BY AGE, RACE AND SEX: UNITED STATES, 1974-1975

	BOTH SEXES	NUMBER OF PERSONS WHO CANNOT UNDERSTAND A WHISPER ACROSS A QUIET ROOM	
		MALES	FEMALES
AGE AND RACE			
ALL RACES 1/			
25-74 YEARS...	22,914	10,554	12,358
25-34 YEARS.....	4,138	1,978	2,160
35-44 YEARS.....	3,245	1,499	1,747
45-54 YEARS.....	5,074	2,385	2,689
55-64 YEARS.....	5,047	2,501	2,546
65-74 YEARS.....	5,409	2,193	3,216
WHITE			
25-74 YEARS...	20,599	9,778	10,821
25-34 YEARS.....	3,484	1,829	1,654
35-44 YEARS.....	2,919	1,333	1,586
45-54 YEARS.....	4,592	2,233	2,360
55-64 YEARS.....	4,531	2,342	2,189
65-74 YEARS.....	5,073	2,041	3,032
BLACK			
25-74 YEARS...	2,150	727	1,423
25-34 YEARS.....	540	149	391
35-44 YEARS.....	275	114	161
45-54 YEARS.....	482	152	330
55-64 YEARS.....	516	159	357
65-74 YEARS.....	337	153	184

1/ INCLUDES RACIAL GROUPS IN ADDITION TO WHITE AND BLACK

Table 3.76

**Significance Tests (Z Statistics) of Age, Sex and Race
Differences in Self-Assessment of Hearing**

		Overall Rating Both Ears	Right Ear	Left Ear
<u>Age Differences</u>				
(25-34) vs. (35-44)		-3.42***	-2.04*	-3.56***
(35-44) vs. (45-54)		-2.75**	-3.85***	-2.40*
(45-54) vs. (55-64)		-2.01*	-2.13*	-1.06
(55-64) vs. (65-74)		-3.96***	-2.88**	-4.77***
<u>Sex Differences: Males vs. Females</u>				
25-34		1.98*	1.76	1.97*
35-44		2.22*	2.06*	2.24*
45-54		4.55***	4.27***	3.69***
55-64		4.54***	5.26***	3.63***
65-74		2.31*	2.84**	1.62
<u>Race Differences: White vs. Black</u>				
Males 25-34		-.51	-.87	-.34
35-44		1.47	.49	3.49***
45-54		2.27*	2.32*	1.63
55-64		1.36	1.70	1.22
65-74		1.15	.96	2.05*
Females 25-34		1.10	2.41*	.46
35-44		.94	4.75***	.35
45-54		.10	.43	1.20
55-64		.46	.41	1.36
65-74		1.14	.19	1.12

*Significant at the .05 level.

**Significant at the .01 level.

***Significant at the .001 level.

Table 3.77

**Significance Tests (Z Statistics) of Age, Sex and Race
Differences in Causes of Self-Reported Hearing Loss:
United States, 1971-1975**

		<u>Ever Have Deafness or Trouble Hearing</u>	<u>Infec- tion</u>	<u>Born With It</u>	<u>Loud Noise</u>	<u>Surgery</u>	<u>Injury</u>	<u>Other</u>
<u>Age Differences</u>								
(25-34) vs. (35-44)		-2.78**		.71	1.88	.98	.02	-.31
(35-44) vs. (45-54)		-2.38*	2.33*	-.22	-2.01*	-.58	.86	-1.18
(45-54) vs. (55-64)		-1.63		.54	.81	.43	-.03	.16
(55-64) vs. (65-74)		-3.19**		.78	.66	1.68	-.84	-.29
<u>Sex Differences: Males vs. Females</u>								
25-34		1.67		-.15	-.49	5.09***	.70	-.81
35-44		1.66		-2.36*	.25	4.28***	-1.01	.77
45-54		3.93***		-.79	-1.80	4.09***	.02	.94
55-64		3.69***		-2.59**	.65	2.42*	.12	1.00
65-74		2.31*		-1.83	.24	3.43***	-.40	-1.41
<u>Race Differences: White vs. Black</u>								
Males	25-34	-1.20		-.46	2.05*	-6.53***	1.35	-.22
	35-44	1.45		4.15***	1.89	-2.98**	--	2.14*
	45-54	2.60**		.26	1.44	1.06	1.41	2.02*
	55-64	1.50		3.86***	2.01*	-.59	-1.23	2.31*
	65-74	1.30		2.00*	-.87	-3.10**	1.33	.09
Females	25-34	2.27*		-.32	2.16*	-.83	.99	-.27
	35-44	.22		-1.07	-.11	1.11	1.01	1.48
	45-54	.75		-2.10*	1.28	.52	-1.04	1.67
	55-64	.55		.63	1.62	-.63	1.29	1.37
	65-74	.88		-.14	1.02	1.31	1.65	2.41*

*Significant at the .05 level.

**Significant at the .01 level.

***Significant at the .001 level.

Table 3.78

**Significance Tests (Z Statistics) of Age, Sex and Race
Differences in Prevalence of Ear Problems
United States, 1971-1975**

		Ringing (Ever)	Ringing (Often)	Running
<u>Age Differences</u>				
	(25-34) vs. (35-44)	1.85	-1.85	-1.31
	(35-44) vs. (45-54)	-4.70***	-1.27	.09
	(45-54) vs. (55-64)	-1.45	-1.12	-1.44
	(55-64) vs. (65-74)	-1.80	-1.69	2.05*
<u>Sex Differences: Males vs. Females</u>				
	25-34	-.25	2.36*	1.03
	35-44	-1.44	1.09	-1.18
	45-54	-.40	1.61	1.30
	55-64	-.64	2.69**	-1.19
	65-74	-1.27	.93	-1.70
<u>Race Differences: White vs. Black</u>				
Males	25-34	-.68	.35	.35
	35-44	.08	.44	.49
	45-54	-.01	1.21	3.66***
	55-64	-.76	.20	2.12*
	65-74	-.43	1.11	5.21***
Females	25-34	-1.18	-2.05*	3.62***
	35-44	-.69	1.11	.88
	45-54	-1.62	1.80	.08
	55-64	-.82	1.82	4.30***
	65-74	-.38	.71	.97

*Significant at the .05 level.

**Significant at the .01 level.

***Significant at the .001 level.

Table 3.79

**Prevalence of Hearing Impairment (Under 7 Alternative Definitions)
in the Right Ear by Age and Sex: United States, 1971-1975**

AGE AND SEX	AVERAGE .5,1,2 KHZ			AVERAGE .5,1,2,4 KHZ			AVERAGE 1,2,4 KHZ	
	>15	>20	>25	>20	>25	>25	>30	
BOTH SEXES								
25-74 YEARS...	20.2	12.7	11.0	25.8	17.2	20.8	14.5	
25-34 YEARS.....	7.9	4.0	1.9	5.4	2.2	3.9	1.7	
35-44 YEARS.....	15.1	7.9	4.5	12.6	7.5	9.4	5.9	
45-54 YEARS.....	26.9	15.6	9.8	26.3	16.2	20.7	13.9	
55-64 YEARS.....	50.1	31.4	18.2	44.9	31.3	36.8	25.2	
65-74 YEARS.....	65.4	40.0	33.5	63.7	47.8	53.8	42.0	
MALE								
25-74 YEARS...	29.9	18.6	12.0	33.5	22.0	28.5	19.8	
25-34 YEARS.....	6.7	3.5	2.0	7.7	2.5	5.9	1.8	
35-44 YEARS.....	18.5	11.0	5.5	20.4	11.7	15.7	10.0	
45-54 YEARS.....	30.3	17.6	11.5	30.0	23.5	32.3	21.8	
55-64 YEARS.....	56.0	34.3	21.6	57.1	40.5	49.7	34.9	
65-74 YEARS.....	65.3	46.3	34.0	72.1	56.4	65.9	53.7	
FEMALE								
25-74 YEARS...	26.7	14.9	10.1	18.9	12.8	13.9	9.7	
25-34 YEARS.....	9.0	4.5	1.8	3.2	1.9	2.1	1.7	
35-44 YEARS.....	12.0	5.2	3.5	5.5	3.6	3.6	2.3	
45-54 YEARS.....	23.7	13.7	8.2	14.0	9.4	10.0	6.7	
55-64 YEARS.....	44.7	28.7	15.2	34.0	23.0	25.2	16.4	
65-74 YEARS.....	65.5	49.2	33.2	57.2	41.1	44.6	33.0	

Table 3.80

Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Right Ear by Age, Race, and Sex: United States, 1971-1975

AGE, RACE AND SEX	AVERAGE .5,1,2 KHZ			AVERAGE .5,1,2,4 KHZ			AVERAGE 1,2,4 KHZ	
	> 15	> 20	> 25	> 20	> 25	> 25	> 30	
WHITE MALES								
25-74 YEARS....	29.8	18.4	11.9	34.6	22.3	29.3	20.2	
25-34 YEARS.....	6.2	3.2	1.9	7.6	2.2	6.1	1.7	
35-44 YEARS.....	18.3	10.4	5.0	20.7	11.6	15.7	10.3	
45-54 YEARS.....	30.4	17.1	11.4	40.0	23.7	33.5	21.9	
55-64 YEARS.....	55.7	34.5	22.2	57.4	41.8	51.1	36.1	
65-74 YEARS.....	64.4	45.9	33.4	71.9	56.4	66.6	53.7	
BLACK MALES								
25-74 YEARS....	32.2	21.5	13.3	30.0	20.5	22.4	17.3	
25-34 YEARS.....	12.1	6.9	3.8	10.5	6.0	5.4	2.8	
35-44 YEARS.....	23.0	17.5	10.7	18.3	14.7	15.6	8.5	
45-54 YEARS.....	27.7	22.5	11.7	29.0	21.4	21.9	20.6	
55-64 YEARS.....	56.8	30.1	17.1	51.1	28.9	37.6	25.8	
65-74 YEARS.....	73.4	51.0	40.5	73.5	54.7	57.9	52.1	
WHITE FEMALES								
25-74 YEARS....	26.7	17.0	9.9	19.0	12.9	14.0	9.7	
25-34 YEARS.....	0.4	4.3	1.5	2.8	1.5	1.7	1.4	
35-44 YEARS.....	11.9	5.1	3.7	5.6	3.6	3.8	2.4	
45-54 YEARS.....	23.5	13.5	8.0	14.7	9.3	10.0	6.8	
55-64 YEARS.....	44.0	29.0	14.6	33.6	23.2	25.1	16.1	
65-74 YEARS.....	65.3	48.7	32.2	57.1	40.7	44.2	32.5	
BLACK FEMALES								
25-74 YEARS....	27.9	16.2	12.0	18.6	13.0	13.7	10.1	
25-34 YEARS.....	14.2	5.8	4.1	6.3	4.6	5.1	4.1	
35-44 YEARS.....	12.9	5.0	2.3	4.5	3.5	1.8	1.2	
45-54 YEARS.....	26.6	16.1	9.7	16.9	11.3	9.9	5.7	
55-64 YEARS.....	49.6	25.3	22.7	37.4	22.7	28.5	21.1	
65-74 YEARS.....	69.7	56.2	44.2	59.8	46.2	49.5	38.6	

Table 3.81

Prevalence of Hearing Impairment (Under 7 Alternative Definitions)
in the Left Ear by Age and Sex: United States, 1971-1975

AGE AND SEX	AVERAGE .5,1,2 KHZ			AVERAGE .5,1,2,4 KHZ			AVERAGE 1,2,4 KHZ	
	> 15	> 20	> 25	> 20	> 25	> 25	> 30	
BOTH SEXES								
25-74 YEARS....	30.3	18.3	12.0	28.5	18.9	23.0	15.7	
25-34 YEARS.....	9.4	3.0	2.5	7.3	3.7	5.7	3.1	
35-44 YEARS.....	19.3	8.8	5.1	16.1	9.2	12.1	7.3	
45-54 YEARS.....	31.8	18.2	10.9	30.2	18.8	23.5	15.4	
55-64 YEARS.....	40.0	31.0	19.6	47.2	31.9	37.8	25.6	
65-74 YEARS.....	65.3	47.8	35.4	65.6	49.7	56.4	43.8	
MALE								
25-74 YEARS....	34.7	21.9	14.0	39.1	26.0	33.1	22.8	
25-34 YEARS.....	10.8	4.4	2.8	11.5	5.4	9.2	4.9	
35-44 YEARS.....	27.2	13.0	6.7	26.3	14.6	20.2	12.4	
45-54 YEARS.....	38.3	23.1	14.5	46.4	29.6	38.9	24.9	
55-64 YEARS.....	54.1	39.2	24.5	63.3	44.4	54.2	38.3	
65-74 YEARS.....	60.6	51.0	37.4	76.9	60.3	69.9	56.4	
FEMALE								
25-74 YEARS....	26.2	15.0	10.2	19.0	12.5	13.8	9.4	
25-34 YEARS.....	8.5	3.1	2.2	3.3	2.1	2.4	1.4	
35-44 YEARS.....	12.1	5.0	3.7	6.8	4.2	4.8	2.7	
45-54 YEARS.....	25.7	13.6	7.6	15.2	8.9	9.2	6.6	
55-64 YEARS.....	42.4	23.7	15.1	32.6	20.6	23.0	14.1	
65-74 YEARS.....	62.7	45.3	33.8	57.0	41.6	46.1	34.1	

Table 3.82

Prevalence of Hearing Impairment (Under 7 Alternative Definitions)
in the Left Ear by Age, Race, and Sex: United States, 1971-1975

AGE, RACE AND SEX	AVERAGE .5,.1,.2 KHZ		AVERAGE .5,.1,.2,.4 KHZ		AVERAGE .1,.2,.4 KHZ		
	> 15	> 20	> 25	> 20	> 25	> 25	> 30
WHITE MALES							
25-74 YEARS....	35.0	22.0	14.1	40.5	26.8	34.4	23.6
25-34 YEARS.....	10.1	3.9	2.5	11.9	5.1	9.6	5.1
35-44 YEARS.....	27.5	13.3	7.0	27.7	15.6	21.7	13.1
45-54 YEARS.....	39.0	23.0	14.6	48.3	30.3	40.6	25.5
55-64 YEARS.....	55.4	39.8	24.7	65.2	46.3	56.1	39.8
65-74 YEARS.....	67.5	50.6	36.9	77.0	61.1	70.0	57.3
BLACK MALES							
25-74 YEARS....	33.1	22.4	14.0	28.6	19.1	22.8	16.0
25-34 YEARS.....	17.1	9.5	6.2	9.9	9.4	7.5	4.3
35-44 YEARS.....	26.0	12.2	4.5	15.6	5.9	7.4	5.9
45-54 YEARS.....	30.4	24.6	12.5	29.1	23.2	24.9	19.6
55-64 YEARS.....	44.7	34.5	23.4	47.3	26.4	37.7	23.8
65-74 YEARS.....	78.9	54.5	43.1	75.6	52.5	67.5	47.8
WHITE FEMALES							
25-74 YEARS....	26.0	14.8	10.0	19.1	12.5	13.9	9.5
25-34 YEARS.....	7.0	2.6	1.5	2.7	1.5	1.8	1.0
35-44 YEARS.....	12.5	5.3	3.9	7.3	4.4	5.1	2.8
45-54 YEARS.....	25.1	13.1	7.7	14.9	8.7	9.0	6.8
55-64 YEARS.....	41.6	22.1	13.9	32.0	19.8	22.3	13.8
65-74 YEARS.....	62.6	45.5	34.0	57.8	42.2	46.6	34.4
BLACK FEMALES							
25-74 YEARS....	29.3	16.9	12.4	17.8	13.5	14.4	9.0
25-34 YEARS.....	19.9	7.4	7.0	8.1	7.0	7.6	4.5
35-44 YEARS.....	9.9	3.5	2.7	3.3	2.7	2.7	1.7
45-54 YEARS.....	31.4	17.5	7.9	18.1	10.4	10.1	5.1
55-64 YEARS.....	48.0	35.2	28.8	34.9	30.8	32.1	17.5
65-74 YEARS.....	66.1	44.0	33.3	50.3	35.9	41.8	32.1

Table 3.83

**Prevalence of Hearing Impairment (Under 7 Alternative Definitions)
in the Better Ear by Age and Sex: United States, 1971-1975**

AGE AND SEX	AVERAGE .5,1,2 KHZ			AVERAGE .5,1,2,4 KHZ			AVERAGE 1,2,4 KHZ
	> 15	> 20	> 25	> 20	> 25	> 25	
BOTH SEXES							
25-74 YEARS...	21.3	12.2	7.4	20.2	12.8	13.0	8.4
25-34 YEARS.....	4.3	1.6	.7	3.0	1.0	1.8	.4
35-44 YEARS.....	9.3	3.8	1.8	8.6	4.1	4.4	2.5
45-54 YEARS.....	20.3	11.1	6.3	19.6	11.5	12.1	8.1
55-64 YEARS.....	38.4	21.5	11.7	36.5	23.5	22.6	13.6
65-74 YEARS.....	55.0	38.4	26.9	54.9	39.0	39.2	28.7
MALE							
25-74 YEARS...	23.2	13.5	8.1	27.7	17.0	17.6	11.5
25-34 YEARS.....	3.9	1.6	.7	4.8	1.2	2.9	.6
35-44 YEARS.....	13.3	5.5	2.0	15.2	7.0	7.0	4.5
45-54 YEARS.....	23.2	12.9	8.0	30.4	17.6	19.2	12.5
55-64 YEARS.....	43.6	26.5	14.3	49.3	31.8	30.7	19.5
65-74 YEARS.....	56.0	39.7	28.1	66.4	49.1	47.3	36.8
FEMALE							
25-74 YEARS...	19.6	11.1	6.7	13.5	9.0	8.8	5.5
25-34 YEARS.....	4.6	1.7	.8	1.3	.8	.8	.3
35-44 YEARS.....	5.7	2.2	1.6	2.5	1.4	1.3	.7
45-54 YEARS.....	17.2	9.4	4.0	9.6	5.9	5.6	4.0
55-64 YEARS.....	33.6	17.9	9.4	25.0	16.1	15.3	8.3
65-74 YEARS.....	55.5	37.5	25.9	46.1	32.7	32.9	22.4

Table 3.84

Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Better Ear by Age, Race, and Sex: United States, 1971-1975

AGE, RACE AND SEX	AVERAGE .5,1,2 kHz			AVERAGE .5,1,2,4 kHz			AVERAGE 1,2,4 kHz	
	> 15		> 20	> 25	> 20		> 25	> 30
WHITE MALES								
25-74 YEARS...	23.1	13.6	8.1	20.5	17.5	18.2	11.9	
25-34 YEARS.....	3.6	1.5	.8	4.7	1.1	2.0	.6	
35-44 YEARS.....	13.1	5.4	1.7	16.1	7.4	8.1	4.6	
45-54 YEARS.....	22.0	12.3	7.2	31.3	17.6	19.5	12.3	
55-64 YEARS.....	44.3	26.6	14.9	51.2	33.6	32.4	20.7	
65-74 YEARS.....	54.4	39.2	27.4	66.1	49.3	48.2	37.4	
BLACK MALES								
25-74 YEARS...	25.4	13.8	8.5	21.1	12.8	12.3	9.5	
25-34 YEARS.....	7.4	2.0	.0	6.4	2.1	4.4	1.1	
35-44 YEARS.....	12.1	6.8	4.5	7.0	4.5	4.5	4.5	
45-54 YEARS.....	24.8	18.0	10.1	22.3	17.5	16.1	14.2	
55-64 YEARS.....	38.5	16.2	8.5	32.7	13.4	13.0	9.1	
65-74 YEARS.....	70.3	45.6	35.0	60.3	46.6	39.9	31.6	
WHITE FEMALES								
25-74 YEARS...	19.5	11.0	6.5	13.6	8.9	8.9	5.5	
25-34 YEARS.....	3.9	1.4	.5	.9	.5	.6	.2	
35-44 YEARS.....	6.0	3.3	1.6	3.7	1.4	1.5	.7	
45-54 YEARS.....	12.3	9.2	4.9	9.3	5.7	5.7	4.1	
55-64 YEARS.....	32.9	17.1	8.2	24.6	15.6	14.7	7.0	
65-74 YEARS.....	55.2	37.3	25.9	46.2	32.5	33.0	22.2	
BLACK FEMALES								
25-74 YEARS...	20.6	12.0	8.4	13.5	10.0	8.8	5.8	
25-34 YEARS.....	9.9	4.3	2.8	4.5	2.8	2.8	.6	
35-44 YEARS.....	3.7	1.0	1.0	1.0	1.0	.0	.0	
45-54 YEARS.....	21.5	11.4	4.3	12.9	7.6	5.1	3.0	
55-64 YEARS.....	37.5	23.9	22.7	27.3	22.7	22.5	14.0	
65-74 YEARS.....	60.8	40.7	27.4	46.4	35.7	32.1	24.6	

Table 3.85

**Prevalence of Hearing Impairment (Under 7 Alternative Definitions)
in the Worse Ear by Age and Sex: United States, 1971-1975**

AGE AND SEX	AVERAGE .5,1,2 KHZ			AVERAGE .5,1,2,4 KHZ			AVERAGE 1,2,4 KHZ	
	> 15	> 20	> 25	> 20	> 25	> 25	> 30	
BOTH SEXES								
25-24 YEARS....	41.5	23.7	15.6	34.1	23.3	27.8	19.6	
25-34 YEARS.....	20.1	6.1	3.6	9.7	4.9	7.1	4.2	
35-44 YEARS.....	31.5	12.9	7.8	20.1	12.5	15.5	9.9	
45-54 YEARS.....	38.5	22.7	14.4	37.0	23.5	29.6	19.7	
55-64 YEARS.....	63.7	40.9	26.0	55.6	39.6	45.5	32.7	
65-74 YEARS.....	77.9	57.2	42.0	74.4	57.6	64.3	50.6	
MALE								
25-24 YEARS....	44.8	27.0	17.9	44.9	31.0	38.0	27.5	
25-34 YEARS.....	18.4	6.4	4.1	14.4	6.8	10.9	6.1	
35-44 YEARS.....	39.1	18.4	10.1	31.4	19.3	25.2	16.3	
45-54 YEARS.....	45.9	27.9	18.0	34.8	35.4	47.1	30.9	
55-64 YEARS.....	69.4	47.9	31.8	71.1	53.1	63.0	46.5	
65-74 YEARS.....	70.1	57.6	43.2	82.6	67.6	76.9	63.7	
FEMALE								
25-24 YEARS....	38.5	20.8	13.6	24.3	16.4	17.8	12.5	
25-34 YEARS.....	21.7	5.9	3.2	5.3	3.2	3.6	2.5	
35-44 YEARS.....	24.5	8.0	5.7	9.7	6.4	6.6	4.0	
45-54 YEARS.....	31.7	17.9	11.0	20.4	12.4	13.4	9.2	
55-64 YEARS.....	58.4	34.5	20.9	41.6	27.5	29.8	20.3	
65-74 YEARS.....	77.7	56.9	41.1	68.1	49.9	54.6	40.5	

Table 3.86

**Prevalence of Hearing Impairment (Under 7 Alternative Definitions)
in the Worse Ear by Age, Race, and Sex: United States, 1971-1975**

AGE, RACE AND SEX	AVERAGE .5,1,2 KHZ			AVERAGE .5,1,2,4 KHZ			AVERAGE 1,2,4 KHZ	
	> 15		> 20	> 25	> 20		> 25	> 30
WHITE MALES								
25-74 YEARS....	44.4	26.0	17.9	45.9	31.6	40.0	28.3	
25-34 YEARS.....	14.2	5.6	3.5	14.7	6.2	11.4	6.2	
35-44 YEARS.....	40.3	18.2	10.3	32.3	19.7	26.2	17.1	
45-54 YEARS.....	47.0	27.8	18.4	52.0	36.4	49.2	31.6	
55-64 YEARS.....	69.9	47.6	31.9	71.5	54.5	64.1	47.5	
65-74 YEARS.....	77.7	57.3	42.8	82.8	60.2	77.2	64.1	
BLACK MALES								
25-74 YEARS....	50.1	30.1	18.7	37.4	26.7	29.8	22.0	
25-34 YEARS.....	58.6	14.3	9.9	13.9	13.1	8.5	6.0	
35-44 YEARS.....	32.7	22.8	10.7	27.0	16.1	17.7	9.9	
45-54 YEARS.....	33.3	29.1	14.1	35.8	27.2	29.1	24.9	
55-64 YEARS.....	63.0	48.5	32.0	65.7	41.9	55.4	38.8	
65-74 YEARS.....	82.0	60.6	48.6	80.8	60.6	73.7	57.4	
WHITE FEMALES								
25-74 YEARS....	38.8	20.8	13.4	24.5	16.5	17.9	12.6	
25-34 YEARS.....	21.4	5.5	2.6	4.6	2.5	2.8	2.1	
35-44 YEARS.....	25.4	8.0	5.9	10.2	6.6	6.9	4.1	
45-54 YEARS.....	31.3	17.4	10.8	20.3	12.3	13.4	9.5	
55-64 YEARS.....	58.3	33.9	20.3	41.0	27.4	29.3	20.1	
65-74 YEARS.....	72.4	56.8	40.3	60.7	50.4	55.1	40.6	
BLACK FEMALES								
25-74 YEARS....	37.4	21.0	16.0	22.9	16.5	18.2	11.9	
25-34 YEARS.....	24.2	8.8	8.3	9.9	8.8	9.9	5.8	
35-44 YEARS.....	19.1	7.4	4.0	6.7	5.2	4.6	2.9	
45-54 YEARS.....	36.6	23.2	13.3	22.1	14.0	13.3	7.0	
55-64 YEARS.....	60.1	36.7	28.8	45.1	30.8	30.2	24.4	
65-74 YEARS.....	82.5	59.4	50.0	63.5	46.3	51.3	40.2	

Table 3.87

Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Right Ear by Age and Sex: United States, 1971-1975

AGE AND SEX	AVERAGE .5,1,2 KHZ			AVERAGE .5,1,2,4 KHZ			AVERAGE 1,2,4 KHZ
	> 15	> 20	> 25	> 20	> 25	> 25	
NEITHER SEXES							
25-74 YEARS...	129,583	10,511	11,405	26,977	17,986	121,760	115,123
25-34 YEARS.....	3,200	1,120	530	1,509	607	1,098	483
35-44 YEARS.....	3,319	1,741	977	2,760	1,636	2,053	1,305
45-54 YEARS.....	6,206	3,601	2,257	6,083	3,740	4,786	3,220
55-64 YEARS.....	9,534	5,972	3,470	8,553	5,950	7,003	4,792
65-74 YEARS.....	8,294	4,027	4,251	8,071	6,053	6,820	5,322
MALE							
25-74 YEARS...	14,847	9,222	5,937	16,598	10,924	14,137	9,809
25-34 YEARS.....	905	428	271	1,043	338	801	243
35-44 YEARS.....	1,940	1,147	573	2,132	1,225	1,640	1,044
45-54 YEARS.....	3,362	1,957	1,278	4,308	2,610	3,591	2,422
55-64 YEARS.....	5,046	3,094	1,945	5,145	3,646	4,478	3,145
65-74 YEARS.....	3,594	2,850	1,870	3,970	3,105	3,626	2,955
FEMALE							
25-74 YEARS...	14,206	9,289	5,548	10,379	7,062	7,623	5,314
25-34 YEARS.....	1,295	645	360	466	269	296	240
35-44 YEARS.....	1,380	594	404	627	411	413	262
45-54 YEARS.....	2,844	1,644	928	1,776	1,130	1,195	799
55-64 YEARS.....	4,488	2,878	1,525	3,408	2,304	2,524	1,647
65-74 YEARS.....	4,700	3,527	2,381	4,102	2,948	3,194	2,366

Table 3.88

Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Right Ear by Age, Race, and Sex: United States, 1971-1975

AGE, RACE AND SEX	AVERAGE 0-1,2 KHZ			AVERAGE .5-1,2,4 KHZ			AVERAGE 1-2,4 KHZ		
	>15	>20	>25	>20	>25	>25	>25	>30	
WHITE MALES									
25-74 YEARS...	13,215	8,152	5,295	15,000	9,913	13,017	8,963		
25-34 YEARS.....	749	390	223	912	264	734	200		
35-44 YEARS.....	1,696	960	463	1,925	1,074	1,460	957		
45-54 YEARS.....	3,023	1,698	1,137	3,979	2,363	3,339	2,184		
55-64 YEARS.....	4,546	2,813	1,813	4,680	3,408	4,174	2,947		
65-74 YEARS.....	3,202	2,284	1,659	3,577	2,805	3,310	2,668		
BLACK MALES									
25-74 YEARS...	1,485	991	612	1,380	944	1,033	796		
25-34 YEARS.....	151	86	48	131	74	67	35		
35-44 YEARS.....	243	179	110	188	151	160	87		
45-54 YEARS.....	301	248	128	315	233	239	224		
55-64 YEARS.....	432	229	130	388	219	206	196		
65-74 YEARS.....	387	252	197	358	266	282	254		
WHITE FEMALES									
25-74 YEARS...	12,980	8,291	4,844	9,250	6,300	6,020	4,722		
25-34 YEARS.....	1,044	537	191	350	192	209	172		
35-44 YEARS.....	1,180	598	366	559	356	381	230		
45-54 YEARS.....	2,503	1,445	850	1,564	990	1,073	720		
55-64 YEARS.....	3,987	2,624	1,323	3,046	2,102	2,270	1,460		
65-74 YEARS.....	4,266	3,177	2,106	3,729	2,660	2,806	2,126		
BLACK FEMALES									
25-74 YEARS...	1,622	940	697	1,082	755	797	585		
25-34 YEARS.....	240	97	69	106	78	87	69		
35-44 YEARS.....	177	68	31	62	48	55	17		
45-54 YEARS.....	329	199	120	209	139	133	71		
55-64 YEARS.....	442	226	202	333	262	254	180		
65-74 YEARS.....	434	350	275	373	288	308	241		

Table 3.89

Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Left Ear by Age and Sex: United States, 1971-1975

AGE AND SEX	AVERAGE .5,1,2 KHZ			AVERAGE .5,1,2,4 KHZ			AVERAGE 1,2,4 KHZ	
	> 15	> 20	> 25	> 20	> 25	> 25	> 30	
BOTH SEXES								
25-74 YEARS....	31,641	19,140	12,545	29,825	19,770	12,021	16,447	
25-34 YEARS.....	2,681	1,050	687	2,029	1,045	1,597	871	
35-44 YEARS.....	4,212	1,929	1,123	3,522	2,006	2,652	1,607	
45-54 YEARS.....	7,342	4,197	2,523	6,976	4,345	5,425	3,553	
55-64 YEARS.....	9,122	5,903	3,724	8,948	6,063	7,188	4,858	
65-74 YEARS.....	8,203	6,062	4,487	8,329	6,311	7,159	5,557	
MALE								
25-74 YEARS....	17,219	10,872	6,953	19,401	12,878	16,422	11,296	
25-34 YEARS.....	1,457	599	375	1,553	736	1,250	668	
35-44 YEARS.....	2,833	1,353	695	2,745	1,522	2,106	1,295	
45-54 YEARS.....	4,259	2,569	1,408	5,153	3,283	4,324	2,767	
55-64 YEARS.....	4,885	3,537	2,214	5,710	4,008	4,889	3,454	
65-74 YEARS.....	3,706	2,814	2,061	4,242	3,329	3,854	3,113	
FEMALE								
25-74 YEARS....	14,421	8,269	5,592	10,423	6,892	7,599	5,151	
25-34 YEARS.....	1,224	451	312	477	309	347	203	
35-44 YEARS.....	1,379	574	428	777	484	547	312	
45-54 YEARS.....	3,083	1,620	915	1,824	1,062	1,101	787	
55-64 YEARS.....	4,237	2,366	1,510	3,259	2,056	2,300	1,404	
65-74 YEARS.....	4,490	3,248	2,426	4,080	2,982	3,305	2,445	

Table 3.90

Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Left Ear by Age, Race, and Sex: United States, 1971-1975

AGE, RACE AND SEX	AVERAGE .5,.1,.2 KHZ			AVERAGE .5,.1,.2,.4 KHZ			AVERAGE 1,.2,.4 KHZ		
	≥ 15	≥ 20	≥ 25	≥ 20	≥ 25	≥ 25	≥ 25	≥ 30	≥ 30
WHITE MALES									
25-74 YEARS....									
25-34 YEARS.....	15,530	9,769	6,259	17,972	11,910	15,277	10,476		
35-44 YEARS.....	1,211	472	295	1,425	615	1,153	613		
45-54 YEARS.....	2,547	1,229	650	2,565	1,442	2,010	1,214		
55-64 YEARS.....	3,879	2,288	1,458	4,812	3,017	4,039	2,540		
65-74 YEARS.....	4,527	3,255	2,018	5,332	3,788	4,584	3,255		
	3,366	2,525	1,839	3,039	3,049	3,491	2,855		
BLACK MALES									
25-74 YEARS....									
25-34 YEARS.....	1,540	1,042	649	1,330	890	1,058	742		
35-44 YEARS.....	220	123	80	127	122	97	56		
45-54 YEARS.....	266	124	46	160	60	76	60		
55-64 YEARS.....	331	267	136	317	253	271	213		
65-74 YEARS.....	339	262	177	359	200	206	181		
	384	265	210	367	255	328	232		
WHITE FEMALES									
25-74 YEARS....									
25-34 YEARS.....	12,631	7,212	4,845	9,314	6,101	6,742	4,624		
35-44 YEARS.....	878	326	194	340	190	219	127		
45-54 YEARS.....	1,230	522	304	725	440	503	282		
55-64 YEARS.....	2,682	1,399	817	1,508	933	964	724		
65-74 YEARS.....	3,750	1,993	1,254	2,808	1,782	2,014	1,248		
	4,083	2,972	2,218	3,772	2,757	3,043	2,243		
BLACK FEMALES									
25-74 YEARS....									
25-34 YEARS.....	1,703	977	719	1,032	784	839	520		
35-44 YEARS.....	336	125	119	137	119	128	76		
45-54 YEARS.....	135	47	37	45	37	37	23		
55-64 YEARS.....	390	217	98	225	129	126	63		
65-74 YEARS.....	427	314	257	311	274	286	156		
	414	276	209	315	225	262	201		

Table 3.91

Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Better Ear by Age and Sex: United States, 1971-1975

AGE AND SEX	AVERAGE 5.1.2 KHZ			AVERAGE 5.1.2.4 KHZ			AVERAGE 1.2.4 KHZ		
	> 15	> 20	> 25	> 20	> 25	> 25	> 30		
ROTH SEXES									
25-24 YEARS....	22,253	12,776	7,670	21,095	13,322	13,512	8,734		
25-34 YEARS.....	1,192	451	204	827	369	507	120		
35-44 YEARS.....	2,032	825	385	1,873	888	967	545		
45-54 YEARS.....	4,697	2,561	1,463	4,520	2,662	2,801	1,862		
55-64 YEARS.....	7,283	4,079	2,227	6,932	4,464	4,287	2,583		
65-74 YEARS.....	7,050	4,860	3,399	6,944	5,030	4,951	3,625		
MALE									
25-24 YEARS....	11,492	6,405	4,013	13,604	8,398	8,488	5,710		
25-34 YEARS.....	531	209	93	645	157	388	80		
35-44 YEARS.....	1,382	572	206	1,501	727	815	467		
45-54 YEARS.....	2,577	1,433	887	3,370	1,955	2,127	1,303		
55-64 YEARS.....	3,924	2,293	1,284	4,439	2,860	2,758	1,759		
65-74 YEARS.....	3,078	2,170	1,544	3,648	2,699	2,600	2,022		
FEMALE									
25-24 YEARS....	10,762	6,091	3,664	7,411	4,924	4,826	3,023		
25-34 YEARS.....	660	242	110	182	112	119	40		
35-44 YEARS.....	650	253	180	291	161	152	78		
45-54 YEARS.....	2,120	1,128	574	1,150	707	674	479		
55-64 YEARS.....	3,340	1,706	943	2,492	1,604	1,529	824		
65-74 YEARS.....	3,972	2,602	1,056	3,296	2,340	2,351	1,602		

Table 3.92

Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Better Ear by Age, Race, and Sex: United States, 1971-1975

AGE • RACE AND SEX	AVERAGE 5,12 KHZ			AVERAGE 5,12,4 KHZ			AVERAGE 1,2,4 KHZ	
	> 15	> 20	> 25	> 20	> 25	> 25	> 30	
WHITE MALES								
25-74 YEARS...								
25-34 YEARS.....	10,224	6,021	3,594	12,621	7,751	8,054	5,261	
35-44 YEARS.....	435	185	93	566	130	333	66	
45-54 YEARS.....	1,207	502	160	1,490	682	750	421	
55-64 YEARS.....	2,269	1,222	763	3,114	1,751	1,938	1,220	
65-74 YEARS.....	3,613	2,168	1,217	4,172	2,740	2,640	1,690	
	2,701	1,944	1,361	3,280	2,448	2,394	1,856	
BLACK MALES								
25-74 YEARS...								
25-34 YEARS.....	1,171	635	391	974	591	568	436	
35-44 YEARS.....	92	24	0	79	27	55	13	
45-54 YEARS.....	175	70	46	72	46	46	46	
55-64 YEARS.....	270	192	110	243	190	175	154	
65-74 YEARS.....	292	123	64	240	101	99	69	
	342	222	170	332	237	194	154	
WHITE FEMALES								
25-74 YEARS...								
25-34 YEARS.....	9,472	5,361	3,121	6,594	4,337	4,308	2,403	
35-44 YEARS.....	482	169	63	106	65	71	31	
45-54 YEARS.....	592	232	159	270	140	145	71	
55-64 YEARS.....	1,843	907	523	990	613	612	432	
65-74 YEARS.....	2,966	1,544	741	2,821	1,402	1,329	700	
	3,593	2,429	1,605	3,007	2,110	2,151	1,449	
BLACK FEMALES								
25-74 YEARS...								
25-34 YEARS.....	1,197	695	482	782	580	510	334	
35-44 YEARS.....	168	73	48	76	48	48	10	
45-54 YEARS.....	51	14	14	14	14	0	0	
55-64 YEARS.....	266	141	53	160	94	62	47	
65-74 YEARS.....	334	213	702	243	202	200	124	
	379	254	171	309	232	200	153	

Table 3.93

Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Worse Ear by Age and Sex: United States, 1971-1975

AGE AND SEX	AVERAGE .5-.1+2 KHZ		AVERAGE .5-.1+2+4 KHZ		AVERAGE 1+2+4 KHZ		
	>15	>20	>25	>20	>25	>25	>30
BOTH SEXES							
25-74 YEARS....	143,506	124,882	116,360	135,720	124,447	129,105	120,560
25-34 YEARS.....	8,627	1,710	1,014	2,711	1,383	1,997	1,180
35-44 YEARS.....	4,912	2,846	1,715	4,408	2,754	3,397	2,165
45-54 YEARS.....	8,905	5,243	3,323	8,540	5,423	6,843	4,542
55-64 YEARS.....	12,158	7,796	4,948	10,603	7,562	8,689	6,244
65-74 YEARS.....	9,899	7,279	5,341	9,457	7,326	8,179	6,429
MALE							
25-74 YEARS....	122,292	13,416	8,885	122,329	115,417	119,294	113,695
25-34 YEARS.....	2,496	865	552	1,950	917	1,481	824
35-44 YEARS.....	4,103	1,928	1,063	3,296	2,030	2,636	1,709
45-54 YEARS.....	8,098	3,099	2,006	6,091	3,938	5,232	3,439
55-64 YEARS.....	6,280	4,337	2,876	6,428	4,806	5,696	4,205
65-74 YEARS.....	4,315	3,184	2,389	4,563	3,736	4,252	3,518
FEMALE							
25-74 YEARS....	21,215	11,464	7,476	13,391	9,030	9,809	8,864
25-34 YEARS.....	3,131	853	462	761	466	517	356
35-44 YEARS.....	2,814	917	652	1,113	734	761	456
45-54 YEARS.....	3,807	2,144	1,317	2,449	1,485	1,612	1,104
55-64 YEARS.....	5,878	3,458	2,092	4,174	2,756	2,993	2,037
65-74 YEARS.....	5,504	4,093	2,952	4,094	3,590	3,927	3,910

Table 3.94

Number of Persons (in Thousands) With Hearing Impairment (Under 7 Alternative Definitions) in the Worse Ear by Age, Race, and Sex: United States, 1971-1975

AGE, RACE AND SEX	AVERAGE •5,1,2 KH7			AVERAGE •5,1,2,4 KH7			AVERAGE 1,2,4 KH7	
	>15	>20	>25	>20	>25	>25	>30	
WHITE MALES								
25-74 YEARS...	19,762	11,706	7,967	120,443	14,085	17,821	12,583	
25-34 YEARS.....	1,714	677	424	1,771	748	1,371	747	
35-44 YEARS.....	3,740	1,695	953	3,000	1,834	2,435	1,582	
45-54 YEARS.....	4,686	2,769	1,838	5,677	3,620	4,901	3,153	
55-64 YEARS.....	5,733	3,900	2,613	5,061	4,469	5,256	3,891	
65-74 YEARS.....	3,881	2,865	2,137	4,135	3,406	3,858	3,204	
BLACK MALES								
25-74 YEARS...	2,331	1,397	871	1,737	1,243	1,307	1,024	
25-34 YEARS.....	757	184	128	179	169	110	77	
35-44 YEARS.....	334	234	110	274	165	181	101	
45-54 YEARS.....	362	316	154	389	296	317	271	
55-64 YEARS.....	479	368	243	499	318	420	295	
65-74 YEARS.....	399	295	236	393	295	359	279	
WHITE FEMALES								
25-74 YEARS...	18,935	10,142	6,539	111,970	8,064	8,734	6,163	
25-34 YEARS.....	2,712	694	322	584	317	350	259	
35-44 YEARS.....	2,630	798	591	1,014	656	691	409	
45-54 YEARS.....	3,342	1,052	1,152	2,164	1,311	1,435	1,017	
55-64 YEARS.....	5,283	3,073	1,836	3,714	2,482	2,653	1,821	
65-74 YEARS.....	5,067	3,721	2,638	4,495	3,299	3,605	2,658	
BLACK FEMALES								
25-74 YEARS...	2,176	1,224	930	1,333	959	1,057	694	
25-34 YEARS.....	409	149	140	167	149	167	97	
35-44 YEARS.....	262	101	54	92	72	63	40	
45-54 YEARS.....	453	275	165	274	174	145	87	
55-64 YEARS.....	535	326	257	401	274	340	218	
65-74 YEARS.....	510	372	313	399	291	322	252	

Table 3.95

Significance Tests (Z Statistics) of Age, Sex and Race Differences in
Prevalence of Hearing Impairment (Under 7 Definitions)
in the Right Ear: United States, 1971-1975

	Average of 500, 1,000 and 2000 HZ			Average of 500, 1000, 2000 and 4000 HZ		Average of 1000, 2000 and 4000 HZ	
	>15	>20	>25	>20	>25	>25	>30
<u>Age Differences</u>							
(25-34) vs. (35-44)	- 4.43***	- 3.25**	- 3.31***	- 4.85***	- 4.96***	- 4.46***	- 4.66***
(35-44) vs. (45-54)	- 6.91***	- 5.60***	- 4.59***	- 8.72***	- 6.33***	- 7.48***	- 6.60***
(45-54) vs. (55-64)	- 10.73***	- 7.91***	- 4.98***	- 9.19***	- 8.09***	- 8.02***	- 6.43***
(55-64) vs. (65-74)	- 5.01***	- 6.08***	- 7.41***	- 6.83***	- 6.60***	- 6.36***	- 6.94***
<u>Sex Differences: Males vs. Females</u>							
25-34	- 1.36	- .75	.22	2.66**	.65	2.76**	.15
35-44	2.43*	2.88**	1.31	5.97***	4.29***	5.83***	4.29***
45-54	2.32*	2.05*	1.99*	9.67***	6.69***	9.29***	7.50***
55-64	3.02**	1.86	2.36*	6.82***	5.29***	7.22***	5.89***
65-74	- .03	- .78	.34	4.38***	4.71***	6.50***	6.14***
<u>Race Differences: White vs. Black</u>							
Males 25-34	- 1.25	- .90	-.60	-.55	-1.03	.21	-.58
35-44	-.80	-1.22	-1.44	.37	-.55	.08	.44
45-54	.45	-.93	-.07	1.74	.41	2.10*	.22
55-64	-.12	.58	.89	.71	1.96*	1.76	1.40
65-74	-1.42	-.79	-.88	-.30	.27	1.36	.20
Females 25-34	- 1.34	- .51	-.97	-1.26	-1.15	-1.28	-1.04
35-44	-.29	.04	.76	.39	.02	1.21	.80
45-54	-.61	-.54	-.40	-.45	-.46	.03	.35
55-64	-.73	.48	-1.18	-.48	.07	-.45	-.69
65-74	-.63	-1.02	-1.78	-.34	-.69	-.77	-.89

*Significant at the .05 level.

**Significant at the .01 level.

***Significant at the .001 level.

Table 3.96

Significance Tests (Z Statistics) of Age, Sex and Race Differences in
Prevalence of Hearing Impairment (Under 7 Definitions)
in the Left Ear: United States, 1971-1975

	Average of 500, 1,000 and 2000 HZ			Average of 500, 1000, 2000 and 4000 HZ		Average of 1000, 2000 and 4000 HZ	
	>15	>20	>25	>20	>25	>25	>30
<u>Age Differences</u>							
(25-34) vs. (35-44)	-5.46***	-4.18***	-2.72**	-4.97***	-4.65***	-4.64***	-3.71*
(35-44) vs. (45-54)	-5.95***	-6.54***	-5.04***	-6.73***	-6.53***	-6.75***	-5.80*
(45-54) vs. (55-64)	-6.33***	-5.69***	-4.46***	-7.07***	-6.09***	-6.04***	-4.98*
(55-64) vs. (65-74)	-6.95***	-7.35***	-7.43***	-6.84***	-7.66***	-8.08***	-8.81*
<u>Sex Differences: Males vs. Females</u>							
25-34	1.12	1.25	.69	3.93***	2.29*	3.52***	2.53*
35-44	5.75***	4.09***	1.96*	7.13***	4.89***	6.05***	5.39*
45-54	4.39***	4.04***	3.73***	10.66***	9.12***	11.92***	9.33*
55-64	3.19**	5.06***	3.59***	10.89***	6.87***	10.08***	8.82*
65-74	1.64	1.57	1.11	5.72***	5.42***	6.90***	6.88*
<u>Race Differences: White vs. Black</u>							
Males 25-34	-1.43	-1.45	-1.09	.46	-1.01	.49	.23
35-44	.25	.20	1.04	1.86	2.98**	3.72***	2.19*
45-54	1.49	-.30	.50	2.99**	1.15	2.50*	1.05
55-64	1.29	.65	.20	1.92	2.90**	2.33*	2.33*
65-74	-2.01*	-.54	-.69	.28	1.14	.34	1.21
Females 25-34	-1.99*	-1.45	-1.69	-1.59	-1.70	-1.78	-1.28
35-44	.99	.77	.54	1.58	.74	1.00	.59
45-54	-1.05	-1.02	-.09	-.75	-.47	-.32	.66
55-64	-.86	-1.88	-2.29*	-.40	-1.52	-1.35	-.59
65-74	-.58	.24	.07	1.27	.94	.74	.35

*Significant at the .05 level.

**Significant at the .01 level.

***Significant at the .001 level.

Table 3.97

Correlation Coefficients Among Air Conduction Hearing Levels
and Bone Conduction Hearing Levels and Speech
Discrimination Scores

		Air Conduction Hearing Levels								
		Right Ear				Left Ear				
		500	1000	2000	4000	500	1000	2000	4000	
B		500	.58	.54	.48	.35	.53	.48	.41	.32
O	H	Right 1000	.51	.66	.56	.37	.51	.62	.52	.37
N	E	Ear 2000	.50	.60	.80	.58	.45	.56	.71	.56
E	A	4000	.33	.43	.58	.85	.33	.40	.55	.73
R										
C	I	500	.52	.48	.42	.31	.56	.49	.41	.31
O	N	Right 1000	.48	.61	.54	.36	.51	.64	.53	.38
N	G	Ear 2000	.43	.54	.71	.55	.45	.56	.75	.59
D		4000	.28	.37	.51	.70	.32	.40	.54	.82
U	L									
C	E	Left 1000								
T	V									
I	E	Ear 2000								
O	L									
N	S	4000								
Speech Disc Score:										
Right Ear		-.59	-.62	-.59	-.44	-.41	-.44	-.46	-.38	
Speech Disc Score:										
Left Ear						-.57	-.60	-.55	-.45	

Table 3.98

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500, 1000,
2000 AND 4000 HERTZ IN THE RIGHT EAR BY SELECTED SELF REPORT ITEMS:
UNITED STATES, 1971-1975

SELF REPORT ITEM	MEAN LEVEL 500 HERTZ	MEAN LEVEL 1000 HERTZ	MEAN LEVEL 2000 HERTZ	MEAN LEVEL 4000 HERTZ
TINNITUS				
YES.....	19.5	21.0	26.4	37.5
NO.....	13.8	13.8	16.3	23.8
RINGING, OTHER NOISE				
YES.....	15.7	16.2	19.6	28.3
NO.....	11.3	11.5	13.2	20.6
RUNNING, DISCHARGE				
YES.....	19.7	19.5	24.1	33.1
NO.....	14.7	15.5	10.6	27.2
DEAFNESS, TROUBLE HEARING				
YES.....	23.0	24.6	30.6	42.3
NO.....	12.2	12.2	14.4	21.6
RIGHT EAR RATING				
GOOD.....	12.5	12.5	14.7	22.3
LITTLE DECREASED....	20.2	22.9	30.4	43.6
SEVERELY DECREASED..	40.0	41.2	49.6	61.1
DEAF.....	64.5	70.8	76.0	81.2

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

Table 3.99

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500, 1000,
2000 AND 4000 HERTZ IN THE LEFT EAR BY SELECTED SELF REPORT ITEMS:
UNITED STATES, 1971-1975

SELF REPORT ITEM	MEAN LEVEL 500 HERTZ	MEAN LEVEL 1000 HERTZ	MEAN LEVEL 2000 HERTZ	MEAN LEVEL 4000 HERTZ
TINNITUS				
YES.....	19.9	21.1	27.6	39.0
NO.....	13.9	13.7	17.1	25.5
RINGING, OTHER NOISE				
YES.....	15.9	16.1	20.6	30.0
NO.....	11.5	11.0	14.1	22.3
RUNNING, DISCHARGE				
YES.....	20.2	20.6	25.4	35.2
NO.....	14.9	15.1	19.5	28.8
DEAFNESS, TROUBLE HEARING				
YES.....	23.5	25.1	32.2	44.1
NO.....	12.3	11.0	15.0	23.2
LEFT EAR RATING				
GOOD.....	12.6	12.1	15.5	23.7
LITTLE DECREASED....	19.3	21.0	29.2	44.6
SEVERELY DECREASED...	36.0	41.4	51.3	60.2
DEAF.....	66.3	67.5	69.6	78.2

1/ RE AUDIOLOGIC ZERO (ANSI, 1969)

Table 3.100

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500, 1000,
2000 AND 4000 HERTZ IN THE BETTER EAR BY SELECTED SELF REPORT ITEMS:
UNITED STATES, 1971-1975

SELF REPORT ITEM	MEAN LEVEL 500 HERTZ	MEAN LEVEL 1000 HERTZ	MEAN LEVEL 2000 HERTZ	MEAN LEVEL 4000 HERTZ
TINNITUS				
YES.....	15.4	16.5	22.0	32.6
NO.....	10.8	10.6	12.8	19.7
RINGING, OTHER NOISE				
YES.....	12.3	12.5	15.8	23.9
YES.....	8.8	8.5	10.2	17.0
RUNNING, DISCHARGE				
YES.....	15.4	15.6	19.1	27.6
NO.....	11.6	11.8	15.0	23.1
DEAFNESS, TROUBLE HEARING				
YES.....	18.3	19.5	25.4	36.5
NO.....	9.4	9.2	11.2	18.0
OVERALL HEARING RATING				
BOTH EARS GOOD.....	9.3	9.2	11.0	17.7
ONE EAR GOOD, OTHER WORSE.....	15.9	14.6	19.5	30.7
ONE SOME IMPAIRMENT OTHER SAME OR WORSE	17.8	20.4	28.5	41.3
ONE EAR SEVERE IMPAIRMENT				
OTHER SAME OR WORSE	42.6	47.6	57.8	68.9
DEAF BOTH EARS.....	79.9	86.1	89.1	93.0

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

Table 3.101

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500, 1000,
2000 AND 4000 HERTZ IN THE WORSE EAR BY SELECTED SELF REPORT ITEMS:
UNITED STATES, 1971-1975

SELF REPORT ITEM	MEAN LEVEL 500 HERTZ	MEAN LEVEL 1000 HERTZ	MEAN LEVEL 2000 HERTZ	MEAN LEVEL 4000 HERTZ
TINNITUS				
YES.....	24.0	25.7	32.1	44.1
NO.....	17.0	17.0	20.7	29.5
RINGING, OTHER NOISE				
YES.....	19.3	19.9	24.4	34.3
NO.....	14.1	14.0	17.1	26.0
RUNNING, DISCHARGE				
YES.....	25.0	25.1	30.7	41.0
NO.....	18.0	18.7	23.0	32.8
DEAFNESS, TROUBLE HEARING				
YES.....	28.4	30.6	37.5	50.2
NO.....	15.0	14.8	18.2	26.8
OVERALL HEARING RATING				
BOTH EARS GOOD.....	14.9	14.7	17.9	26.4
ONE EAR GOOD, OTHER WORSE.....	29.4	30.2	36.4	48.5
ONE SOME IMPAIRMENT OTHER SAME OR WORSE	26.0	29.6	38.5	53.7
ONE EAR SEVERE IMPAIRMENT				
OTHER SAME OR WORSE	53.3	58.4	67.9	79.2
DEAF BOTH EARS.....	83.7	90.9	92.0	94.0

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

Table 3.102

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500, 1000,
 2000 AND 4000 HERTZ IN THE RIGHT EAR BY CAUSES OF HEARING PROBLEM:
 UNITED STATES, 1971-1975

CAUSE OF HEARING PROBLEM	MEAN LEVEL 500 HERTZ	MEAN LEVEL 1000 HERTZ	MEAN LEVEL 2000 HERTZ	MEAN LEVEL 4000 HERTZ
EAR INFECTION				
YES.....	19.7	20.7	22.5	30.6
NO.....	12.2	12.4	14.6	22.3
BORN WITH IT				
YES.....	23.9	28.1	32.2	37.7
NO.....	12.4	12.6	14.7	22.5
LOUD NOISE				
YES.....	18.0	21.3	29.6	46.1
NO.....	12.2	12.4	14.3	21.7
EAR SURGERY				
YES.....	29.2	32.2	32.0	40.2
NO.....	12.4	12.6	14.8	22.5
EAR INJURY				
YES.....	20.8	20.5	25.7	41.0
NO.....	12.4	12.6	14.8	22.5
OTHER				
YES.....	25.7	26.1	31.6	43.1
NO.....	11.9	12.2	14.2	21.8

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

Table 3.103

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500, 1000,
 2000 AND 4000 HERTZ IN THE LEFT EAR BY CAUSES OF HEARING PROBLEM:
 UNITED STATES, 1971-1975

CAUSE OF HEARING PROBLEM	MEAN LEVEL 500 HERTZ	MEAN LEVEL 1000 HERTZ	MEAN LEVEL 2000 HERTZ	MEAN LEVEL 4000 HERTZ
EAR INFECTION				
YES.....	19.7	20.6	24.3	33.5
NO.....	12.2	11.9	15.4	23.8
BORN WITH IT				
YES.....	24.8	23.6	31.4	39.0
NO.....	12.4	12.1	15.5	24.0
LOUD NOISE				
YES.....	16.9	19.8	29.8	47.2
NO.....	12.3	11.8	15.1	23.2
EAR SURGERY				
YES.....	22.3	25.2	30.6	38.1
NO.....	12.4	12.1	15.6	24.0
EAR INJURY				
YES.....	26.6	27.4	32.8	46.9
NO.....	12.3	12.0	15.5	23.9
OTHER				
YES.....	23.2	22.9	31.4	42.2
NO.....	12.0	11.7	15.0	23.4

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

Table 3.104

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500, 1000,
2000 AND 4000 HERTZ IN THE BETTER EAR BY CAUSES OF HEARING PROBLEMS
UNITED STATES, 1971-1975

CAUSE OF HEARING PROBLEM	MEAN LEVEL 500 HERTZ	MEAN LEVEL 1000 HERTZ	MEAN LEVEL 2000 HERTZ	MEAN LEVEL 4000 HERTZ
EAR INFECTION				
YES.....	14.6	15.5	17.7	25.3
NO.....	9.5	9.3	11.4	18.5
BORN WITH IT				
YES.....	17.0	17.4	24.4	28.4
NO.....	9.6	9.5	11.6	18.7
LOUD NOISE				
YES.....	13.9	16.6	24.5	40.4
NO.....	9.5	9.3	11.1	17.9
EAR SURGERY				
YES.....	16.8	20.2	21.3	29.0
NO.....	9.6	9.5	11.6	18.7
EAR INJURY				
YES.....	16.5	15.5	20.9	36.1
NO.....	9.6	9.5	11.6	18.6
OTHER				
YES.....	20.0	20.2	26.2	37.6
NO.....	9.3	9.1	11.1	18.0

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

Table 3.105

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500, 1000,
2000 AND 4000 HERTZ IN THE WORSE EAR BY CAUSES OF HEARING PROBLEM:
UNITED STATES, 1971-1975

CAUSE OF HEARING PROBLEM	MEAN LEVEL 500 HERTZ	MEAN LEVEL 1000 HERTZ	MEAN LEVEL 2000 HERTZ	MEAN LEVEL 4000 HERTZ
EAR INFECTION				
YES.....	26.1	27.2	30.4	40.2
NO.....	15.1	15.1	18.6	27.7
BORN WITH IT				
YES.....	31.7	34.3	39.2	49.1
NO.....	15.3	15.4	18.8	28.0
LOUD NOISE				
YES.....	21.1	24.5	34.9	52.9
NO.....	15.2	15.1	18.3	27.1
EAR SURGERY				
YES.....	41.5	43.9	48.4	55.5
NO.....	15.3	15.4	18.9	28.0
EAR INJURY				
YES.....	30.8	32.3	37.6	52.8
NO.....	15.3	15.4	18.8	27.9
OTHER				
YES.....	30.0	30.7	37.2	48.4
NO.....	14.9	14.9	18.2	27.3

1/ RE AUDIOMETRIC ZERO (ANSI, 1949)

Table 3.106

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) ^{1/} AT 500, 1000,
2000 AND 4000 HERTZ IN THE RIGHT EAR BY ASSESSMENT OF SPEECH AND SOUND
UNDERSTANDING: UNITED STATES, 1974-1975

SELF ASSESSMENT	MEAN LEVEL 500 HERTZ	MEAN LEVEL 1000 HERTZ	MEAN LEVEL 2000 HERTZ	MEAN LEVEL 4000 HERTZ
UNDERSTAND WHISPER...	12.5	12.3	14.2	21.9
UNDERSTAND TALKING...	19.5	19.8	26.5	35.8
UNDERSTAND SHOUT....	37.2	44.8	54.5	60.0
UNDERSTAND LOUD SPEECH.....	52.1	57.7	60.5	64.8
HEAR LOUD NOISE.....	75.0	75.0	95.0	99.0

^{1/} RE AURIOHETRIC ZERO (ANSI, 1969)

Table 3.107

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) ^{1/} AT 500, 1000,
2000 AND 4000 HERTZ IN THE LEFT EAR BY ASSESSMENT OF SPEECH AND SOUND
UNDERSTANDING; UNITED STATES, 1974-1975

SELF ASSESSMENT	MEAN LEVEL 500 HERTZ	MEAN LEVEL 1000 HERTZ	MEAN LEVEL 2000 HERTZ	MEAN LEVEL 4000 HERTZ
UNDERSTAND WHISPER...	12.9	12.5	15.6	24.1
UNDERSTAND TALKING...	19.0	20.7	29.0	38.3
UNDERSTAND SHOUT....	35.9	43.4	53.0	59.1
UNDERSTAND LOUD SPEECH.....	49.9	53.4	60.3	62.9
HEAR LOUD NOISE.....	65.0	75.0	75.0	70.0

^{1/} RE AURIOMETRIC ZERO (ANSI, 1969)

Table 3.108

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500, 1000,
2000 AND 4000 HERTZ IN THE BETTER EAR BY ASSESSMENT OF SPEECH AND SOUND
UNDERSTANDING: UNITED STATES, 1974-1975

SELF ASSESSMENT	MEAN LEVEL 500 HERTZ	MEAN LEVEL 1000 HERTZ	MEAN LEVEL 2000 HERTZ	MEAN LEVEL 4000 HERTZ
UNDERSTAND WHISPER...	9.4	9.3	11.4	18.1
UNDERSTAND TALKING...	15.5	15.0	22.6	31.5
UNDERSTAND SHOUT....	31.0	39.0	48.9	55.0
UNDERSTAND LOUD SPEECH.....	49.9	52.0	57.7	58.9
HEAR LOUD NOISE.....	65.0	75.0	75.0	70.0

1/ RE AURIOMETRIC ZERO (ANSI, 1969)

Table 3.109

MEAN AIR CONDUCTION HEARING LEVELS (IN DECIBELS) 1/ AT 500, 1000,
2000 AND 4000 HERTZ IN THE WORSE EAR BY ASSESSMENT OF SPEECH AND SOUND
UNDERSTANDING: UNITED STATES, 1974-1975

SELF ASSESSMENT	MEAN LEVEL		MEAN LEVEL		MEAN LEVEL
	500 HERTZ	1000 HERTZ	2000 HERTZ	4000 HERTZ	
UNDERSTAND WHISPER...	15.9	15.5	18.5	27.9	
UNDERSTAND TALKING...	23.1	24.8	33.1	42.6	
UNDERSTAND SHOUT....	42.6	50.6	58.9	64.4	
UNDERSTAND LOUD SPEECH.....	52.1	59.1	63.2	68.8	
HEAR LOUD NOISE....	75.0	75.0	95.0	99.0	

1/ RE AUDIOMETRIC ZERO (ANSI, 1969)

Table 3.110

Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Right Ear by Selected Self Report Items: United States, 1971-1975

SELF ASSESSMENT	AVERAGE .5,1,2 KHZ			AVERAGE .5,1,2,4 KHZ			AVERAGE 1,2,4 KHZ	
	> 15	> 20	> 25	> 20	> 25	> 25	> 30	
TINNITUS								
YES.....	59.6	47.9	35.1	50.3	52.0	53.5	44.5	
NO.....	29.2	18.5	12.7	26.0	17.0	20.8	14.0	
RINGING, OTHER NOISE								
YES.....	41.5	30.4	21.8	39.1	31.2	34.0	26.4	
NO.....	24.3	14.1	8.0	22.0	13.4	17.1	11.2	
RUNNING, DISCHARGE								
YES.....	50.6	41.0	33.9	46.2	42.1	42.8	34.6	
NO.....	39.1	27.7	18.6	37.2	28.3	31.7	24.2	
DEAFNESS, TROUBLE HEARING								
YES.....	70.0	59.7	47.1	69.6	61.1	63.9	55.1	
NO.....	27.4	16.0	9.3	24.0	16.4	19.2	12.1	
RIGHT EAR RATING								
GOOD.....	29.3	18.2	10.8	25.7	18.2	20.9	13.6	
LITTLE DECREASED....	70.8	50.8	44.0	74.4	64.4	69.4	59.8	
SEVERELY DECREASED..	96.8	86.2	79.3	92.4	85.0	85.1	75.2	
DEAF.....	100.0	100.0	91.0	100.0	91.0	91.0	91.0	

Table 3.111

Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Left Ear by Selected Self Report Items: United States, 1971-1975

SELF ASSESSMENT	AVERAGE .5,.1,.2 KHZ			AVERAGE .5,.1,.2,.4 KHZ			AVERAGE 1,.2,.4 KHZ	
	> 15	> 20	> 25	> 20	> 25	> 25	> 30	
TINNITUS								
YES.....	56.9	42.1	32.3	57.9	45.0	50.5	39.4	
NO.....	34.7	22.6	14.9	31.2	22.3	25.5	18.3	
RINGING, OTHER NOISE								
YES.....	42.0	29.0	20.6	40.0	30.1	33.9	25.3	
NO.....	20.2	14.5	9.0	24.5	15.0	19.1	12.3	
RUNNING, DISCHARGE								
YES.....	51.3	37.8	20.7	49.0	38.6	41.4	33.7	
NO.....	39.9	26.9	18.7	37.8	28.1	32.1	23.4	
DEAFNESS, TROUBLE HEARING								
YES.....	63.7	50.8	41.3	64.8	54.5	59.0	48.1	
NO.....	31.6	18.5	10.7	20.1	18.3	21.9	14.4	
LEFT EAR RATING								
GOOD.....	32.4	19.7	11.3	29.2	19.4	22.7	15.3	
LITTLE DECREASED....	64.7	47.3	37.0	66.3	54.7	61.5	45.6	
SEVERELY DECREASED....	92.0	84.7	78.5	94.7	85.7	89.5	83.2	
DEAF.....	100.0	88.3	80.3	100.0	95.2	100.0	95.2	

Table 3.112

Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Better Ear by Selected Self Report Items: United States, 1971-1975

SELF ASSESSMENT	AVERAGE .5,.1,.2 KHZ			AVERAGE .5,.1,.2,.4 KHZ			AVERAGE 1,.2,.4 KHZ	
	> 15	> 20	> 25	> 20	> 25	> 25	> 30	
TINNITUS								
YES.....	51.6	41.4	27.3	54.0	44.7	40.8	31.4	
NO.....	21.8	13.9	7.6	20.5	12.6	14.6	9.1	
RINGING, OTHER NOISE								
YES.....	33.9	25.1	15.6	34.0	25.6	25.2	18.1	
NO.....	17.8	9.2	5.3	16.8	9.6	10.3	6.1	
RUNNING, DISCHARGE								
YES.....	41.2	31.6	22.4	41.2	31.4	29.7	21.4	
NO.....	32.0	23.3	13.0	32.2	24.1	24.1	17.3	
DEAFNESS, TROUBLE HEARING								
YES.....	63.7	51.6	36.1	65.7	52.6	50.5	38.7	
NO.....	19.2	11.9	5.4	18.4	12.2	12.8	8.0	
OVERALL HEARING RATING								
BOTH EARS GOOD.....	19.5	11.8	5.5	18.1	12.0	12.7	7.9	
ONE EAR GOOD, OTHER WORSE.....	49.0	35.2	19.1	52.6	37.0	31.1	22.5	
ONE SOME IMPAIRMENT OTHER SAME OR WORSE	71.2	62.1	41.3	75.3	61.8	62.9	44.3	
ONE EAR SEVERE IMPAIRMENT OTHER SAME OR WORSE	100.0	84.9	80.5	100.0	89.4	83.8	80.5	
DEAF BOTH EARS.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

Table 3.113

Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in
the Worse Ear by Selected Self Report Items: United States, 1971-1975.

Table 3.114

Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Right Ear by Causes of Hearing Problem: United States, 1971-1975

CAUSES OF HEARING PROBLEM	AVERAGE .5,1,2 KHZ			AVERAGE .5,1,2,4 KHZ			AVERAGE 1,2,4 KHZ	
	> 15	> 20	> 25	> 20	> 25	> 25	> 30	
EAR INFECTION								
YES.....	46.5	38.0	30.1	42.3	35.4	36.6	31.7	
NO.....	39.2	27.5	18.8	36.1	27.7	31.0	23.4	
BORN WITH IT								
YES.....	73.6	57.0	54.5	58.8	54.5	51.2	31.4	
NO.....	39.3	28.0	19.2	36.3	28.0	31.2	23.9	
LOUD NOISE								
YES.....	62.6	51.4	43.1	68.7	58.1	63.0	52.4	
NO.....	37.7	26.3	17.6	33.7	25.7	28.7	21.5	
EAR SURGERY								
YES.....	51.8	51.8	51.8	51.8	51.8	51.8	48.2	
NO.....	39.6	28.1	19.3	36.4	28.1	31.2	23.7	
EAR INJURY								
YES.....	58.4	36.0	28.7	57.6	37.2	49.2	37.2	
NO.....	39.4	28.1	19.4	36.1	28.1	31.1	23.7	
OTHER								
YES.....	61.7	50.7	43.1	58.4	53.4	54.5	48.1	
NO.....	37.8	26.3	17.5	34.6	26.0	29.4	21.8	

Table 3.115

Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Left Ear by Causes of Hearing Problem: United States, 1971-1975

CAUSES OF HEARING PROBLEM	AVERAGE .5,.1,.2 KHZ			AVERAGE .5,.1,.2,.4 KHZ			AVERAGE 1,.2,.4 KHZ	
	> 15	> 20	> 25	> 20	> 25	> 25	> 30	
EAR INFECTION								
YES.....	51.2	40.2	31.9	51.9	37.0	45.8	35.1	
NO.....	41.4	28.3	19.7	39.1	29.5	32.9	24.6	
BORN WITH IT								
YES.....	77.2	75.4	44.4	73.5	62.3	71.0	38.7	
NO.....	41.7	20.6	20.3	39.6	29.7	33.4	25.2	
LOUD NOISE								
YES.....	62.4	50.6	37.7	69.9	56.2	63.3	49.8	
NO.....	40.3	27.2	19.1	37.4	27.7	31.2	23.2	
EAR SURGERY								
YES.....	90.4	75.1	63.0	90.4	71.7	71.7	55.5	
NO.....	41.6	28.7	20.2	39.5	29.7	33.5	25.1	
EAR INJURY								
YES.....	68.8	50.2	47.6	75.3	66.0	73.6	51.3	
NO.....	41.6	20.7	20.1	39.3	29.4	33.1	24.9	
OTHER								
YES.....	65.9	54.6	44.7	62.4	57.1	58.9	50.1	
NO.....	39.9	26.8	18.4	30.0	27.6	31.6	23.1	

Table 3.116

Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Better Ear by Causes of Hearing Problem: United States, 1971-1975

CAUSES OF HEARING PROBLEM	AVERAGE .5,.1,2 KHZ			AVERAGE .5,.1,2,4 KHZ			AVERAGE 1,2,4 KHZ
	> 15	> 20	> 25	> 20	> 25	> 25	
EAR INFECTION							
YES.....	39.1	29.9	22.0	37.3	20.1	26.9	22.1
NO.....	31.0	20.4	12.6	29.7	21.5	19.9	14.3
BORN WITH IT							
YES.....	64.1	47.5	28.8	40.6	34.4	34.8	25.5
NO.....	31.2	20.8	13.1	30.1	21.8	20.3	14.7
LOUD NOISE							
YES.....	51.0	40.3	28.3	58.1	48.9	42.0	34.7
NO.....	29.9	19.4	12.0	27.8	19.6	18.5	13.1
EAR SURGERY							
YES.....	48.2	44.6	32.5	48.2	41.2	32.5	25.0
NO.....	31.4	20.8	13.1	30.0	21.8	20.3	14.7
EAR INJURY							
YES.....	51.5	33.7	26.3	54.2	32.7	30.4	22.8
NO.....	31.2	20.8	13.0	29.8	21.7	20.1	14.7
OTHER							
YES.....	55.1	41.6	33.4	50.9	44.8	40.9	32.8
NO.....	29.5	19.2	11.5	28.4	19.9	10.6	13.2

Table 3.117

**Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in
the Worse Ear by Causes of Hearing Problem: United States, 1971-1975**

CAUSES OF HEARING PROBLEM	AVERAGE .5,.1,.2 KHZ			AVERAGE .5,.1,.2,.4 KHZ			AVERAGE 1,2,.4 KHZ	
	> 15		> 20	> 25	> 20		> 25	> 30
	1	1	1	1	1	1	1	1
EAR INFECTION								
YES.....	65.7	48.2	39.9	56.9	44.3	50.5	41.3	
NO.....	55.8	35.3	25.9	45.5	35.7	39.4	29.9	
BORN WITH IT								
YES.....	86.7	84.9	70.1	91.7	82.4	87.4	44.6	
NO.....	56.1	35.7	26.4	45.8	35.8	39.6	30.5	
LOUD NOISE								
YES.....	86.3	61.2	52.1	80.5	65.6	73.7	57.8	
NO.....	53.8	34.0	24.6	43.3	33.8	37.2	28.3	
EAR SURGERY								
YES.....	94.0	82.3	82.3	94.0	82.3	82.3	78.6	
NO.....	56.1	35.8	26.4	45.8	35.9	39.8	30.3	
EAR INJURY								
YES.....	75.6	52.4	49.8	78.5	70.1	75.6	61.9	
NO.....	56.1	35.9	26.4	45.7	35.7	39.5	30.1	
OTHER								
YES.....	83.0	63.6	54.3	69.2	65.5	66.7	59.4	
NO.....	54.1	33.0	24.4	44.1	33.7	37.8	28.1	

Table 3.118

Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Right Ear by Assessment of Speech and Sound Understanding: United States, 1974-1975

Table 3.119

Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Left Ear by Assessment of Speech and Sound Understanding: United States, 1974-1975

SELF ASSESSMENT	AVERAGE .5,1,2 KHZ			AVERAGE .5,1,2,4 KHZ			AVERAGE 1,2,4 KHZ	
	> 15	> 20	> 25	> 20	> 25	> 25	> 30	
UNDERSTAND WHISPER...	32.5	20.4	12.3	29.7	19.2	23.1	15.6	
UNDERSTAND TALKING...	61.1	47.2	34.7	58.3	47.4	53.6	41.6	
UNDERSTAND SHOUT...	87.8	81.4	76.1	88.7	83.1	83.1	80.2	
UNDERSTAND LOUD SPEECH.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
HEAR LOUD NOISE.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

Table 3.120

Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Better Ear by Assessment of Speech and Sound Understanding: United States, 1974-1975

SELF ASSESSMENT	AVERAGE .5,1,2 KHZ			AVERAGE .5,1,2,4 KHZ			AVERAGE 1,2,4 KHZ	
	≥ 15	> 20	> 25	> 20	> 25	> 25	> 30	
UNDERSTAND WHISPER...	21.0	13.6	6.1	19.7	12.8	12.0	6.8	
UNDERSTAND TALKING...	50.2	37.8	21.1	51.7	39.0	41.1	28.8	
UNDERSTAND SHOUT....	83.3	75.3	73.9	85.9	78.9	72.2	69.0	
UNDERSTAND LOUD SPEECH.....	100.0	100.0	73.1	100.0	100.0	100.0	100.0	
HEAR LOUD NOISE....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

Table 3.121.

Prevalence of Hearing Impairment (Under 7 Alternative Definitions) in the Worse Ear by Assessment of Speech and Sound Understanding: United States, 1974-1975

SELF ASSESSMENT	AVERAGE .5,1,2 KHZ			AVERAGE .5,1,2,4 KHZ			AVERAGE 1,2,4 KHZ		
	>15	>20	>25	>20	>25	>25	>25	>30	
UNDERSTAND WHISPER..	40.3	25.2	16.1	35.0	22.9	27.2		18.2	
UNDERSTAND TALKING..	69.2	53.3	45.7	63.8	56.4	59.1		50.9	
UNDERSTAND SHOUT....	97.3	90.9	85.7	90.9	89.6	89.6		86.7	
UNDERSTAND LOUD SPEECH.....	100.0	100.0	100.0	100.0	100.0	100.0		100.0	
HEAR LOUD NOISE....	100.0	100.0	100.0	100.0	100.0	100.0		100.0	

Table 3.122

MEAN SPEECH DISCRIMINATION SCORES AT 20dB SENSATION LEVEL
IN THE RIGHT, LEFT, BETTER AND WORSE EARS BY SELECTED SELF
REPORT ITEMS: UNITED STATES, 1974-1975

SELF REPORT ITEM	MEAN SCORE RIGHT EAR	MEAN SCORE LEFT EAR	MEAN SCORE BETTER EAR	MEAN SCORE WORSE EAR
TINNITUS				
YES.....	72.5	72.5	81.7	63.3
NO.....	86.1	86.7	92.4	80.4
RINGING, OTHER NOISE				
YES.....	81.3	81.7	88.6	74.4
NO.....	87.1	86.5	92.4	81.4
RUNNING, DISCHARGE				
YES.....	74.1	79.4	86.5	66.9
NO.....	82.9	82.2	89.1	76.1
DEAFNESS, TROUBLE HEARING				
YES.....	64.1	67.8	76.4	55.5
NO.....	87.1	86.4	92.8	80.8
OVERALL HEARING RATING				
BOTH EARS GOOD.....	87.1	86.3	92.7	80.7
ONE GOOD OTHER WORSE.....	68.6	74.1	82.7	60.0
ONE SOME IMPAIRMENT OTHER SAME OR WORSE	60.3	44.6	72.9	52.0
ONE SEVERE IMPAIRMENT OTHER SAME OR WORSE	36.3	38.1	49.2	25.2

Table 3.123

MEAN SPEECH DISCRIMINATION SCORES AT 20dB SENSATION LEVEL
IN THE RIGHT, LEFT, BETTER AND WORSE EARS BY CAUSES OF HEARING PROBLEM:
UNITED STATES, 1974-1975

CAUSE OF HEARING PROBLEM	MEAN SCORE RIGHT EAR	MEAN SCORE LEFT EAR	MEAN SCORE BETTER EAR	MEAN SCORE WORSE EAR
EAR INFECTION				
YES.....	74.4	71.6	82.5	63.4
NO.....	86.7	86.2	92.1	80.8
BORN WITH IT				
YES.....	53.2	77.9	83.0	48.1
NO.....	86.6	85.8	91.9	80.5
LOUD NOISE				
YES.....	73.6	73.5	82.4	64.6
NO.....	86.9	86.2	92.2	80.9
EAR SURGERY				
YES.....	97.7	60.1	97.7	60.1
NO.....	86.4	85.8	91.0	80.4
EAR INJURY				
YES.....	82.2	79.5	86.4	75.4
NO.....	86.5	85.8	91.9	80.4
OTHER				
YES.....	63.5	67.9	76.0	54.6
NO.....	87.1	86.3	92.3	81.2

Table 3.124

MEAN SPEECH DISCRIMINATION SCORES AT 20dB SENSATION LEVEL
IN THE RIGHT, LEFT, BETTER AND WORSE EARS BY ASSESSMENT OF SPEECH AND SOUND
UNDERSTANDING: UNITED STATES, 1974-1975

SELF ASSESSMENT	MEAN SCORE RIGHT EAR	MEAN SCORE LEFT EAR	MEAN SCORE BETTER EAR	MEAN SCORE WORSE EAR
UNDERSTAND WHISPER...	85.4	84.8	90.9	79.3
UNDERSTAND TALKING...	75.1	75.0	85.2	65.0
UNDERSTAND SHOUT....	39.5	56.7	60.8	35.4
UNDERSTAND LOUD SPEECH.....	56.0	10.0	56.0	10.0

Table 3.125

**Significance Tests (F Statistics) of Differences in Air Conduction
Hearing Levels at 500, 1000, 2000 and 4000 Hz in
the Right and Left Ears by Self Assessment Categories
United States 1971-1975**

	Right Ear				Left Ear			
	500	1000	2000	4000	500	1000	2000	4000
Right Ear Rating	159.92***	209.56***	207.95***	215.62***	—	—	—	—
Left Ear Rating	—	—	—	—	117.39***	154.92***	222.63***	247.78***
Deafness or Trouble Hearing	203.82***	245.58***	302.75***	356.71***	171.62***	227.14***	323.07***	365.20***
<u>Causes:</u>								
Ear Infection	33.46***	33.06***	26.88***	23.57***	28.39***	43.15***	43.18***	41.39***
Born With It	9.30**	18.97***	16.50***	7.33**	11.70***	10.25**	17.85***	9.10***
Loud Noises	28.15***	45.51***	86.71***	125.19***	15.92***	35.74***	72.41***	133.66***
Ear Surgery	7.08**	8.33**	5.63*	6.11*	9.91**	11.21***	15.33***	17.35***
Ear Injury	12.45***	9.78**	5.92*	13.40***	27.66***	31.38***	21.26***	22.58***
Other	65.92***	62.60***	80.74***	104.82***	66.54***	60.98***	82.71***	85.02***
Ringing (Ever)	83.56***	77.02***	98.97***	72.31***	73.11***	75.21***	90.20***	86.61***
Ringing (Often)	33.77***	49.05***	75.80***	59.96***	34.89***	51.40***	79.17***	74.07***
Running	32.49***	30.33***	28.01***	26.48***	54.92***	48.04***	41.93***	28.39***
Ability to Understand Speech and Sounds	1173.74***	702.28***	79043.25***	21545.66***	769.16***	737.93***	1251.69***	651.63***

*Significant at the .05 level.

**Significant at the .01 level.

***Significant at the .001 level.

Table 3.126

Significance Tests (F Statistics) of Differences in Speech
 Discrimination Scores at 20 dB SL in the Right
 and Left Ears by Self Assessment Categories
 United States 1971-1975

	Speech Discrimination Score: Right Ear	Speech Discrimination Score: Left Ear
Right Ear Rating	31.09***	—
Left Ear Rating	—	490.05***
Deafness or Trouble Hearing	127.19***	84.16***
<u>Causes:</u>		
Ear Infection	7.32**	8.40**
Born With It	4.65*	.88
Loud Noises	17.21***	17.37***
Ear Surgery	30.30*	.70
Ear Injury	.21	.65
Other	29.36***	17.12***
Ringing (Ever)	25.61***	19.62***
Ringing (Often)	26.23***	18.23***
Running	21.37***	10.14**
Ability to Understand Speech and Sounds	1442.92***	2953.97***

*Significant at the .05 level.

**Significant at the .01 level.

***Significant at the .001 level.

Table 3.127

**Significance Tests (F Statistics) of Difference in the Prevalence of
Hearing Impairment (Under 7 Definitions) in the Right
Ear by Self-Assessment Categories**

	Average of 500, 1000 and 2,000 Hz			Average of 500, 1000, 2000 and 4000 Hz		Average of 1000, 2000, and 4000 Hz	
	>15	>20	>25	>20	>25	>25	>30
Right Ear Rating	2582.17***	9046.23***	535.06***	259.76***	550.16***	520.86***	538.57***
Deafness or Trouble Hearing	243.33***	294.87***	327.40***	329.96***	375.52***	352.97***	378.02***
<u>Causes:</u>							
Ear Infection	13.76***	25.58***	32.01***	17.23***	25.26***	19.59***	19.45***
Born With It	19.33***	21.74***	23.26***	18.29***	20.16***	20.79***	9.81**
Loud Noises	53.46***	73.06***	71.61***	101.34***	88.62***	109.49***	83.44***
Ear Surgery	4.72*	8.29**	9.95**	5.67*	9.43**	7.75**	7.46**
Ear Injury	6.50*	4.37*	4.33*	11.62***	5.12*	7.95**	6.63**
Other	86.77***	80.90***	66.53***	103.47***	101.36***	97.23***	100.77***
Ringing (Ever)	104.15***	109.20***	105.21***	97.39***	129.96***	105.02***	89.69***
Ringing (Often)	67.79***	52.08***	55.99***	60.92***	70.06***	65.15***	54.30***
Running	24.67***	26.63***	25.24***	24.28***	32.73***	31.69***	23.51***
Ability to Understand Speech and Sounds	6645.23***	10281.45***	20861.93***	6669.81***	11340.14***	9079.29***	16810.46***

*Significant at the .05 level.

**Significant at the .01 level.

***Significant at the .001 level.

Table 3.128

Significance Tests (F Statistics) of Difference in the Prevalence of Hearing Impairment (Under 7 Definitions) in the Left Ear by Self-Assessment Categories

	Average of 500, 1000 and 2,000 Hz			Average of 500, 1000, 2000 and 4000 Hz		Average of 1000, 2000, and 4000 Hz	
	>15	>20	>25	>20	>25	>25	>30
Left Ear Rating	678.47***	219.19***	223.80***	748.27***	276.80***	778.29***	306.20***
Deafness or Trouble Hearing	226.97***	278.03***	253.68***	286.80***	303.15***	322.83***	323.30***
Causes:							
Ear Infection	26.27***	24.84***	27.92***	32.40***	23.37***	30.14***	27.46***
Born With It	12.80***	10.79**	8.83**	10.01**	12.07***	12.90***	8.25**
Loud Noises	40.03***	68.41***	64.72***	92.79***	82.82***	103.08***	94.39***
Ear Surgery	21.90***	15.96***	7.01**	16.83***	9.37**	11.10***	5.26*
Ear Injury	24.61***	26.11***	24.23***	33.96***	35.40***	27.88***	21.03***
Other	65.92***	78.86***	56.92***	76.41***	82.02***	85.70***	80.75***
Ringing (Ever)	97.19***	95.04***	83.68***	95.05***	104.24***	91.56***	91.19***
Ringing (Often)	79.01***	56.70***	59.53***	97.85***	77.56***	85.51***	77.23***
Running	44.99***	28.61***	37.63***	25.39***	31.86***	18.67***	36.70***
Ability to Understand Speech and Sounds	5220.24***	11165.84***	21300.91***	5550.30***	12835.57***	8414.98***	15664.77***

*Significant at the .05 level.

**Significant at the .01 level.

***Significant at the .001 level.

Table 4.1

Means, Standard Errors and Significance Tests (F Statistics)
of Differences in Air Conduction Hearing Levels and Measures
of Shift (Left Ear) by Occupational Noise Exposure
MALES

Variable	≤ 70 dB \bar{X} (s.e.)	71-75 dB \bar{X} (s.e.)	76-80 dB \bar{X} (s.e.)	81-85 dB \bar{X} (s.e.)	86-90 dB \bar{X} (s.e.)	91-95 dB \bar{X} (s.e.)	≥ 96 dB \bar{X} (s.e.)	F Statistic (Uncontrolled)	F Statistic (Controlling for age & race)
Hearing Level 500 Hz	6.30 (1.10)	10.99 (.51)	11.36 (.82)	11.56 (.72)	12.29 (.03)	12.33 (.99)	11.18 (1.58)	7.62**	7.70**
Hearing Level 1000 Hz	5.76 (1.10)	11.09 (.56)	10.45 (.82)	11.90 (.76)	12.40 (.71)	12.06 (.88)	10.85 (1.78)	8.48**	10.62**
Hearing Level 2000 Hz	9.90 (2.35)	14.08 (.73)	13.46 (.91)	16.49 (1.15)	19.36 (.92)	17.70 (1.21)	19.55 (2.72)	33.35**	40.60**
Hearing Level 4000 Hz	17.60 (5.27)	26.30 (1.17)	23.53 (1.23)	32.76 (1.45)	35.95 (1.35)	34.20 (2.07)	38.33 (3.98)	67.87**	82.19**
Average of 1000, 2000, & 4000 + 25 dB	17.66 (8.03)	21.65 (2.07)	17.56 (2.26)	29.50 (2.73)	35.35 (2.75)	30.54 (3.48)	37.93 (7.67)	34.37**	40.81**
Absolute Shift to 4000 Hz from 500, 1000 and 2000 Hz	10.28 (4.46)	14.24 (.88)	11.90 (1.00)	19.33 (1.17)	21.24 (1.22)	20.17 (1.77)	24.47 (3.38)	50.34***	55.96***
Absolute Shift to 4000 Hz from 500 and 1000 Hz	11.57 (5.01)	15.24 (.95)	12.76 (1.09)	20.95 (1.31)	23.57 (1.42)	22.00 (1.83)	27.32 (3.65)	55.15***	62.53***
Percentage Shift to 4000 Hz from 500, 1000 & 2000 Hz	.35 (.16)	.46 (.03)	.30 (.04)	.61 (.04)	.64 (.04)	.64 (.06)	.79 (.12)	37.37***	40.73***
Percentage Shift to 4000 Hz from 500 & 1000 Hz	.48 (.24)	.52 (.03)	.42 (.04)	.70 (.05)	.80 (.05)	.73 (.07)	.98 (.14)	44.24***	50.69***
Tinnitus	3.96 (2.58)	5.19 (0.95)	7.72 (1.79)	7.93 (1.59)	9.08 (1.51)	9.18 (2.33)	10.43 (3.48)	3.13	3.45

*Significant at the .05 level.

**Significant at the .01 level.

***Significant at the .001 level.

Table 4.2

Regression Equations and Fitted Values for Regressions
of Air Conduction Hearing Levels at 500, 1000, 2000
and 4000 Hz with Age, Occupational Exposure and Race

MALES

Part A: Regression Equations

	<u>500 Hz</u>	<u>1000 Hz</u>	<u>2000 Hz</u>	<u>4000 Hz</u>
Intercept	.5762	1.4240	2.6503	-11.362
Age	.1472	.0255	-.0390	1.0442
Age ²	.00107	.00327	.00585	-.00215
Noise Exposure	.4177	.2912	.1146	.816
Noise Exposure ²	-.0089	-.00478	-.000218	-.00998
Age X Noise Exposure	-.000755	-.00206	.00635	.00665
Race	-.8051	-.3986	-1.869	-11.430

Part B: Fitted Values

<u>Age</u>	<u>Exposure</u>	<u>500 Hz</u>	<u>1000 Hz</u>	<u>2000 Hz</u>	<u>4000 Hz</u>
30	75	7.76	7.31	7.29	14.08
	80	8.63	7.40	8.49	17.35
	85	9.21	8.07	9.69	20.26
	90	9.51	8.52	10.88	22.88
	95	9.53	8.82	12.06	25.20
40	75	10.47	9.84	11.51	23.54
	80	11.31	9.99	12.96	27.07
	85	11.86	10.59	14.41	30.25
	90	12.13	11.03	15.86	33.13
	95	12.12	11.30	17.29	35.72
50	75	12.27	13.02	16.88	32.58
	80	13.08	13.16	18.59	36.38
	85	13.60	13.75	20.30	39.82
	90	13.84	14.17	21.99	42.97
	95	13.80	14.46	23.68	45.83
60	75	14.85	16.86	23.43	41.19
	80	15.63	16.99	25.39	45.25
	85	16.09	17.50	27.35	48.96
	90	16.33	17.99	29.30	52.38
	95	16.25	18.27	31.24	55.50
70	75	17.65	21.34	31.16	49.37
	80	18.40	21.40	33.33	53.70
	85	18.86	22.04	35.58	57.68
	90	19.04	22.45	37.78	61.35
	95	18.93	22.70	39.98	64.74

Table 4.3

**Means, Standard Errors and Significance Tests (F Statistics)
of Differences in Air Conduction Hearing Levels and Measures
of Shift (Left Ear) by Occupational Noise Exposure
FEMALES**

Variable	≤ 70 dB \bar{X} (s.e.)	71-75 dB \bar{X} (s.e.)	76-80 dB \bar{X} (s.e.)	81-85 dB \bar{X} (s.e.)	86-90 dB \bar{X} (s.e.)	91-95 dB \bar{X} (s.e.)	≥ 96 dB \bar{X} (s.e.)	F Statistic (Uncontrolled)	F Statistic (Controlling for age & race)
Hearing Level 500 Hz	10.46 (1.12)	10.91 (.57)	10.55 (.49)	10.12 (1.22)	13.39 (.90)	9.85 (1.65)	-	4.28*	1.57
Hearing Level 1000 Hz	9.62 (1.28)	9.70 (.45)	9.30 (.55)	8.74 (1.02)	11.50 (.70)	6.35 (1.67)	-	2.25	.50
Hearing Level 2000 Hz	11.12 (2.01)	10.05 (.48)	10.23 (.62)	10.02 (1.12)	12.51 (1.20)	10.38 (3.03)	-	3.53	1.68
Hearing Level 4000 Hz	13.08 (1.75)	12.78 (.66)	12.61 (.75)	13.64 (1.35)	14.46 (1.35)	14.07 (2.13)	-	3.14	1.27
Average of 1000, 2000, & 4000 > 25 dB	7.82 (5.32)	7.46 (1.14)	6.88 (1.28)	5.12 (3.14)	7.57 (2.08)	5.74 (5.03)	-	.61	.12
Absolute Shift to 4000 Hz from 500, 1000 and 2000 Hz	2.67 (1.19)	2.60 (.57)	2.59 (.55)	4.09 (1.13)	1.99 (.98)	5.21 (2.25)	-	.76	.23
Absolute Shift to 4000 Hz from 500 and 1000 Hz	3.04 (1.59)	2.53 (.67)	2.69 (.61)	4.28 (1.18)	2.01 (1.12)	5.97 (2.34)	-	.83	.29
Percentage Shift to 4000 Hz from 500, 1000 & 2000 Hz	.08 (.04)	.09 (.02)	.09 (.02)	.16 (.05)	.07 (.03)	.20 (.09)	-	1.05	.49
Percentage Shift to 4000 Hz from 500 & 1000 Hz	.10 (.05)	.09 (.02)	.09 (.02)	.16 (.04)	.08 (.04)	.20 (.08)	-	.78	.28
Tinnitus	5.92 (4.15)	2.86 (0.70)	7.35 (1.59)	2.75 (1.34)	10.44 (4.72)	6.10 (4.56)	-	1.91	1.66

*Significant at the .05 level.

**Significant at the .01 level.

***Significant at the .001 level.

Table 4.4

Regression Equations [Coefficients and Standard Errors]
of Age, Sex, Race and Occupational Noise Exposure on Air
Conduction Hearing Levels and Measures of Shift in the Left Ear by Sex

	MALES				FEMALES			
	Intercept	Age at Exam	Race (White)	Occupational Noise Exposure	Intercept	Age at Exam	Race (White)	Occupational Noise Exposure
Air Conduction Hearing Level at 500 Hz	.8857 (1.4174)	.2325*** (.0203)	.7569 (.9076)	.2371** (.0854)	1.4534 (1.5841)	.2196*** (.0238)	-.8478 (.0509)	.1463 (.1169)
Air Conduction Hearing Level at 1000 Hz	-4.3861** (1.3784)	.3145*** (.0213)	.4046 (.9390)	.2762** (.0847)	.0994 (1.3461)	.2381*** (.0216)	-.1.237 (.0026)	.0737 (.1041)
Air Conduction Hearing Level at 2000 Hz	-15.6671*** (2.0897)	.5712*** (.0321)	1.9758 (1.2896)	.7504*** (.1178)	-3.4543* (1.5933)	.3254*** (.0238)	-1.3341 (.9265)	.2029 (.1563)
Air Conduction Hearing Level at 4000 Hz	-32.4548*** (2.4774)	.9473*** (.0418)	11.39** (1.3188)	1.6408*** (.1770)	-11.1080*** (2.0726)	.5433*** (.0370)	-.3994 (1.1043)	.2242 (.1992)
Average of 1000, 2000 & 4000 > 25 dB	-.6033*** (.0470)	.0138*** (.0008)	.1404** (.0271)	.0219*** (.0041)	-.1783*** (.0376)	.0050*** (.0007)	-.0128 (.0208)	.0013 (.0036)
Absolute Shift to 4000 Hz from 500, 1000 & 2000 Hz	-25.6523*** (2.1413)	.5814*** (.0375)	10.3471*** (1.0107)	1.1693*** (.1568)	-10.5294*** (1.7240)	.2839*** (.0333)	.7695 (.9495)	.0810 (.1698)
Absolute Shift to 4000 Hz from 500 and 1000 Hz	-30.0098*** (2.2322)	.6809*** (.0388)	10.8165*** (1.0946)	1.3340*** (.1687)	-11.9591*** (1.8496)	.3166*** (.0347)	.6757 (.9918)	.1110 (.2064)
Percentage Shift to 4000 Hz from 500, 1000 & 2000 Hz	-.5801*** (.0841)	.0136*** (.0014)	.3213*** (.0382)	.0338*** (.0053)	-.3061*** (.0619)	.0084*** (.0012)	.0278 (.0363)	.0040 (.0057)
Percentage Shift to 4000 Hz from 500 & 1000 Hz	-.8178*** (.0940)	.0184*** (.0016)	.3803*** (.0402)	.0433*** (.0061)	-.3508*** (.0610)	.0097*** (.0012)	.0169 (.0350)	.0035 (.0066)
Tinnitus	-.1043*** (.0293)	.0024*** (.0006)	.0454*** (.0118)	.0045 (.0024)	-.0349 (.0373)	.0017** (.0006)	-.0163 (.0199)	.0056 (.0043)

*Significant at the .05 level.

**Significant at the .01 level.

***Significant at the .001 level.

Table 4.5

Significant Findings: Relationships Between Hearing Measures and Demographic Characteristics and Physical Characteristics and Habits Controlling for Age and Race by Sex

	MALES					FEMALES				
	500Hz	1000Hz	2000Hz	4000Hz	Prev. ^a	500Hz	1000Hz	2000Hz	4000Hz	Prev. ^a
Noise Exposure	**	**	***	***	***					
Demographic Characteristics										
Income	*	**	***	***	***	*	*	**	**	**
Marital Status										*
Size of Place		***	***	***	***					
SMSA		***	***	***	***					
Farm	*		*	*						
Region						*	**	***	***	**
Education	***	***	***	***	***	***	***	***	***	***
PIR			***	**	***					
Internal Density										
Physical Characteristics and Habits										
Drugs for Infection	*	**			*	*				
Aspirin Use	n.a.	n.a.	n.a.	n.a.	n.a.					
Birth Control Pills			*	*		*				
Hyp. Medication						*				
Cigarette Smoking		***	***	***		*				
Alcohol Use						*	*			
Activity (recreation)		**	***	**						
Activity (work)										
Eye Color						*				
Skinfold			**			**	**	*		
Height	*	*				**	**	**		
Weight						**	**	**		

^bPrevalence computed based on the average of hearing levels at 1000, 2000 and 4000 Hz > 25 dB.

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 4.6
Significant Findings: Relationships Between Indicators of
Noise Induced Hearing Loss and Demographic Characteristics,
Physical Characteristics and Habits Controlling for Age
and Race by Sex

	MALES					FEMALES				
	Absolute Shifts .5,.1,2 Base	Absolute Shifts .5,.1 Base	Percentage Shifts .5,.1,2 Base	Percentage Shifts .5,.1 Base	Tinnitus	Absolute Shifts .5,.1,2 Base	Absolute Shifts .5,.1 Base	Percentage Shifts .5,.1,2 Base	Percentage Shifts .5,.1 Base	Tinnitus
Noise Exposure	***	***	***	***						
Demographic Characteristics										
Income	**	***			*					*
Marital Status	*		*	*		*	*	*		*
Size of Place	***	***	***	***	**					
SMSA	***	***	***	***	*					
Farm	**	*	*	***		**	*	**	*	*
Region		*	*	**	*		*			
Education	***	***	***	***	**	*	*		*	
PIR	*	**		*		**	**	*	**	*
Internal Density										
Physical Characteristics and Habits										
Drugs for Infection										
Aspirin Use										
Birth Control Pills	n.a.	n.a.	n.a.	n.a.	n.a.					*
Hyp. Medication										
Cigarette Smoking						***	***	***	***	***
Alcohol Use	**	***		**						
Activity (recreation)	***	***	***	***						
Activity (work)	***	***	***	***						
Eye Color	***	***	***	***						***
Skinfold	***	***	***	***						*
Height										**
Weight										

*Significant at .05 level.

**Significant at .01 level.

***Significant at .001 level.

Table 4.7
Regression Coefficients of Relationships Between
Hearing Measures and Demographic Characteristics
Within Sex Controlling for Age and Race

		MALES					FEMALES				
		500	1000	2000	4000	Prev. ^a	500	1000	2000	4000	Prev. ^b
<u>Demographic Characteristics</u>											
Income	0	0	0*	0***	0***	0***	0	0*	0*	0**	0**
1	-.668	-.869	.31	.066	.011		-.480	-.677	-.325	-.2625	-.0382
2	-.851	-1.279	-2.418	-3.489	-.0233		-.889	-.344	-.679	-.3211	-.0561
3	-2.0298	-2.786	-5.929	-7.249	-.108		-1.454	-2.172	-2.578	-4.294	-.067
Marital Status		-.800	-1.726	-2.229	1.070	-.0357	-.104	-.0873	-.576	-2.307*	-.0245
Size of Place		-.0242	.0958	.548***	1.307***	.020***	.111	.110	.316*	.237	.00237
SMSA	0	0	0	0***	0***	0***	0	0	0	0	0
1	-.688	-1.619	-3.363	-5.641	-.103		.0998	-.0484	-1.339	-1.122	-.0237
2	-.382	-.601	-3.236	-6.434	-.111		-.526	-.0741	-1.839	-1.456	-.0179
Fam		-1.712*	-.234	4.151*	5.565**	.0606	-1.242	.462	.830	-3.888***	-.0371
Region	NE	1.168	.153	.549	-2.361	-.0344	1.977**	.955	.499***	.963***	.0165**
MW	1.0258	.298	.737	-1.571	-.0184		1.927	1.00865	2.299	2.984	.0281
S	.491	.808	2.732	1.0621	-.00775		2.297	1.888	4.212	4.246	.0627
W	0	0	0	0	0		0	0	0	0	0
Years of Education		-.397***	-.444***	-.941***	-1.626***	-.0238***	-.455***	-.460***	-.633***	-.785***	-.0123***
Poverty Index		-.196	-.198	-1.0198***	-1.032**	-.0217***	-.221*	-.182	-.392	-.676***	-.0105**

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

^aPrevalence computed based on the average of hearing levels at 1000, 2000 and 4000 Hz > 25 dB.

NOTE: On this and other tables reporting regression coefficients, in the case of categorical variables with more than two categories, significant results are indicated by asterisks accompanying the first coefficient shown.

Table 4.8
Regression Coefficients of Relationships Between
Hearing Measures and Physical Characteristics
Within Sex Controlling for Age and Race

	MALES					FEMALES				
	500	1000	2000	4000	Prev.	500	1000	2000	4000	Prev.
Physical Characteristics										
Drugs for Infection	-1.0787	-1.749*	-3.663**	-.964	-.0581	-.403	-.580	.978	-.166	-.0267
Aspirin Use	.109	-.771	-.168	-.643	-.0423*	-1.517**	-1.470**	-.640	-.733	-.0177
Birth Control Pills	na	na	na	na	na	.308	-.180	-.428	-.159	.0117
Cigarette Smoking	0	0	0*	0*	0	0*	0	0	0	0
	1	.0462	-.222	-.543	1.408	.0551	-.219	.731	-.512	-.513
	2	1.214	.576	1.603	3.581	.0534	1.624	.795	.434	.196
Alcohol Use	0	0	0***	0***	0***	0*	0*	0	0***	0***
	1	.346	.594	-.2154	-3.231	-.0485	1.687	-2.301	-3.0176	-3.693
	2	1.769	1.805	-.271	-2.499	-.0312	-4.466	-5.516	-6.527	-6.699
	3	1.395	1.964	-2.181	-2.212	-.0612	1.0331	1.343	-3.0622	-2.137
Activity Level (Work)	-.179	.466	2.152**	4.420***	.0717**	-.118	-.328	-.305	.281	-.0176
Eye Color	Brown	0	0	0	0	0**	0	0	0*	0***
	Blue	.348	.241	-.006	2.298	.032	-.434	-1.194	-.451	-.046
	Green, Grey, Hazel	.594	.762	-.106	1.671	.004	-.274	-.609	-.906	-.029
	Other	1.796	2.657	.0100	2.777	.176	-4.806	-3.727	-1.371	-4.789
Skinfold	.0212	.0336	-.0490	-.129**	-.00113	.0484**	.0452**	.0375*	.0484*	.000402
Height	-.0987*	-.118*	-.0951	-.0258	-.000786	.00974	-.0535	-.0881	-.0820	-.00239
Weight	.0106	.0109	-.0303	-.0200	.000474	.0593**	.0610**	.0659**	.0732**	.00107

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 4.9
Regression Coefficients of Relationships Between
Indicators of Noise Induced Hearing Loss and Demographic
Characteristics Within Sex Controlling for Age and Race

	MALES					FEMALES				
	Absolute Shifts .5,1,2 Base		Percentage Shifts .5,1 Base		Tinnitus	Absolute Shifts .5,1,2 Base		Percentage Shifts .5,1 Base		Tinnitus
	.5,1 Base	.5,1 Base	.5,1,2 Base	.5,1 Base		.5,1,2 Base	.5,1 Base	.5,1,2 Base	.5,1 Base	
<u>Demographic Characteristics</u>										
Income	0	0**	0***	0	0*	0	0	0	0	0*
1	.033	1.149	.0501	.048	.0497	-.1.426	-1.506	-.04545	-.0526	.0558
2	-.1.489	-1.971	-.01334	-.0315	.0475	-.1.57	-1.588	-.0415	-.0362	.08078
3	-.3.279	-4.525	-.0183	-.102	.0623	-.2.164	-2.405	-.0522	-.0631	.0756
Marital Status		3.069*	2.703	.130**	.107*	-.00343	-2.011*	-2.164*	-.0602*	-.0558
Size of Place		1.131***	1.291***	.0362***	.0482***	-.00693**	.0516	.119	.00212	.00483
SMSA	0	0***	0***	0***	0*	0	0	0	0	0
1	-.3.796	-4.502	-.108	-.166	.0260	-.621	-1.0664	-.00412	-.0286	.0117
2	-.5.033	-5.940	-.161	-.229	.0391	-.640	-1.153	-.0254	-.0520	.0234
Farm		4.856**	6.526**	.156**	.267***	-.0308	-3.938**	-3.537*	-.123**	-.106*
Region	NE	-.3.0655	-3.0683*	-.130*	-.158**	.00659*	-.160	-.475*	.00257	-.00952
MH		-.2.282	-2.255	-.0862	-.117	-.00894	1.201	1.477	.0411	.0467
S		-.265	.421	-.0326	-.0258	-.0492	1.413	2.119	.0450	.0613
W		0	0	0	0	0	0	0	0	0
Years of Education		-.1.0271***	-1.210***	-.0252***	-.0318***	.00695**	-.269*	-.327*	-.00775	-.00948*
Poverty Index		-.584*	-.854**	-.00865	-.0264*	.00152	-.410**	-.473**	-.0123*	-.0153**
										.00835*

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 4.10
Regression Coefficients of Relationships Between Indicators of Noise Induced Hearing Loss and Physical Characteristics Within Sex Controlling for Age and Race

	MALES					FEMALES				
	Absolute Shifts .5,1,2 Base	Absolute Shifts .5,1 Base	Percentage Shifts .5,1,2 Base	Percentage Shifts .5,1. Base	Tinnitus	Absolute Shifts .5,1,2 Base	Absolute Shifts .5,1 Base	Percentage Shifts .5,1,2 Base	Percentage Shifts .5,1. Base	Tinnitus
Physical Characteristics										
Drugs for Infection	1.196	.441	.0661	-.0159	.00304	-.196	.290	-.00957	.0289	-.0186
Aspirin Use	-.205	-.141	.0108	.00652	-.0142	.429	.698	.0299	.0387	.00000456
Birth Control Pills	n.a.	n.a.	n.a.	n.a.	n.a.	-.0792	-.242	-.00773	-.00906	.0317*
Cigarette Smoking	1 2 3	0 1.936 2.651	0 .0548 .0625	0 .0621 .0759	0 -.00967 -.0244	0 -.443 -.706	0 -.665 -.966	0 .000432 -.0193	0 -.00102 -.0280	0 .0243 -.0155
Alcohol Use	0 1 2 3	0** -2.747 -3.614 -2.435	0*** -3.612 -4.301 -3.708	0** -.0057 -.1515 -.0385	0 -.1096 -.171 -.143	0*** 1.392 -.805 -1.947	0*** -1.723 -.1537 -3.360	0*** -.0221 -.0078 -.0643	0*** -.0323 -.056 -.122	0*** .0289 -.0501 -.0791
Activity Level (work)		-3.611***	-4.294***	-.116***	-.161***	-.00185	-.578	-.512	-.0232	-.0185
Eye Color	Brown Blue Green, Grey, Hazel Other	0 2.069 2.016 1.088	0 1.956 2.242 .329	0 .0835 .0062 .0709	0 .0776 .124 .0739	0 .0156 .0181 -.801	0 .0816 1.320 -1.587	0 .918 .812 -.650	0 .0268 .0482 .0687	0 .03 .112 .0673
Skinfold		-.132***	-.158***	-.00471***	-.00581***	-.0000693	.00451	.00177	.000188	.000296
Height		.0882	.0907	.00315	.00429	-.000946	-.0435	-.0672	-.000890	-.00195
Weight		-.0146	-.0299	-.000872	-.00115	-.000273	.0101	.0120	.0000332	.000424
										.000548

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 4.11

Results of Multiple Regression Models Examining the Relationship
of Occupational Noise Exposure and Air Conduction Hearing Level
at 500 Hz In the Presence of Background Characteristics
(MALES)

	Model 1	Model 2	Model 3	Model 4	Model 5	Model 6	Model 7	Model 8	Model 9	Model 10	Model 11	Model 12	Model 13
Noise Exposure	.1186**	.1203**	.1223**	.1257**	.1149**	.05320	.1225**	.1220**	.1123**	.1317**	.1270**	.1255**	.1121**
Age	.2325***	.2340***	.2329***	.2372***	.2307***	.2057***	.2329***	.2319***	.2394***	.2317***	.2339***	.2323***	.2226***
Race	.7569	.8223	.8092	.8507	.7238	1.4548	.7716	.7060	.8817	1.2484	.6907	.8066	.8964
Marital Status						-.9057							
Size of Place							-.0620						
Farm								-2.0610*					
Region NE									1.0893				
MW									.8557				
S									.3490				
W									0				
Years of Education										-.3549***			
Drugs for Infection											-1.3307		
Aspirin Use												.1470	
Cig. Smok. 0												0	
1												-.0203	
2												1.4068	
Alcohol Use 0												0	
1												.562	
2												1.993	
3												1.433	
Activity Level (Work)													.4593
Skinfold													.0200
Bright													-.0921

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 4.12

**Results of Multiple Regression Models Examining the Relationship
of Occupational Noise Exposure and Air Conduction Hearing Level
at 1000 Hz in the Presence of Background Characteristics
(MALES).**

Table 4.13

Results of Multiple Regression Models Examining the Relationship
of Occupational Noise Exposure and Air Conduction Hearing Level
at 2000 Hz in the Presence of Background Characteristics
(NHEES)

	Model 1	Model 2	Model 3	Model 4	Model 5	Model 6	Model 7	Model 8	Model 9	Model 10	Model 11	Model 12	Model 13
Noise Exposure	.3752***	.3810***	.3486***	.3642***	.3696***	.2360***	.3095***	.3674***	.3640**	.3896***	.3584***	.3081***	.3701***
Age	.5712***	.5758***	.5604***	.5641***	.5700***	.5141***	.5700***	.5703***	.5845***	.5732***	.5733***	.5714***	.5633***
Race	1.9758	2.1563	1.6061	1.833	2.4494*	3.5034**	2.043	1.0410	2.1931	2.6159*	2.1475	1.9200	2.0049
Marital Status		-2.5430*											
Size of Place			.4417**										
Farm				3.134									
Region NE					.3223								
NM						.1900							
S							2.2780						
M								0					
Years of Education								-.7572***					
Drugs for Infection									-4.4063***				
Aspirin Use										-.03772			
Cig. Smk. 0										0			
1										-.7527			
2										1.0761			
Alcohol Use 0										0			
1										-1.5018			
2										.395			
3										-2.0529			
Activity level (dark)											-1.3622*		
Skinfold												-.0294	
Height													-.0730

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 4.14

Results of Multiple Regression Models Examining the Relationship
of Occupational Noise Exposure and Air Conduction Hearing Level
at 4000 Hz in the Presence of Background Characteristics
(N=185)

	Model 1	Model 2	Model 3	Model 4	Model 5	Model 6	Model 7	Model 8	Model 9	Model 10	Model 11	Model 12	Model 13
Noise Exposure	.8024***	.8014***	.736***	.790***	.811***	.593***	.813***	.793***	.792***	.793***	.770***	.781***	.8036***
Age	.9473***	.947***	.941***	.940***	.952***	.862***	.950***	.957***	.939***	.952***	.948***	.949***	
Race	11.39***	11.361***	10.490***	11.237***	11.731***	13.506***	11.402***	11.338***	11.542***	11.733***	11.719***	11.224***	11.36***
Marital Status													
Size of Place													
Parish													
Region NE													
M													
S													
W													
Years of Education													
Drugs for Infect for													
Aspirin Use													
Cig. Smk. 0													
1													
2													
Alcohol Use 0													
1													
2													
Activity Level (Work)													
Skinfold													
Height													

*Significant .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 4.15

Results of Multiple Regression Models Examining the Relationship
of Occupational Noise Exposure and Prevalence of Hearing Impairment
(1000, 2000 and 4000 > 25 dB) In the Presence of Background Characteristics
(N=132)

	Model 1	Model 2	Model 3	Model 4	Model 5	Model 6	Model 7	Model 8	Model 9	Model 10	Model 11	Model 12	Model 13
Noise Exposure	.0110***	.0110***	.00989***	.0108***	.0110***	.00774***	.0112***	.0157***	.0109***	.0112***	.0103***	.0108***	.0109***
Age	.0130***	.0138***	.0137***	.0137***	.0138***	.0125***	.0130***	.0136***	.0137***	.0138***	.0138***	.0138***	.0137***
Race	.1404***	.1426***	.1262***	.1390***	.1434***	.1765***	.1409***	.1305***	.1384***	.1509***	.1461***	.1393***	.1407***
Marital Status													
Size of Place													
Farm													
Region NE													
M1													
S													
U													
Years of Education													
Drugs for Infection													
Aspirin Use													
Cig. Smk.	0												
	1												
	2												
Alcohol Use	0												
	1												
	2												
	3												
Activity level (work)													
Skinfold													
Height													

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 4.16

Results of Multiple Regression Models Examining the Relationship
of Occupational Noise Exposure and Absolute Shift From 500, 1000
and 2000 Hz to 4000 Hz in the Presence of Background Characteristics
(N=12)

	Model 1	Model 2	Model 3	Model 4	Model 5	Model 6	Model 7	Model 8	Model 9	Model 10	Model 11	Model 12	Model 13
Noise Exposure	.5897***	.5784***	.5254***	.5233***	.5979***	.4682***	.5894***	.5772***	.5784***	.5621***	.5550***	.5595***	.5928***
Age	.5814***	.5769***	.5740***	.5741***	.5874***	.5348***	.5845***	.5854***	.5812***	.5700***	.5049***	.5023***	.5944***
Race	10.3471***	10.1631***	9.5345***	10.1984***	10.5027***	11.4826***	10.3216***	10.3661***	10.3472***	10.1978***	10.6332***	10.1584***	10.1623***
Marital Status		2.5620*											
Size of Place			.96614***										
Farm				3.2759									
Region NE					-3.4594*								
MD						-3.1670							
B							-1.0249						
W								0					
Years of Education							-.6577***						
Drugs for Infection								-.0556					
Aspirin Use									-.02258				
Cig. Smok.	0								0				
	1								1.5655				
	2								1.777				
Alcohol Use	0									0			
	1									.213			
	2									-.550			
	3									-.2271			
Activity Level (Mark)											-2.3674*		
Skinfold												-.1015*	
Height													.1216

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 4.17

Results of Multiple Regression Models Examining the Relationship
of Occupational Noise Exposure and Absolute Shift from 500 and
1000 Hz to 4000 Hz In the Presence of Background Characteristics
(N=118)

	Model 1	Model 2	Model 3	Model 4	Model 5	Model 6	Model 7	Model 8	Model 9	Model 10	Model 11	Model 12	Model 13
Noise Exposure	.667***	.662***	.599***	.651***	.679***	.526***	.673***	.658***	.660***	.645***	.6303***	.636***	.676***
Age	.681***	.677***	.673***	.6703***	.687***	.624***	.684***	.685***	.683***	.670***	.685***	.682***	.695***
Race	10.817***	10.644***	9.889***	10.6016***	11.1099***	12.2488***	10.806***	10.806***	10.856***	10.7404***	11.160***	10.587***	10.6207***
Marital Status		2.123											
Size of Place			1.103***										
Farm				4.734*									
Region NE					-3.516*								
M					-3.261								
S					-4.443								
W					0								
Years of Education						-.795***							
Drugs for Infection							-.989						
Ampicillin Use								.0660					
Cig. Smok.	0								0				
1									1.3405				
2									1.077				
Alcohol Use	0									0			
1										-2.56			
2										-3.139			
3										-3.5203			
Activity Level (Work)											-2.881*		
Skinfold												-.123***	
Height													.129

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 4.10

Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure and Percentage Shift from 500 and 1000 Hz to 4000 Hz in the Presence of Background Characteristics (N=129)

	Model 1	Model 2	Model 3	Model 4	Model 5	Model 6	Model 7	Model 8	Model 9	Model 10	Model 11	Model 12	Model 13
Noise Exposure	.0216***	.0214***	.01906***	.0209***	.0223***	.0187***	.0219***	.0214***	.0215***	.02106***	.0201***	.02049***	.02203***
Age		.0184***	.0183***	.0181***	.0179***	.0187***	.0172***	.0185***	.0186***	.0183***	.01802***	.0185***	.0184***
Race			.3803***	.374***	.345***	.371***	.387***	.311***	.316***	.3803***	.379***	.376***	.395***
Marital Status				.0007									
Size of Place					.0423***								
Farm						.209**							
Region NE							-.173**						
E								-.150					
S									-.0535				
W									0				
Years of Education								-.0171**					
Drugs for Infection									-.0623				
Aspirin Use										.0136			
Cig. Smk.	0									0			
	1									.0483			
	2									.0434			
Alcohol Use	0									0			
	1									-.0755			
	2									-.134			
	3									-.137			
Activity level (rank)											-.115**		
Skinfold												-.00470***	
Height													.00553*

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 4.19

Results of Multiple Regression Models Examining the Relationship
of Occupational Noise Exposure and Percentage Shift from 500, 1000
and 2000 Hz to 4000 Hz in the Presence of Background Characteristics
(Males)

	Model 1	Model 2	Model 3	Model 4	Model 5	Model 6	Model 7	Model 8	Model 9	Model 10	Model 11	Model 12	Model 13
Noise Exposure	.0169***	.0166***	.0150***	.0165***	.0174***	.0145***	.0169***	.0168***	.0168***	.0159***	.0158***	.0159***	.0172***
Age	.0136***	.0134***	.0134***	.0133***	.0138***	.0126***	.0137***	.0130***	.0135***	.0130***	.0137***	.0136***	.0140***
Race	.321***	.3033***	.295***	.316***	.323***	.344***	.3201***	.323***	.320***	.314***	.331***	.314***	.315***
Marital Status	.116**												
Size of Place		.0316***											
Form			.1101*										
Region RE													
N													
S													
W													
Years of Education													
Drugs for Infection													
Aspirin Use													
Cig. Smok.	0												
	1												
	2												
Affected Hear.	0												
	1												
	2												
	3												
Activity Level (Work)													
Skinfold													
Height													

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 5.1

Means, Standard Errors and Significance Tests
(F Statistic) of Differences in Hypertension
By Occupational Noise Exposure
(N=145)

Variable	≤ 70 dB \bar{X} (s.e.)	71-75 dB \bar{X} (s.e.)	76-80 dB \bar{X} (s.e.)	81-85 dB \bar{X} (s.e.)	86-90 dB \bar{X} (s.e.)	91-95 dB \bar{X} (s.e.)	≥ 96 dB \bar{X} (s.e.)	F Statistic (Uncontrolled)	F Statistic (Controlling for age & race)
Mean Systolic Blood Pressure	123.5 (2.1)	130.4 (1.9)	130.8 (1.1)	132.4 (1.2)	133.1 (1.1)	131.7 (1.2)	130.9 (1.9)	3.43	3.52
Mean Diastolic Blood Pressure	79.7 (1.5)	84.8 (.5)	84.9 (.8)	86.2 (.6)	86.6 (.6)	85.9 (.8)	85.4 (1.6)	6.25*	5.18*
Mean Average Blood Pressure	94.3 (1.6)	100.0 (.6)	100.2 (.8)	101.6 (.8)	102.1 (.7)	101.2 (.9)	100.6 (1.5)	5.77*	5.41*
Shift in Systolic Blood Pressure	8.3 (1.2)	8.1 (.4)	7.8 (.4)	8.5 (.5)	8.4 (.5)	8.4 (.5)	8.6 (1.0)	.70	.56
Shift in Diastolic Blood Pressure	7.5 (.9)	5.7 (.2)	5.5 (.3)	5.6 (.3)	6.2 (.4)	6.0 (.4)	6.0 (1.0)	.15	.04
Shift in Average Blood Pressure	6.9 (.8)	5.5 (.3)	5.4 (.3)	5.4 (.3)	5.5 (.3)	5.4 (.3)	6.1 (.9)	.00	.16
History of Hypertension	15.0 (5.6)	16.2 (2.1)	19.0 (2.2)	16.7 (1.0)	15.8 (2.0)	16.0 (2.7)	13.5 (5.6)	.45	.78
Hypertension during Physician's diagnosis	6.4 (5.1)	11.6 (1.9)	14.6 (2.3)	17.9 (2.3)	17.0 (2.3)	18.9 (2.6)	17.7 (6.7)	3.89*	3.33
Hypertension based on Blood Pressure Readings									
(A) Nonhypertensive	67.5 (7.9)	50.1 (2.7)	50.5 (3.4)	46.0 (3.4)	40.1 (2.9)	44.2 (3.7)	47.4 (7.8)	6.00*	6.12*
(B) Borderline	17.0 (6.7)	16.2 (1.9)	14.5 (2.0)	16.4 (2.1)	19.3 (2.3)	19.3 (3.2)	14.7 (5.0)	2.11	2.10
(C) Labile	10.1 (4.7)	17.0 (1.9)	16.1 (2.7)	19.6 (2.6)	21.3 (2.6)	15.2 (2.3)	27.9 (8.7)	.88	.92
(D) Definite	1.1 (.9)	10.5 (1.6)	13.2 (2.2)	11.7 (1.0)	13.9 (2.0)	13.8 (2.0)	8.2 (3.3)	2.82	2.40
(E) Medication	4.3 (2.0)	5.4 (1.2)	5.8 (1.3)	6.3 (1.4)	5.4 (1.0)	7.5 (2.2)	1.9 (1.4)	.06	.14

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 5.2

Mean, Standard Errors and Significance Tests
(F Statistics) of Differences in Hypertension
by Occupational Noise Exposure
(FMM-425)

Variable	≤ 70 dB \bar{X} (s.e.)	71-75 dB \bar{X} (s.e.)	76-80 dB \bar{X} (s.e.)	81-85 dB \bar{X} (s.e.)	86-90 dB \bar{X} (s.e.)	91-95 dB \bar{X} (s.e.)	≥ 96 dB \bar{X} (s.e.)	F Statistic (Uncontrolled)	F Statistic (Controlling for age & race)
Mean Systolic Blood Pressure	125.2 (3.6)	125.8 (1.1)	126.7 (1.2)	129.3 (3.9)	128.2 (2.0)	132.1 (4.0)	-	3.46	.81
Mean Diastolic Blood Pressure	80.5 (2.4)	80.3 (.7)	81.2 (.7)	81.6 (1.9)	83.6 (1.1)	86.3 (2.6)	-	8.34**	5.98*
Mean Average Blood Pressure	95.4 (2.7)	95.5 (.8)	96.4 (.8)	97.5 (2.5)	98.5 (1.4)	101.6 (2.8)	-	6.57*	3.51
Shift in Systolic Blood Pressure	6.4 (1.0)	0.5 (.4)	8.4 (.4)	8.7 (.8)	8.7 (.9)	8.9 (4.1)	-	.83	.53
Shift in Diastolic Blood Pressure	5.6 (.8)	5.9 (.4)	5.9 (.3)	6.3 (.6)	6.0 (.6)	4.5 (1.2)	-	.13	.02
Shift in Average Blood Pressure	4.8 (.7)	5.7 (.3)	5.4 (.3)	6.2 (.5)	5.7 (.5)	5.5 (.8)	-	.44	.19
History of Hypertension	15.2 (6.7)	18.1 (1.9)	21.2 (2.2)	19.1 (4.4)	23.4 (3.4)	12.2 (7.2)	-	2.19	.85
Hypertension using Physician's diagnosis	11.6 (4.6)	10.4 (1.5)	15.3 (2.2)	13.2 (4.3)	14.6 (3.0)	10.0 (8.0)	-	.88	.05
Hypertension Based on Blood Pressure Readings									
(A) Nonhypertensive	67.0 (7.8)	61.4 (2.0)	61.3 (2.9)	58.4 (5.4)	49.2 (4.1)	55.0 (11.6)	-	6.82**	3.17
(B) Borderline	10.9 (5.6)	12.3 (1.8)	10.4 (2.0)	10.1 (2.8)	16.5 (3.4)	7.5 (5.9)	-	.56	.33
(C) Faintly	7.2 (3.2)	9.3 (1.7)	10.1 (1.9)	12.0 (3.5)	17.8 (3.6)	17.0 (13.0)	-	6.74**	5.66*
(D) Definite	8.9 (4.3)	8.8 (1.7)	9.0 (1.6)	9.5 (3.5)	5.3 (1.9)	20.6 (8.6)	-	.42	.99
(E) Medication	6.0 (5.7)	8.2 (1.4)	9.2 (1.7)	9.2 (3.2)	11.2 (2.4)	0 (0)	-	.41	.01

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 5.3

Regression Equations (Coefficients and Standard Errors)
of Age, Race and Occupational Noise Exposure on
Hypertension by Sex

Variable	MALES					FEMALES				
	Intercept	Age at Exam	Race (White)	Race (Black)	Occupational Noise Exposure	Intercept	Age at Exam	Race (White)	Race (Black)	Occupational Noise Exposure
Mean Systolic Blood Pressure	.99.386*** (4.137)	.535*** (.0319)	6.699 (3.017)	13.304** (4.158)	.121 (.064)	88.623*** (5.327)	.903*** (.0533)	-3.027 (3.943)	5.770 (4.102)	.112 (.125)
Mean Diastolic Blood Pressure	73.866*** (2.588)	.193*** (.0202)	1.550 (2.317)	7.195** (2.631)	-.0855* (.0376)	65.042*** (3.343)	.341*** (.0251)	-2.156 (2.921)	4.219 (3.059)	.188* (.0765)
Mean Average Blood Pressure	82.357*** (2.965)	.307*** (.0219)	3.271 (2.704)	9.231** (3.0022)	.097* (.0418)	73.436*** (3.770)	.528*** (.0313)	-2.446 (3.0353)	4.736 (3.180)	.162 (.0865)
Shift in Systolic Blood Pressure	.139 (.958)	.0010*** (.0145)	4.263*** (.805)	4.931*** (.950)	.0238 (.0320)	2.151 (1.668)	.0927*** (.0212)	1.656 (1.253)	2.627 (1.411)	.0525 (.0725)
Shift in Diastolic Blood Pressure	4.544** (1.381)	.0068 (.00980)	.051 (1.266)	1.823 (1.435)	.00425 (.0202)	3.976** (1.434)	.0512*** (.0152)	-.221 (1.316)	-.900 (1.350)	.00525 (.0379)
Shift in Average Blood Pressure	2.560** (.935)	.0258** (.00877)	1.877* (.778)	2.452** (.947)	-.0085 (.0209)	1.501 (1.308)	.0621*** (.0130)	1.325 (1.227)	1.0355 (1.210)	.0173 (.0394)
History of Hypertension	.0187 (.114)	.00462*** (.000740)	-.0436 (.104)	.0013*** (.110)	-.00140 (.00158)	-.128 (.150)	.00058*** (.00105)	-.0979 (.125)	.124 (.128)	.00246 (.00265)
Hypertension Physician's Diagnosis	-.0734 (.0913)	.00492*** (.000650)	-.0270 (.0013)	.108 (.0917)	.00245 (.00114)	-.127 (.106)	.00726*** (.000959)	-.0824 (.109)	.0704 (.112)	.000370 (.00166)
Hypertension Based on Blood Pressure Readings										
(A) Nonhypertensive	1.249*** (.121)	-.0117*** (.000860)	-.191 (.106)	-.329** (.117)	-.0055* (.00069)	1.136*** (.113)	-.0167*** (.00105)	.277*** (.0801)	.0233 (.0078)	-.0057 (.00316)
(B) Borderline	.0494 (.0492)	-.00045 (.000671)	.112** (.0431)	.0674 (.0524)	.00249 (.00055)	.152 (.127)	.00190* (.000883)	-.129 (.122)	-.144 (.123)	.00148 (.00260)
(C) Faint	-.110* (.0492)	.00387*** (.000762)	.106* (.0429)	.107 (.0553)	.00141 (.00140)	-.0244 (.100)	.00358 (.00900)	-.0903 (.110)	-.0595 (.112)	.0061* (.00255)
(D) Definite	-.0528 (.0906)	.00447*** (.000632)	-.0572 (.0833)	.0087 (.0085)	.00188 (.00122)	-.161*** (.0427)	.00440*** (.000843)	.0588*** (.0197)	.198*** (.0360)	-.00175 (.00173)
(E) Medication	-.136*** (.0263)	.00370*** (.000490)	.0306* (.0145)	-.0057** (.0318)	.000375 (.00101)	-.103 (.110)	.00684*** (.000755)	-.116 (.109)	-.0179 (.111)	-.00018 (.00157)

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 5.4

**Significant Findings: Relationships Between Hypertension
Measures and Background Characteristics Within
Sex Controlling for Age and Race**

	MALES				FEMALES			
	Mean Diastolic BP	Mean Average BP	Nomo- tensive	Labile	Mean Diastolic BP	Mean Average BP	Nomo- tensive	Labile
<u>Noise Exposure</u>	*	*	*		*		*	
<u>Demographic Characteristics</u>								
Income					*	*	**	*
Marital Status						*	*	*
Size of Place			*			*		
SMSA					*			
Family								
Region								
Education		*	*	**				
PIR					*	*	**	
Internal Density								
<u>Physical Character- istics and Habits</u>								
Drugs for Infection								**
Aspirin Use								
Birth Control Pills	na	na	na	na	***	***	na	na
Hyp. Medication	***	***	na	na	*	*	na	na
Cigarette Smoking	*		*			*		
Alcohol Use	**	**	*			*	**	***
Activity (recreation)								
Activity (work)								
Skinfold,	***	***	***	**	***	***	***	*
Height	**	*						
Weight	***	***	***	***	***	***	***	***

*Significant at .05 level.

**Significant at .01 level.

***Significant at .001 level.

Table 5.5

Regression Coefficients of Relationships between
Hypertension Measures and Background Characteristics
Within Sex Controlling for Age and Race

	MALES					FEMALES				
	Mean Diastolic BP	Mean Average BP	Nono- tensive	Labile		Mean Diastolic BP	Mean Average BP	Nono- tensive	Labile	
<u>Demographic Characteristics</u>										
Income	0	0	0	0		0*	0*	0**	0*	
1	-1.039	-1.913	.0192	.00882		-1.627	-1.427	.0733	.0546	
2	.2409	-2.414	-.0149	.0448		-1.01	.868	.02	-.0243	
3	.178	-1.546	.0309	-.00968		-3.201	-3.837	.147	-.0988	
Size of Place	.143	.118	-.00763	.00743*		.294	.249*	-.0118	.00363	
Marital Status	-.848	-1.542	.00791	.0209		-.628	-1.299	.0696*	-.0432*	
SMSA	0	0	0	0		0	0	0	0	
1	-.162	-.246	.0382	-.0267		-1.311	-1.264	.0587	-.0254	
2	-.631	-.0946	.0214	-.0324		-2.959	-2.616	.0529	-.0415	
Farm		.0267	-.312	-.0234	.0249	1.638	.424	.00949	-.0230	
Region	NE	-.0437	.439	-.00371	-.0122	.185	.520	-.0747	.0422	
MW		.478	.622	-.0460	.00856	1.0263	1.272	-.0541	.0265	
S		.915	1.141	-.0671	.00582	1.332	1.619	-.0430	.0110	
W	0	0	0	0		0	0	0	0	
Education		-.159	-.201*	.00897*	-.00640**	.192	-.237	.00266	-.00503	
PIR		-.0434	-.0575	.00521	-.00177	-.562**	-.691**	.00651**	-.0132	
Internal Density		-.691	-1.380	.0350	.0114	1.982	.598	.0944	-.0567	
<u>Physical Characteristics and Habits</u>										
Drugs for Infection		-.1.473	-2.00084	.0907	-.00353	1.768	2.228	-.176	-.0729**	
Aspirin Use		.846	.459	-.0204	.0229	-.279	-.458	.0324	-.00432	
Birth Control Pills		na	na	na	na	-.350	-.633	.00861	-.000078	
Hypertension Medication		10.0979***	11.209***	na	na	5.659***	9.358***	na	na	
Cigarette Smoking	0	0*	0	0	0	0*	0*	0	0	
1	.423	.341	-.0220	-.00469		-2.591	-2.261	.0425	-.0297	
2	-1.190	-.848	.0218	.00111		-1.854	-2.116	.0760	-.00766	
Alcohol Use	0	0**	0**	0*	0	0	0*	0**	0**	
1	.691	.813	-.0114	-.0635		-1.615	-1.898	.054	-.002	
2	3.846	4.304	.134	.01769		-2.736	-3.318	.032	.008	
3	3.473	4.230	-.0590	.0169		20.223	25.390	-.364	-.114	
Activity (Rec.)		.216	.445	-.0205	.0286	-.1.207	-1.631	.0383	-.0285	
Activity (Work)		-.210	-.0777	-.0193	.0346	-.0460	-.616	.0464	-.0295	
Skinfold		-.206***	.234***	-.00704***	.00231**	-.128***	.261***	-.00687***	.00158*	
Height		.113**	.0919*	-.00161	-.00047	.0273	.0192	.00032	-.00101	
Weight		.278***	.296***	-.00898***	.00272***	.146***	.391***	-.0103***	.00333***	

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 5.6

**Results of Multiple Regression Models Examining the Relationship of
Occupational Noise Exposure and Mean Diastolic Blood Pressure
in the Presence of Background Characteristics--NHEES**

	Model 1	Model 2	Model 3	Model 4	Model 5	Model 6	Model 7	Model 8	Model 9
Noise Exposure	.133***	.108**	.112**	.144***	.102**	.101*	.111**	.066	.0775
Age	.153***	.164***	.164***	.167***	.155***	.155***	.159***	.142***	.147***
Race	White	.835***	-2.790***	-2.617***	-.478***	-2.160***	-2.170***	-2.0420***	-2.570***
	Black	5.743	1.091	2.0671	4.609	2.366	2.353	2.296	1.674
	Other	0	0	0	0	0	0	0	0
Hypertension Medication	9.351***	8.990***	8.965***	9.558***	8.762***	8.762***	8.768***	8.886***	8.914***
Skintold		.201***		.0226	.201***		.00280		
Weight			.269***	.254***		.260***	.291***	.281***	.289***
Height					.136***	-.0958*	-.0975*	-.0997*	-.0860*
Alcohol Use	0							0**	0**
1								.764	.945
2								3.764	3.879
3								3.450	3.558
Elevation								-.194*	-.184
Overall F	37.79***	56.67***	49.64***	33.04***	49.10***	44.21***	35.25***	43.72***	32.17***

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 5.7

Results of Multiple Regression Models Examining the Relationship of
Occupational Noise Exposure and Mean Average Blood Pressure
In the Presence of Background Characteristics—Males

	Model 1	Model 2	Model 3	Model 4	Model 5	Model 6	Model 7	Model 8	Model 9	
Noise Exposure	.151***	.121**	.130**	.160***	.112**	.116**	.124**	.0695	.0865	
Age	.263***	.274***	.273***	.275***	.262***	.262***	.268***	.245***	.254***	
Race	White	2.461***	-1.306***	-1.00767***	1.334***	-.487***	-.429***	-.305***	-.967**	-.740**
	Black	7.605	3.527	3.911	6.632	4.206	4.282	4.264	3.405	3.544
	Other	0	0	0	0	0	0	0	0	0
Hypertension Medication	10.359***	10.0272***	9.972***	10.537***	9.702***	9.708***	9.254***	9.853***	9.425***	
Skinfold		.228***		.0493	.228***		.0163			
Height			.287***	.255***		.315***	.302***	.311***	.317***	
Height					.117***	-.137**	-.127**	-.146***	-.126**	
Alcohol Use	0						0***		0***	
1							.09		1.049	
2							4.269		4.3801	
3							4.206		4.315	
Education								-.230*	-.206*	
Overall F	52.75***	69.56***	60.65***	45.65***	60.40***	54.12***	44.88***	54.70***		

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 5.B

Results of Multiple Regression Models Examining the Relationship of
Occupational Noise Exposure and Prevalence of Nonpotention
in the Presence of Background Characteristics-WM&S

	Model 1	Model 2	Model 3	Model 4	Model 5	Model 6	Model 7	Model 8	Model 9
Noise Exposure	-.00705***	-.00605**	-.00635**	-.0072***	-.00665**	-.0057**	-.0058**	-.0043*	-.00465*
Age	-.0115***	-.0119***	-.0118***	-.0118***	-.0112***	-.0112***	-.0113***	-.0107***	-.0108***
Race	.175**	-.0537*	-.0600*	-.156**	-.0940*	-.0957*	-.129*	-.0796	-.115
White	-.305	-.1760	-.1903	-.289	-.2061	-.2073	-.238	-.1806	-.215
Black	0	0	0	0	0	0	0	0	0
Other									
Skinfold	-.00739***		-.00186	-.00739***		-.00026			
Height			-.00907***	-.00787***		-.01033***	-.01012***	-.00997***	-.01035***
Height					-.00201	.06627**	.00610**	.00708***	.00584**
Alcohol Use	0						0**		0**
1							-.0181		-.0238
2							-.1367		-.1401
3							-.0690		-.0724
Education								.00720	.00633
Overall F	74.51***	92.08***	75.97***	63.05***	75.55***	64.63***	45.59***	64.09***	40.10***

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 5.9

Results of Multiple Regression Models Examining
the Relationship of Occupational Noise Exposure
and Mean Diastolic Blood Pressure in the Presence
of Background Characteristics--FEMALES

	Model 1	Model 2	Model 3
Noise Exposure	.190**	.162*	.168*
Age	.255***	.248***	.244***
Race	.546** 3.300 0	-2.819* .838 0	-2.230* 1.240 0
Hypertension Medication	4.405**	4.00156*	3.939*
Skinfold	.223***		.0728*
Weight		.336***	.265***
Overall F	50.43***	54.71***	50.50***

*Significant at .05 level.

**Significant at .01 level.

***Significant at .001 level.

Table 5.10

**Results of Multiple Regression Models Examining
the Relationship of Occupational Noise Exposure
and Prevalence of Labile Hypertension in the
Presence of Background Characteristics--FEMALES**

		Model 1	Model 2	Model 3	Model 4	Model 5
Noise Exposure		.0061*	.0058*	.00575*	.0635*	.0060*
Age		.00318***	.00294**	.00298**	.00227*	.00211*
Race	white	-.0826	-.1014	-.1065	-.136	-.0438
	black	-.0666	-.0931	-.0965	-.129	-.0510
	other	0	0	0	0	0
Skinfold		.00158*		-.00061		
Weight			.00327***	.00387**	.00395***	.00389***
Alcohol Use	0				0***	0***
	1				.0221	.0408
	2				.0386	.0676
	3				-.1362	-.1471
Income	0					0*
	1					-.044
	2					-.0108
	3					-.0890
Overall F		5.49***	7.54***	6.48***	5.01***	5.21***

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level

Table 5.11

**Means, Standard Errors and Significance Tests (F Statistics)
of Differences in Overall Health and Stress by Occupational Noise Exposure
(MNLBS)**

Variable	≤ 70 dB \bar{X} (s.e.)	71-75 dB \bar{X} (s.e.)	76-80 dB \bar{X} (s.e.)	81-85 dB \bar{X} (s.e.)	86-90 dB \bar{X} (s.e.)	91-95 dB \bar{X} (s.e.)	≥ 96 dB \bar{X} (s.e.)	F Statistic (Uncontrolled)	F Statistic (Controlling for age & race)
Physician's Diagnostic Impression	34.76 (9.64)	54.55 (3.05)	56.85 (3.80)	61.46 (3.09)	64.15 (3.00)	61.49 (3.57)	54.76 (7.33)	5.35*	5.63*
General Well Being Score	80.61 (2.27)	86.24 (.68)	84.17 (.82)	84.42 (.94)	83.78 (.96)	83.53 (1.09)	83.26 (2.20)	6.39*	6.08*
Relaxed Tense Subscore	16.95 (.66)	18.42 (.24)	18.68 (.27)	18.88 (.26)	19.01 (.30)	18.57 (.38)	18.97 (.65)	3.22	3.17
Use of Drugs for Stress	4.53 (2.61)	9.68 (1.53)	10.55 (1.01)	9.31 (1.96)	11.56 (1.01)	11.52 (2.55)	17.81 (7.09)	1.17	1.25
Physician's Diagnosis of Mental Conditions	.00 (.00)	.75 (.43)	.00 (.00)	1.71 (.84)	.01 (.50)	.95 (.79)	2.52 (2.65)	1.12	1.17

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

continued

Table 5.11 continued

Means, Standard Errors and Significance Tests (P Statistic)
of Differences in Other Health Conditions by Occupational Noise Exposure
(MALES)

Variable	≤ 70 dB \bar{X} (s.e.)	71-75 dB \bar{X} (s.e.)	76-80 dB \bar{X} (s.e.)	81-85 dB \bar{X} (s.e.)	86-90 dB \bar{X} (s.e.)	91-95 dB \bar{X} (s.e.)	≥ 96 dB \bar{X} (s.e.)	F Statistic (Uncontrolled)	P Statistic (Controlling for age & race)
<u>Cardiovascular</u> <u>Conditions</u>									
<u>Self Report</u>	2.25 (2.14)	3.34 (.79)	4.63 (1.11)	2.96 (.76)	4.50 (1.12)	1.80 (.69)	.0 (.0)	.26	.17
<u>Physician</u>	40.03 (16.03)	42.64 (3.34)	46.04 (3.91)	51.02 (3.81)	44.93 (3.98)	43.51 (4.13)	65.80 (9.63)	.78	1.01
<u>Heart Disease</u> <u>Self Report</u>	2.25 (2.14)	2.66 (.66)	3.67 (.85)	2.88 (.71)	4.21 (1.08)	1.58 (.66)	.00 (.00)	.09	.05
<u>Physician</u>	21.53 (10.37)	18.68 (2.52)	20.76 (2.96)	24.37 (2.97)	21.79 (3.18)	18.33 (3.12)	34.78 (10.15)	.99	1.66
<u>Respiratory</u> <u>Conditions</u>									
<u>Self Report</u>	25.14 (6.81)	15.07 (1.72)	8.56 (1.60)	11.68 (1.69)	10.72 (1.58)	11.10 (2.14)	19.79 (7.85)	.15	.11
<u>Physician</u>	24.18 (9.68)	11.94 (2.12)	16.19 (3.34)	16.27 (2.80)	12.09 (2.67)	13.62 (3.60)	10.31 (4.68)	.23	.41
<u>Muscular-Skeletal</u> <u>Conditions</u>									
<u>Self Report</u>	9.64 (4.63)	13.77 (1.66)	13.38 (1.93)	14.99 (2.02)	18.67 (2.32)	11.14 (2.00)	12.24 (4.95)	.14	.21
<u>Physician</u>	43.40 (11.45)	33.25 (3.38)	31.81 (3.78)	28.77 (3.77)	34.66 (3.80)	34.39 (4.43)	45.42 (11.40)	.45	.68
<u>Gastrointestinal</u> <u>Conditions</u>									
<u>Self Report</u>	3.45 (3.40)	6.41 (1.37)	9.72 (2.21)	7.83 (1.65)	11.23 (1.81)	10.52 (1.75)	14.30 (5.22)	1.05	1.12
<u>Physician</u>	7.90 (6.26)	5.43 (1.31)	8.55 (2.38)	6.21 (1.97)	4.85 (1.41)	6.92 (2.30)	7.01 (4.34)	.00	.00
<u>Metabolic</u> <u>Conditions</u>									
<u>Self Report</u>	16.70 (7.60)	4.80 (1.21)	6.62 (1.72)	5.64 (1.54)	7.41 (2.05)	4.19 (1.50)	1.75 (1.77)	.52	.35
<u>Physician</u>	22.64 (10.35)	15.43 (2.67)	10.47 (2.37)	12.81 (3.15)	8.71 (1.99)	9.89 (2.44)	12.72 (5.01)	3.84	3.30
<u>Infections</u> <u>Self Report</u>	.00 (.00)	1.59 (.60)	1.20 (.85)	.13 (.11)	1.38 (.06)	.41 (.30)	.00 (.00)	2.13	2.38
<u>Physician</u>	6.13 (6.12)	1.79 (.71)	1.80 (1.23)	3.00 (1.11)	2.06 (1.23)	2.58 (1.36)	2.73 (2.75)	.03	.02
<u>Neoplasms</u> <u>Self Report</u>	.00 (.00)	2.61 (.69)	2.69 (.92)	1.27 (.64)	1.20 (.60)	.99 (.59)	4.28 (3.06)	.60	.59
<u>Physician</u>	.00 (.00)	1.66 (.50)	1.67 (.77)	3.60 (1.39)	.55 (.22)	4.86 (2.03)	.00 (.00)	.34	.56
<u>Nervous System</u> <u>Physician</u>	8.79 (7.36)	13.89 (2.35)	14.28 (2.42)	17.68 (3.03)	11.03 (2.36)	10.67 (2.68)	16.49 (7.32)	.05	.00
<u>Genito-Urinary</u> <u>Conditions</u>									
<u>Physician</u>	2.42 (2.44)	1.30 (.76)	.15 (.15)	.70 (.48)	1.54 (.70)	1.26 (.94)	.00 (.00)	.22	.25
<u>Accidents</u> <u>Physician</u>	7.62 (7.40)	3.24 (.93)	5.29 (1.81)	2.91 (1.10)	7.05 (2.13)	2.09 (1.03)	5.69 (3.91)	3.11	2.83
<u>Skin Conditions</u> <u>Physician</u>	4.93 (4.90)	5.49 (1.31)	10.33 (2.11)	7.44 (2.00)	9.97 (2.29)	9.25 (2.69)	3.62 (2.62)	.31	.34

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 5.12
Means, Standard Errors and Significance Tests (F Statistics)
of Differences in Overall Health and Stress by Occupational Noise Exposure
(FEMALES)

Variable	≤ 70 dB \bar{X} (s.e.)	71-75 dB \bar{X} (s.e.)	76-80 dB \bar{X} (s.e.)	81-85 dB \bar{X} (s.e.)	86-90 dB \bar{X} (s.e.)	91-95 dB \bar{X} (s.e.)	≥ 96 dB \bar{X} (s.e.)	F Statistic (Uncontrolled)	F Statistic (Controlling for age & race)
Physician's Diagnostic Impression	54.82 (10.42)	54.60 (3.10)	52.01 (3.67)	48.88 (6.00)	61.28 (5.05)	50.87 (19.27)	-	.82	.00
General Well Being Score	77.50 (2.69)	79.56 (.96)	78.25 (.80)	78.67 (1.92)	72.19 (1.52)	67.66 (6.20)	-	17.38***	18.12***
Relaxed Versus Subacute	16.50 (.81)	17.26 (.26)	16.99 (.29)	17.28 (.54)	15.82 (.45)	14.93 (2.08)	-	5.92*	6.56*
Use of Drugs for Stress	27.58 (8.18)	13.66 (1.66)	15.08 (2.05)	11.71 (3.19)	17.35 (3.67)	16.23 (13.03)	-	.00	.14
Physician's Diagnosis of Mental Condition	.00 (.00)	.59 (.37)	1.91 (.77)	.00 (.00)	1.64 (1.27)	.00 (.00)	-	.47	.53

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

continued

Table 5.12 continued

Means, Standard Errors and Significance Tests (F Statistics)
of Differences in Other Health Conditions by Occupational Noise Exposure
(FEMALES)

Variable	≤ 70 dB \bar{X} (s.e.)	71-75 dB \bar{X} (s.e.)	76-80 dB \bar{X} (s.e.)	81-85 dB \bar{X} (s.e.)	86-90 dB \bar{X} (s.e.)	91-95 dB \bar{X} (s.e.)	≥ 96 dB \bar{X} (s.e.)	F Statistic (Uncontrolled)	F Statistic (Controlling for age & race)
Cardiovascular Conditions <u>Self Report</u>	.00 (.00)	1.55 (.57)	4.01 (1.13)	.59 (.58)	3.02 (1.42)	3.16 (3.36)	-	.58	.14
<u>Physician</u>	40.16 (10.58)	39.83 (3.47)	51.49 (4.04)	47.63 (8.38)	47.36 (4.92)	52.13 (18.15)	-	.27	.11
Heart Disease <u>Self Report</u>	.00 (.00)	1.16 (.52)	2.89 (.79)	.59 (.58)	2.81 (1.41)	3.16 (3.36)	-	.31	.01
<u>Physician</u>	18.16 (6.05)	19.89 (2.91)	26.83 (3.52)	28.31 (7.61)	27.25 (4.91)	23.87 (12.92)	-	1.33	.62
Respiratory Conditions <u>Self Report</u>	18.90 (6.58)	17.42 (1.94)	16.55 (2.24)	12.69 (3.36)	13.77 (3.10)	10.34 (8.31)	-	2.28	1.88
<u>Physician</u>	6.84 (4.34)	13.89 (2.56)	15.78 (3.32)	4.13 (2.29)	13.80 (3.53)	14.63 (13.56)	-	1.45	1.76
Muscular-Skeletal Conditions <u>Self Report</u>	19.81 (6.50)	20.63 (2.02)	21.84 (2.72)	22.77 (4.52)	24.45 (3.82)	14.33 (7.70)	-	1.27	.22
<u>Physician</u>	44.40 (10.96)	45.58 (3.89)	38.13 (3.09)	39.25 (7.95)	41.48 (6.08)	67.96 (17.20)	-	.10	.03
Gastrointestinal Conditions <u>Self Report</u>	14.52 (5.79)	9.77 (1.80)	9.06 (1.56)	11.48 (3.28)	13.35 (3.11)	13.97 (0.42)	-	.05	.52
<u>Physician</u>	11.12 (5.29)	3.12 (.94)	7.04 (2.54)	3.13 (1.91)	4.51 (1.99)	.00 (.00)	-	2.21	1.04
Metabolic Conditions <u>Self Report</u>	16.45 (8.76)	15.30 (2.61)	14.71 (3.05)	8.63 (2.84)	19.93 (4.63)	25.00 (14.92)	-	.00	.01
<u>Physician</u>	24.13 (9.60)	22.43 (3.14)	19.95 (3.58)	25.05 (7.38)	21.94 (4.07)	21.92 (15.73)	-	.09	.15
Infections <u>Self Report</u>	.00 (.00)	.17 (.17)	.68 (.39)	.00 (.79)	.00 (.00)	.00 (.00)	-	.03	.00
<u>Physician</u>	.00 (.00)	2.42 (.89)	4.02 (1.35)	.00 (.00)	.00 (.00)	6.21 (6.29)	-	5.32*	5.31*
Hepatitis <u>Self Report</u>	7.10 (5.66)	4.92 (1.02)	6.16 (1.18)	2.42 (1.13)	0.09 (2.71)	7.15 (5.53)	-	.07	.07
<u>Physician</u>	2.54 (2.40)	2.73 (1.07)	1.12 (.91)	5.75 (5.49)	1.23 (.89)	.00 (.00)	-	.18	.13
Nervous System <u>Physician</u>	9.23 (6.70)	7.14 (2.15)	10.58 (2.30)	12.75 (5.07)	14.01 (3.06)	20.04 (14.60)	-	3.46	2.38
Genito-Urinary Conditions <u>Physician</u>	0.78 (6.06)	1.64 (.68)	.06 (.61)	.34 (.35)	1.31 (.94)	.00 (.00)	-	2.03	1.70
Accidents <u>Physician</u>	.00 (.00)	.81 (.43)	3.53 (1.50)	5.75 (5.49)	.74 (.75)	.00 (.00)	-	.13	.21
skin Conditions <u>Physician</u>	6.19 (4.52)	2.02 (.76)	3.03 (1.37)	3.03 (3.14)	6.34 (2.13)	6.55 (6.61)	-	4.04*	4.05*

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 5.13

Regression Coefficients and Standard Errors of
Differences in Selected Health Conditions by Occupational
Exposure Within Sex Controlling for Age and Race

Health Condition	Males					Females				
	Intercept	Age at Exam	Race (White)	Race (Black)	Occupational Noise Exposure	Intercept	Age at Exam	Race (White)	Race (Black)	Occupational Noise Exposure
Physician's Diagnostic Impression	-.115 (.133)	.013*** (.001)	.072 (.133)	.179 (.139)	.005* (.002)	.259* (.119)	.011*** (.001)	-.226* (.097)	-.169 (.105)	.001 (.003)
General Well Being Score	79.551*** (4.801)	.029 (.0205)	5.937 (4.965)	3.142 (5.068)	-.142* (.0575)	70.339*** (5.308)	.075 (.048)	10.427* (4.400)	4.364 (4.747)	-.474*** (.112)
Relaxed-Peace Subscore	14.990*** (1.587)	.046*** (.008)	1.176 (1.597)	1.531 (1.652)	.033 (.0105)	13.793*** (2.197)	.037** (.013)	2.560 (2.083)	2.091 (2.156)	-.0825** (.032)
Skin Condition Physician	.072 (.066)	-.0006 (.0007)	.023 (.060)	-.014 (.064)	.001 (.0015)	-.049 (.053)	-.0005 (.0007)	.061** (.021)	.024 (.017)	.005* (.0025)
Infection Disease Physician	.050 (.053)	-.00005 (.0003)	-.029 (.051)	-.013 (.053)	.0001 (.0005)	.026 (.022)	-.00008* (.0004)	.019** (.006)	.015 (.019)	-.0015* (.00065)

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 5.14

Significant Findings: Relationships Between Health Conditions and Background Characteristics Within Sex Controlling for Age and Race

	MALES			FEMALES				
	Physician's Diagnostic Impression	Diagnosis of Skin Condition	General Well Being Score	Relaxed-Tense Subscore	Physician's Diagnostic Impression	Diagnosis of Skin Condition	General Well Being Score	Relaxed-Tense Subscore
<u>Noise Exposure</u>	*	*				*	***	*
<u>Demographic Characteristics</u>				*		*		
Income				*				
Marital Status					*		**	*
Size of Place						*		
SMSA							***	
FAIM							**	
Region								
Education			*	*			***	
PIR		**		*			***	
Internal Density								
<u>Physical Characteristics and Habits</u>								
Drugs for Infection								
Aspirin Use								*
Birth Control Pill	**	**	**	**				
Cigarette Smoking							**	
Alcohol Use		*						
Activity (Work)			***	**				
Activity (Rec.)			***	***			***	
Skinfold	***				***			
Height								
Weight	***				***			

*Significant at .05 level.

**Significant at .01 level.

***Significant at .001 level.

Table 5.15

Regression Coefficients of Selected Relationships Between Health Characteristics and Background Characteristics Within Sex Controlling for Age and Race

	MALES				FEMALES			
	Physician's Diagnostic Impression	Diagnosis of Skin Condition	General Well Being Score	Relaxed-Tense Subscore	Physician's Diagnostic Impression	Diagnosis of Skin Condition	General Well Being Score	Relaxed-Tense Subscore
Demographic Characteristics								
Income 0	0	0	0	0*	0	0	0***	0**
1	-.0493	-.0345	2.702	.0651	-.0736	-.000163	5.452	1.334
2	-.0419	-.0655	3.24	.3041	-.119	.0260	6.78	1.697
3	-.0483	-.0644	3.904	.000062	-.117	-.00715	9.224	1.826
Marital Status	-.03613	-.00940	1.822	-.198	-.0790*	.0230	3.295**	.788*
Years of Education	-.00562	-.00417	.256*	-.0780*	-.00523	-.00465	1.139***	.221***
PIR	-.00740	-.0134**	-.00362	-.162*	-.0125	-.00129	.325	.0757
Physical Characteristics								
Aspirin Use	.04500	.0214	-3.635***	-.943***	-.0105	-.00111	-.1.827	-.838*
Cigarette Smoking 0	0	0	0***	0**	0	0	0**	0*
1	.01608	.00941	-1.6501	-.522	-.0142	.00733	-1.242	-.749
2	.0658	.0269	-2.950	-.706	.0100	.00090	-4.0513	-1.158
Alcohol Use 0	0	0*	0	0	0	0**	0	0
1	-.0458	-.0005	1.363	.273	-.035	-.0405	-.715	-.464
2	-.0553	-.0337	-1.425	-.436	-.137	-.0631	-2.419	-2.35
3	-.00856	-.0541	.283	.126	.295	-.0594	-13.829	-2.607
Activity (Work)	-.0212	-.00801	3.119***	.796**	-.0305	.00490	2.277	.195
Activity (Rec.)	-.0189	-.00582	4.0135***	1.0223***	-.0132	-.0117	6.391***	1.384***
Skintold	.00397***	.00017	-.00967	-.00664	.00512***	-.0000071	.00590	.00662
Weight	.00440***	.00042	-.00531	-.00631	.00755***	-.00053	-.0177	.00528

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 5.16

Results of Multiple Regression Models Examining the Relationship of Occupational Noise Exposure to Physician's Diagnostic Impression, Physician's Diagnosis of Skin Conditions and Relaxed/Tense Subscale in the Presence of Background Characteristics

Part A: Physician's Diagnostic Impression - Males

	<u>Model 1</u>	<u>Model 2</u>	<u>Model 3</u>
Noise Exposure	.0063**	.00565**	.0060**
Age	.0127***	.0129***	.0129***
Race (White)	-.0995*	-.0950*	-.0949*
Skinfold	.00430***		.00198
Weight		.00450***	.00321***
Overall F	43.52***	51.24***	41.09***

Part B: Physician's Diagnosis of Skin Conditions - Females

	<u>Model 1</u>
Noise Exposure	.00605
Age	-.00068
Race (White)	.0433**
Alcohol Use 0	0*
1	-.0321
2	-.0460
3	-.0825
Overall F	2.09*

Part C: Relaxed/Tense Subscale - Females

	<u>Model 1</u>
Noise Exposure	-.0478
Age	.0493***
Race (White)	.248
Education	.195**
Overall F	5.95**

*Significant at .05 level.
**Significant at .01 level.
***Significant at .001 level.

Table 5.17

Results of Multiple Regression Models Examining the Relationship
of Occupational Noise Exposure to General Well Being
Score In the Presence of Background Characteristics

Part A: Men

	Model 1
Noise Exposure	-.126
Age	.0405
Race (White)	2.620*
Education	.157
Overall F	4.09**

Part B: Females

	Model 1	Model 2	Model 3	Model 4	Model 5	Model 6	Model 7	Model 8	Model 9	Model 10	Model 11
Noise Exposure	-.311**	-.408***	-.477***	-.289*	-.321**	-.417***	-.295**	-.453***	-.468***	-.452***	-.290**
Age	.124*	.101*	.0981*	.131**	.138**	.105*	.137**	.0918	.0643	.0743	.1205**
Race (White)	4.956***	4.962***	5.537***	4.409**	4.476**	4.903**	4.347**	5.502**	5.730***	5.103**	3.730*
Education	.967***			.833**	.949***		.873**				.733**
Income	0	0***		0**		0**		0		0**	
1		5.526		4.90		5.103		4.392		5.158	
2		6.588		5.649		5.703		4.426		5.413	
3		8.573		6.955		7.682		5.695		7.255	
Currently Married			3.412**		3.320**	1.589	2.102				
Activity (Exercise)								6.154***		6.219***	5.700***
Cigarette Smoking	0							0**	0**	0*	
1								-1.554	-1.711	-1.764	
2								-4.0246**	-4.0910**	-3.527*	
Overall F	10.73***	9.79***	10.41***	9.50***	10.05***	8.71***	8.90***	12.96***	10.35***	11.26***	8.81***

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 5.18
**Significant Findings: Relationships between Hearing
 Measures and Health Conditions, controlling
 for Age and Race by Sex**

	MALES					FEMALES				
	500Hz	1000Hz	2000Hz	4000Hz	Prev. ^a	500Hz	1000Hz	2000Hz	4000Hz	Prev. ^a
Health Conditions										
Physician's Diagnostic Impression										
Cardiovascular										
Self Report										
Physician										
Heart Disease										
Self Report										
Physician										
Respiratory										
Self Report										
Physician										
Muscular/Skeletal										
Self Report										
Physician										
Gastrointestinal										
Self Report										
Physician										
Metabolic										
Self Report										
Physician										
Infectious										
Self Report										
Physician										
Nephritis										
Self Report										
Physician										
Nervous System										
Physician										
Otolaryngology										
Physician										
Accidents										
Physician										
Skin										
Physician										
Signs and Symptoms of Stress										
General Well Being										
Relaxed/Vigorous										
Drugs for Stress										
Phys. Mental Condition										
	*	*	*	*		*	*	*	*	

^aPrevalence computed based on the average of hearing levels at 1000, 2000 and 4000 Hz > 25dB.

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

**Significant Findings: Relationships Between Indicators of
Noise Induced Hearing Loss and Health Conditions
Controlling for Age and Race by Sex (cont.)**

	MALES						FEMALES					
	Absolute Shifts		Percentage Shifts				Absolute Shifts		Percentage Shifts			
	.5,1,2 Base	.5,1 Base	.5,1,2 Base	.5,1 Base	Tinnitus		.5,1,2 Base	.5,1 Base	.5,1,2 Base	.5,1 Base	Tinnitus	
Health Conditions												
Physician's Diagnostic												
Impression	*	*	*	*	*							
Cardiovascular												
Self Report												
Physician												
Heart Disease												
Self Report												
Physician												
Respiratory												
Self Report												
Physician						*						
Muscular/Skeletal												
Self Report						*						
Physician												
Gastrointestinal												
Self Report						*						
Physician												
Metabolic												
Self Report												
Physician												
Infections												
Self Report												***
Physician												***
Neoplasms												*
Self Report												***
Physician												
Nervous System												
Physician												
Genitourinary												
Physician												
Accidents												
Physician												
Skin												
Physician												
Signs and Symptoms of Stress												
General Well Being												
Relaxed/Tense												*
Drugs for Stress												*
Phys. Mental Condition	*	*	*									***

*Significant at .05 level.

**Significant at .01 level.

***Significant at .001 level.

Table 5.19
Regression Coefficients of Relationships Between
Hearing Measures and Health Conditions Within
Sex Controlling for Age and Race

Health Conditions	Males					Females				
	500	1000	2000	4000	Prev.	500	1000	2000	4000	Prev.
<u>Physician's Diagnostic</u>										
<u>Infection</u>	1.837***	1.181*	.200	-.971	-.00023	1.0127	1.356*	1.975**	2.484***	.021B
<u>Cardiovascular</u>										
<u> Self Report</u>	1.233	.613	-.358	1.348	.0424	.940	1.561	3.0968	5.632	.0535*
<u> Physician</u>	-.529	-.133	.0499	-1.449	.0216	.527	-.109	.517	1.571	.0242
<u>Heart Disease</u>										
<u> Self Report</u>	.092	.205	.141	1.069	.0705	-.717	.500	.509	4.529	.0357
<u> Physician</u>	-.996	-1.267	1.0461	-.553	.0317	1.0738	.993	1.576	3.359	.0601*
<u>Respiratory</u>										
<u> Self Report</u>	-.0580	.134	-.425	-.176	.0427	-.712	.346	.969	1.0374	.0177
<u> Physician</u>	.388	.849	1.119	.908	-.00454	-1.698	-1.742*	-2.393*	-2.662**	-.0421
<u>Muscular/Skeletal</u>										
<u> Self Report</u>	-.117	.600	1.374	1.696	.0359	-.366	.227	.407	1.127	-.0237
<u> Physician</u>	.651	.0375	1.138	2.0223	.0225	-1.366	-1.149	-2.171*	-2.0439	-.0578*
<u>Gastrointestinal</u>										
<u> Self Report</u>	1.682	.497	.760	1.384	.0359	1.0732*	1.188	.938***	1.915***	.0347**
<u> Physician</u>	-.0602	-.274	.794	2.628	.0574	-2.015	-.097	-3.425	-4.471	-.0685
<u>Metabolic</u>										
<u> Self Report</u>	-1.0772	-1.0868	-2.366	-.533	-.0406	-.0817	.849	1.739	.189	.0211
<u> Physician</u>	.826	1.468	-.238	-.021	.0373	.397	1.0059	.821	.0308	-.0109
<u>Infection</u>										
<u> Self Report</u>	-1.424	2.450	-1.095	.512	-.0759	-2.493***	-1.660	-2.706	-2.696	-.0394
<u> Physician</u>	1.799	1.470	3.0975	3.0474	.0256	-2.0567	-1.260	-1.269	-3.243	-.0539
<u>Nucleus</u>										
<u> Self Report</u>	-.1093	.0734	.302	-.283	.0299	1.231	.644	.671	.876	.0196
<u> Physician</u>	5.0226*	5.690	4.0599	1.815	.00691	.119	.024	.211	-1.042	-.0247
<u>Nervous System</u>										
<u> Physician</u>	5.444***	5.884***	6.340**	2.658	.0753*	-.250	-.356	.834	1.456	.0242
<u>Dentition</u>										
<u> Physician</u>	-2.480*	-5.517***	-9.256**	-11.0946*	-.198**	-1.141	.259	-.536	-2.200	.0660
<u>Accidents</u>										
<u> Physician</u>	1.00506	2.736	2.512	4.261	.0769	.519	-.487	-.300	-.00525	-.0112
<u>Skin</u>										
<u> Physician</u>	.403	.251	.0404	3.459	.0355	-2.472	-1.309	0.0751	4.423	-.0187
<u>Symptoms and Signs of Stress</u>										
<u>General Well Being</u>	-.0140	-.00042	-.0178	-.0684	-.00040	-.0290	-.0370*	-.0520**	-.0184	-.00077*
<u>Relaxed/Tense Subscore</u>	.0508	.0942	.0900	-.0326	.00165	-.0270	-.0633	-.132	-.0756	-.00241
<u>Use of Drugs for Stress</u>	1.0976	1.0788	.0083	.933	.0292	-.294	-.148	-.776	-1.033	-.0275
<u>Physician's Diagnosis of Mental Condition</u>	1.175	.433	8.610*	14.996**	.344***	-1.702	-.129	5.161	.514	.0546

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.

Table 5.20
Regression Coefficients of Relationships Between
Indicators of Native Indian Hearing Loss and Health Conditions
Within Sex Controlling for Age and Race

Health Conditions	MALES								FEMALES							
	Absolute Shifts		Percentage Shifts		Absolute Shifts		Percentage Shifts		Absolute Shifts		Percentage Shifts		Absolute Shifts		Percentage Shifts	
	.5,1,2 Base	.5,1 Base	.5,1,2 Base	.5,1 Base												
Physician's Diagnostic Impression	-2.0458*	-2.447*	-.0006*	-.116**	-.0342**	1.0117	1.266	.0235	.0272	-.00174						
Cardiovascular																
Self Report	.714	.274	-.0103	-.0438	-.0350	3.721*	4.327*	.0658	.112	-.150*						
Physician	-1.396	-1.318	-.0609	-.0626	.0104	1.297	1.401	.0581*	.0615*	-.0215						
Heart Disease																
Self Report	1.298	1.136	.0121	-.00600	-.0567	4.360	4.582	.0898	.135	-.0975						
Physician	-.265	.425	-.0292	-.00684	.0219	2.231*	2.415*	.0730*	.0911*	-.0187						
Respiratory																
Self Report	-.101	-.263	-.00630	-.0150	-.0375	.007	1.305	.00807	.0273	-.0505*						
Physician	.597	.804	.0219	.0183	-.0491*	-.737	-.962	-.0140	-.0210	-.0380						
Muscular Skeletal																
Self Report	.950	1.205	.00760	-.0103	-.0615*	1.0632	1.233	.0273	.0382	-.0159						
Physician	1.262	1.555	.0296	.0532	-.0105	-.526	-.892	-.0189	-.0295	.00273						
Gastrointestinal																
Self Report	.498	.361	.00749	.0174	-.0490	.815	.745	.0363	.0244	-.0545						
Physician	2.406	2.702	.0388	.0342	-.0023*	-.2.115*	-.2.639*	-.0692	-.0922*	-.0137						
Metabolic																
Self Report	.064	.415	.00907	.00716	-.0715	-.701	-.250	-.0217	-.00367	-.00919						
Physician	-1.575	-2.062	-.0668	-.0999	-.0128	-.762	-.736	-.0333	-.0203	.0422						
Infection																
Self Report	.462	-.0030	.0209	.0187	.00663	.233	.356	.0185	.0211	.0426***						
Physician	.874	1.341	-.0301	.0270	-.0227	-.1.734	-.1.605	-.0746	-.0575	.0600***						
Hepatitis																
Self Report	.198	.596	-.0119	-.00536	-.0343	-.00126	-.0942	-.0153	-.0209	-.134*						
Physician	-3.227	-3.683	-.132	-.148	-.0638	-.2.179	-.2.233	-.0849	-.0760	.0649***						
Nervous System																
Physician	-3.317*	-3.119*	-.143***	-.163**	-.00264	1.344	1.723	.0272	.0295	-.0325						
Dentition/Hair																
Physician	-5.333	-7.0849	-.115	-.183	.0261	-.1.734	-.1.766	-.0939*	-.0700	.0634***						
Accidents																
Physician	2.128	2.322	.0597	.0737	-.00907	.0700	-.0355	-.0139	-.00374	-.116						
Skin																
Physician	3.147	3.0187	.0015	.0592	-.0406	5.706	6.321	.195	.179	.00042						
Symptoms and Symptoms of Disease																
General Well Being	-.0504	-.0621	-.00148	-.00113	.00230***	.0215	.0151	.00101	.00087	.00182***						
Relaxation/Tension Subscore	-.112	-.105	-.00467	-.00244	.00645***	-.0000074	-.0208	.00037	.00011	.00517**						
Use of Drugs for Stress																
Physician	.101	.243	.0204	-.00353	-.0695*	-.769	-.1.0109	-.0218	-.0264	-.0642*						
Physician's Diagnosis of Mental Condition	11.531*	14.113*	.255	.459	.0233	-.611	1.415	-.0311	.0602	-.160						

*Significant at .05 level. **Significant at .01 level. ***Significant at .001 level.